XB5AA86102

blue flush reset pushbutton Ø22 marked R for 17...120 mm actuation distance

Product availability: Stock - Normally stocked in distribution facility



Main

Commercial Status	Commercialised
Range of product	Harmony XB5
Product or component type	Complete manual overload reset pushbutton
Device short name	XB5
Bezel material	Plastic
Fixing collar material	Plastic
Mounting diameter	0.87 in (22 mm)
Shape of signaling unit head	Round
Operator profile	Blue flush, white R
Activating distance	0.674.72 in (17120 mm)

Complementary

Height	1.14 in (29 mm)
Width	1.14 in (29 mm)
Depth	4.72 in (120 mm)
Product weight	0.06 lb(US) (0.027 kg)
Resistance to high pressure washer	1015.26 psi (7000000 Pa) at 131 °F (55 °C),distance: 0.1 m
Operating travel	0.39 in (10 mm)

Environment

Protective treatment	TH	
Ambient air temperature for storage	-40158 °F (-4070 °C)	
Ambient air temperature for operation	-13158 °F (-2570 °C)	
Class of protection against electric shock	Class II conforming to IEC 60536	
IP degree of protection	IP66 conforming to IEC 60529	
NEMA degree of protection	NEMA 4X	
IK degree of protection	IK03 conforming to IEC 50102	
Standards	EN/IEC 60947-1	
Product certifications	UL listed	

Ordering and shipping details

Category	22467 - PUSHBUTTONS,22MM(PLASTIC) NEW	
Discount Schedule	CS2	
GTIN	00785901383611	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.06	
Product availability	Stock - Normally stocked in distribution facility	
Returnability	Υ	
Country of origin	FR	

Contractual warranty

Period	18 months

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: XB5AA86102