

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0357181210](#)
Status: **Active**
Overview: [Standard Quick-Disconnect Terminals](#)
Description: Quick Disconnect Flag Terminal for 1.31-0.52mm² 18-20 AWG Wire, Accepts 4.75 x 0.81mm Tab, Post-Tin Plated

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-35718-1210-001 \(PDF\)](#)
[Packaging Specification PK-35718-001-001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR95446
UL E92853

General

Product Family Quick Disconnects
Series [35718](#)
Crimp Quality Equipment Yes
Insulated No
Overview [Standard Quick-Disconnect Terminals](#)
Product Name N/A
Type Quick Disconnect
UPC 800753340794

Physical

Barrel Type Open
Gender Female
Glow-Wire Capable No
Insulation None
Lock to Mating Part Yes
Material - Metal Brass
Material - Plating Mating Tin
Material - Plating Termination Tin
Net Weight 0.489/g
Orientation Flag
Packaging Type Reel
Plating min - Mating 1.016µm
Plating min - Termination 1.016µm
Polarized to Mating Part Yes
Tab Thickness 0.51mm
Tab Width 4.75mm
Temperature Range - Operating -40° to +105°C
Termination Interface: Style Crimp or Compression
Wire Insulation Diameter 3.10mm max.
Wire Size AWG 16, 18, 20, 22, 24
Wire Size mm² 0.50-1.30


Electrical

Voltage - Maximum 250V

Material Info

Reference - Drawing Numbers

Packaging Specification PK-35718-001-001
Product Specification PS-35718-1210-001
Sales Drawing SD-35718-12*0



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per -
ED/61/2018 (27 June
2018)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS	Green Image
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series
[35718 Series](#)

This document was generated on 11/02/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[35718-1210](#)