




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



SC CONNECTOR
WITH 900um BOOT

NOTES:



1. SEE SHEET 2 FOR PRODUCT DESCRIPTIONS AND TECHNICAL SPECIFICATIONS.
2. SEE CURRENT CATALOG FOR PATCH CORD/PIGTAIL LENGTHS AND PACKAGE QUANTITY.
3. FOR LENGTHS OTHER THAN THOSE LISTED IN CATALOG, CONTACT YOUR PANDUIT SALES PERSON.
4. TESTED TO EIA/TIA 568-B.3.
5. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS, (EUROPEAN DIRECTIVE 2002/95/EC ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.

										FIBER OPTIC 900um BUFFERED SC PIGTAIL CUSTOMER DRAWING	
										 PANDUIT TM CORP. TINLEY PARK, ILL 60477	
										 THIRD ANGLE PROJECTION	
										ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: (.X) ±.03 (.XXX) ±.010 (.3) ±.010 ANGLES	
										DRAWING FILENAME M02779DA_DC/00A	
										SCALE NONE	
										PART NO. SEE SHEET 2	
										DRAWING NO. 02779-64	
										SIZE A	
REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH	DATE	CHK'D
R	09-09-09	EFK		RELEASED TO PRODUCTION	02779-64					09-09-09	

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

FIBER OPTIC 900 μ m BUFFERED SC PIGTAIL							
PANDUIT PART NO.	CABLE				CONNECTOR		
	RATING	FIBER TYPE	COUNT	COLOR	MAX. IL	MIN. RL	BOOT COLOR
F5B3-NM*	RISER (OFNR)	50/125 μ m	SIMPLEX 900 μ m BUFFERED FIBER	BLUE	0.25dB	20dB	BLACK
F6B3-NM*		62.5/125 μ m					ELECTRIC IVORY
FXB3-NM*		10GbE OM3			0.25dB	26dB	AQUA
FXOB3-NM*		OPTIMIZED 10GbE OM3					
FZB3-NM*		10GbE OM4			0.25dB	26dB	AQUA
FZOB3-NM*		OPTIMIZED 10GbE OM4					
F9B3-NM*		9/125 μ m OS1			0.50dB	55dB	BLUE

* - DENOTES PIGTAIL LENGTH, WHERE M = METERS AND F = FEET

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH	FIBER OPTIC 900 μ m BUFFERED SC PIGTAIL CUSTOMER DRAWING			
										 PANDUIT TM CORP. TINLEY PARK, ILL 60477	<small>ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED.</small> <small>DIMENSIONAL TOLERANCES ARE:</small> (.X) ±.03 (.XXX) ±.010 (.3) ±.010 ANGLES	DRAWING FILENAME M02779DA_DC/00A	
											 THIRD ANGLE PROJECTION	SCALE NONE	
R	09-09-09	EFK		RELEASED TO PRODUCTION	02779-64					DRAWN BY EFK	REVIEW DRAWING NUMBERS	PART NO. SEE TABLE	
										DATE 09-09-09	AS NOTED	DRAWING NO. 02779-64	SIZE A
										CHK'D		SHEET 2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

[F6B3-NM2Y](#) [F9B3-NM1Y](#) [F9B3-NM2Y](#)