







LIGHT PIPES SECURED
TO METAL CAGE COVER

COVER DESIGNED TO SNAP ONTO
THE SFP+ CAGE ASSEMBLY



1. MATERIAL:
COVER: COPPER ALLOY
LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
2. THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1x6 CAGE ASSEMBLY P/N 7475406**
3. IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
4. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

ENTER DESCRIPTION EC NO: USY2009-0143 DRAWN BY CHKD BY APPR: JANOTA		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
		▽=0 ▽=0											
A	REV	DESCRIPTION		mm		INCH		DRAWN BY JREEVES		DATE 2008/10/15		TITLE SFP+ 1X6 LIGHT PIPE ASSY, LOW PROFILE - THRU BEZEL	
		4 PLACES		+/-		+/-		CHECKED BY MAJOHNSTON		DATE 2008/10/17		MOLEX MOLEX INCORPORATED	
		3 PLACES		+/-		+/-		APPROVED BY K. JANOTA		DATE 2008/10/20			
		2 PLACES		+/- 0.15									
		1 PLACE		+/- 0.25									
				ANGULAR ± 1°									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. 747540061		DOCUMENT NO. SD-74754-0061		SHEET NO. 1 OF 3	
						SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



HOST PCB LAYOUT NOTES (SCALE 10:1)

1. LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
2. LAYOUT APPLIES TO EACH PORT

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
IEC NO. USY2009-0143	2008/10/22	▽=0		4 PLACES ±	mm	MM ONLY	DATE	3:1	METRIC		
DRAWN BY JREEVES	2008/10/15	▽=0		3 PLACES ±	inch		DATE				
CHECKED BY MAJOHNSTON	2008/10/17			2 PLACES ± 0.15			DATE				
APPROVED BY K. JANOTA	2008/10/20			1 PLACE ± 0.25			DATE				
				ANGULAR ± 1 °							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO.		DOCUMENT NO.					
				747540061		SD-74754-0061					
				SIZE D							

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M

L

K

J

I

H

G

F

E

D

C

B

A

1b_frame_D_P_AM_T Rev. E 2006/04/15 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2008/10/21	A	INITIAL RELEASE

ENTER DESCRIPTION IEC NO: USY2009-0143 DRAWN BY: CHYDARINKE CHECKED BY: K. JANOTA APPR: K. JANOTA	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				DRAWN BY JREEVES		DATE 2008/10/15	TITLE SFP+ 1X6 LIGHT PIPE ASSY, LOW PROFILE - THRU BEZEL		
		4 PLACES ± --- ± ---		CHECKED BY MA JOHNSTON		DATE 2008/10/17	MOLEX INCORPORATED		
		3 PLACES ± --- ± ---		APPROVED BY K. JANOTA		DATE 2008/10/20	DOCUMENT NO. SD-74754-0061		
2 PLACES ± 0.15 ± ---		MATERIAL NO. 747540061		SIZE D		SHEET NO. 3 OF 3			
1 PLACE ± 0.25 ± ---		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
ANGULAR ± 1 °									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[74754-0061](#)