

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096





1097

1098

1099

1099

LOC		DIST		REVISIONS			
FX		00		REV	DATE	BY	APPD
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.

[illegible]

(1) THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION.				DWG. A_HOLT 14NOV2006		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHG. W.WELLINSKY 14NOV2006		NAME		40 WAY SHORTING BAR ARM					
mm				REV'D W.WELLINSKY 14NOV2006				PLUG ASSEMBLY					
		0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ±		PRODUCT SPEC				WITHOUT SHORTING BARS LOADED					
ANGLES		± .1°		APPLICATION SPEC		SIZE		CASE CODE		DRAWING NO		RESTRICTED TO	
FINISH		-		WEIGHT		A		00779		C=1924170		-	
MATERIAL SEE CHART ON SHEET 2		CUSTOMER DRAWING						SCALE 3:1		SHEET 2 OF 5		REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-4	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36					0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30					35	36					0-1924170-7	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-8	G
			3	4	5	6	7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-9	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																		35	36	37	38	39	40	1-1924170-1	G
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	1-1924170-4	G
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	1-1924170-5	G
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-6	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	1-1924170-8	G
							7	8	9	10	11	12																														1-1924170-9	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																		39	40	2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																							39	40	2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-3	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26									35	36	37	38	39	40	2-1924170-4	G	
1	2						7	8	9	10	11	12					17	18			21	22	23	24											35	36	37	38	39	40	2-1924170-5	G	
							7	8	9	10	11	12	13	14	15	16	17	18																					39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18																					39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40	2-1924170-8	G		
			3	4			7	8	9	10	11	12	13	14	15	16																						37	38	39	40	2-1924170-9	G
												11	12																								37	38	39	40	3-1924170-0	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	3-1924170-1	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	3-1924170-3	G
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22														35	36	37	38	39	40	3-1924170-5	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	3-1924170-7	G	
1	2						7	8	9	10	11	12									21	22		24											35	36	37	38	39	40	3-1924170-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G
												11	12							19	20																37	38	39	40	4-1924170-0	G	
					5	6	7	8	9	10	11	12	13	14	15	16				19	20																	37	38	39	40	4-1924170-1	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	4-1924170-2	G
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G
1	2	3	4	5	6</																																						

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30								37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16									24												35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30						35	36	37	38	39	40	7-1924170-3	G		
											11	12												24																	7-1924170-4	G		
1	2										11	12	13	14	15	16							24																		7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12							19	20																					7-1924170-8	G		
											11	12							19	20																					7-1924170-9	G		
						7	8	9	10	11	12								19	20																					8-1924170-0	G		
						7	8	9	10	11	12																														8-1924170-1	G		
							8	9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																							37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20																37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16				19	20																		37	38	39	40	8-1924170-5	G	
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G			
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G			
		3	4	5	6						11	12											24												35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G		
											11	12											24												35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6						11	12							19	20																			39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G			
						7	8	9	10	11	12	13	14	15	16				19	20				24													37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24											33	34			37	38	39	40	9-1924170-8	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24													37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16				19	20				24													37	38	39	40	0-1924171-1	G		
											11	12							19	20																					0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12								19	20				24														39	40	0-1924171-3	G			
						7	8	9	10	11	12																														0-1924171-4	G		
											11	12																													0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12												24														35	36				0-1924171-7	G	
											11	12	13	14	15	16							24																		0-1924171-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G			

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																												0-1924172-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24				27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-9	G
							7	8	9	10	11	12												24												35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24												35	36	37	38	39	40	1-1924172-4	G
			3	4	5	6																		24											35	36	37	38	39		1-1924172-5	G	
			3	4	5	6					11	12												24												35	36	37	38	39		1-1924172-6	G

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																											0-1924173-1	H			
							7	8	9	10	11	12							19	20				24												37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30						37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22					27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34			37	38	39	40	0-1924173-5	H		
									9	10	11	12																										39	40	0-1924173-6	H		
							7	8	9	10	11	12												24												35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12											24																	0-1924173-8	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32					37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32					37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	1-1924173-2	H		
									9	10	11	12						17	18	19	20	21	22		24		26						33	34	35	36	37	38	39	40	1-1924173-3	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32					37	38	39	40	1-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38		1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34			37	38	39	40	1-1924173-8	H		
			3	4	5	6					11	12							19	20																		39	40	1-1924173-9	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-0	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-1	H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[9-1924170-5](#)