

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION , .AUG 2006

© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD





F4

REVISED (ECR-17-012932)

04SEP2017

T.Q

W.H



OBSOLETE

32.74	34.0	30.0	32	3-1470108-2
30.74	32.0	28.0	30	3-1470108-0
28.74	30.0	26.0	28	2-1470108-8
26.74	28.0	24.0	26	2-1470108-6
24.74	26.0	22.0	24	2-1470108-4
22.74	24.0	20.0	22	2-1470108-2
20.74	22.0	18.0	20	2-1470108-0
18.74	20.0	16.0	18	1-1470108-8
16.74	18.0	14.0	16	1-1470108-6
14.74	16.0	12.0	14	1-1470108-4
12.74	14.0	10.0	12	1-1470108-2
10.74	12.0	8.0	10	1-1470108-0
8.74	10.0	6.0	8	1470108-8
6.74	8.0	4.0	6	1470108-6
DIM C	DIM B	DIM A	POS.	PART NUMBER

NOTE:

- MATERIAL:  
HOUSING: THERMOPLASTIC UL94V-0, NATURAL COLOR.  
CONTACT: BRASS, THICKNESS=0.20MM.
- FINISH:  
CONTACT: 100u" MIN. TIN PLATED ON CONTACT AREA,  
30u" MIN. NICKEL UNDERPLATED OVER ALL.
- WAVE SOLDER CAPABLE TO 240°C PER TEST SPEC.  
109-202, CONDITION B.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN J. LEE 24OCT2005

CHK S. HOU 24OCT2005

APVD W.J. KE 24OCT2005

PRODUCT SPEC

QUALIFICATION TEST REPORT

WEIGHT - GRAMS

CUSTOMER DRAWING



TE Connectivity

NAME

2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1470108



SCALE

SHEET

1 OF 3

REV

F4



16	4-1470108-6
POS.	PART NUMBER

DWN	
CHK	
APVD	
PRODUCT SPEC	
—	
APPLICATION SPEC	
—	
WEIGHT	—
CUSTOMER DRAWING	



TE Connectivity

NAME	2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE
------	---

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	Ⓒ-1470108	—

CUSTOMER DRAWING	SCALE —	SHEET 2 OF 3	REV F 4
------------------	------------	-----------------	------------

4

3



2

1


LOC	DIST	REVISIONS				
DW		P	LTR	DESCRIPTION	DATE	APVD
				SEE SHEET 1.		

D

D




ANTISTATIC 48-011



C

C



LABEL

TUBE

B

B


CARTON

NOTES:  
1. DIMENSION :  
TUBE : L=600, W=10, H=10  
SHIPPING CARTON : L=615, W=110, H=100

1,890	30	4-1470108-6
1,008	16	3-1470108-2
1,008	16	3-1470108-0
1,134	18	2-1470108-8
1,260	20	2-1470108-6
1,260	20	2-1470108-4
1,386	22	2-1470108-2
1,575	25	2-1470108-0
1,764	28	1-1470108-8
1,890	30	1-1470108-6
2,205	35	1-1470108-4
2,520	40	1-1470108-2
2,898	46	1-1470108-0
3,528	56	1470108-8
4,410	70	1470108-6
APQ (PCS/CARTON)	PPQ (PCS/TUBE)	PART NUMBER

A

A



LABEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN			
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
0 PLC ± -		PRODUCT SPEC		2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE	
1 PLC ± -		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ± -		WEIGHT		A300779C=1470108	
3 PLC ± -		CUSTOMER DRAWING		SCALE SHEET 3 of 3 REV F4	
4 PLC ± -					
ANGLES ± -					
FINISH					
MATERIAL					

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1470108-0](#)