

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011405253

Status:

Active

Overview:

Application Tooling

Description:

Insulation Punch

Documents:

RoHS Certificate of Compliance (PDF)

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207126                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Function                       | Cutter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Semi-Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Tool Type                      | Applicator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| UPC                            | 800753177833                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |
| Physical                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Net Weight                     | 30.680/g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Material Info                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Engineering Number             | 63315A108                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Reference - Drawing Numbers    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Application Tooling Documents  | ATS-STANDARD-PARTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



Series image - Reference only

|                                                               |               |
|---------------------------------------------------------------|---------------|
| EU ELV                                                        |               |
| Not Relevant                                                  |               |
| EU RoHS                                                       | China RoHS    |
| Compliant                                                     |               |
| REACH SVHC                                                    |               |
| Not Contained Per - ED/71/2019 (16 July 2019)                 |               |
| Halogen-Free                                                  |               |
| Status                                                        |               |
| Not Relevant                                                  |               |
| For more information, please visit <a href="#">Contact US</a> |               |
| China ROHS                                                    | Not Relevant  |
| ELV                                                           | Not Relevant  |
| RoHS Phthalates                                               | Not Contained |

Search Parts in this Series

207126 Series

Use With

11402245 , 11403248

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp                                                                       | 2061104       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2061118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2061131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2061132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2061141</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <u>2061143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <u>2062101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2062103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2062131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2062132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2065100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065102</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065104</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <u>2065105</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max. |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                        |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Insulation Diameter,<br>Reel                                                                                                                           |  |
|  | 1.57mm Diameter, <a href="#">2065108</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |  |
|  | 1.57mm Diameter, <a href="#">2065109</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |  |
|  | 1.57mm Diameter, <a href="#">2065130</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065135</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065138</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065139</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065147</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |  |
|  | 1.57mm Diameter, <a href="#">2065148</a>                                                                                                               |  |
|  | Standard .062" Pin                                                                                                                                     |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2066100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <a href="#">2066101</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2066102</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <a href="#">2066103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <a href="#">2066104</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2066118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <a href="#">2066119</a><br>Standard .062" Pin<br>and Socket Crimp |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag 1.57mm Diameter, <u>2066122</u> Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag 1.57mm Diameter, <u>2066130</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066135</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066138</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066139</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel 1.57mm Diameter, <u>2066144</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | (Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Bag<br>1.57mm Diameter, <a href="#">2067103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with 2.54µm Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2067104</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2068103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1778, Male, with Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>MLX Crimp Terminal <a href="#">2082008</a><br>42023, 14-20 AWG,<br>Bag Selective Gold<br>(Au)<br>2.36mm Diameter, <a href="#">2091102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2091117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091119</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                          |                         |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel                  | <a href="#">2091122</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag                   | <a href="#">2091123</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag                                                  | <a href="#">2091134</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain | <a href="#">2091155</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel                        | <a href="#">2091205</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag                         | <a href="#">2091206</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel    | <a href="#">2091615</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp                                                                                                                     | <a href="#">2092101</a> |

|  |                                                                                                                                                                                                      |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092103</a><br>Standard .093" Pin<br>and Socket Crimp                   |
|  | Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092116</a><br>Standard .093" Pin<br>and Socket Crimp                    |
|  | Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092117</a><br>Standard .093" Pin<br>and Socket Crimp                   |
|  | Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, without<br>Dents, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp |
|  | Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail                  |
|  | Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged<br>2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail    |
|  | Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2092166</a><br>Standard .093" Pin<br>and Socket Crimp            |
|  | Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel Packaged<br>2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin                 |

and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Bag Packaged  
2.36mm Diameter, [2092170](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Reel  
2.36mm Diameter, [2092171](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Bag  
2.36mm Diameter, [2092611](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
42478, Male, with Tin  
(Sn) Plated Contact,  
High Current/Low  
Engagement Force,  
14-18 AWG, Reel  
2.36mm Diameter, [2095100](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2095101](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Chain  
2.36mm Diameter, [2095102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2095106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

4550, Female, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, [2096100](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2096101](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2096102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2096106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, [2096110](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, [2096122](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, [2096123](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2096125](#)  
Standard .093" Pin

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096126</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096132</a><br>Standard .093"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1376, Male,<br>with Gold (Au)<br>Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2098103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2098104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2098108</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2098109</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG, Bag<br>Mini-Fit Jr. <a href="#">3044052</a><br>Receptacle Housing,<br>Single Row, 5<br>Circuits, UL 94V-2,<br>Natural<br>1.57mm Diameter <a href="#">3061011</a><br>Standard .062"<br>Pin and Socket |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Receptacle Housing,  
1 Circuits, Natural  
1.57mm Diameter     3061022  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter     3061023  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter     3061031  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with  
Standard Mounting  
Ears  
1.57mm Diameter     3061032  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter     3061038  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter     3061041  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
4 Circuits, with  
Standard Mounting  
Ears  
1.57mm Diameter     3061042  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
4 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter     3061044  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
Dual Row, without  
Mounting Ears, PA  
Polyamide Nylon 6/6,  
UL 94V-2, 4 Circuits,  
Natural  
1.57mm Diameter     3061062  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
6 Circuits, without

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061092</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061121</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3061122</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062011</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural<br>1.57mm Diameter <u>3062023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062024</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062031</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062032</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062033</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits, |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | with Standard Mounting Ears                                                                                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062042</u> |
|  | Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062061</u> |
|  | Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062092</u> |
|  | Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062121</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural                                      |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062122</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural                                            |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066023</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066062</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067023</u> |
|  | Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide                                          |                |

|                                                                                                                                                                  |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black | <u>3067061</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural                                               | <u>3091011</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural                       | <u>3091022</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091027</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091030</u> |
| Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                                            |                |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091031</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091032</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091033</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural | <u>3091041</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091042</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 |                |

|  |                                                                                                                                                                    |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural                           | <u>3091049</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091061</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091062</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp  | <u>3091063</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091064</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                   | <u>3091081</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091091</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp       | <u>3091092</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp | <u>3091093</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                                                                                | <u>3091094</u> |

|                                                                                                                                                             |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter<br>Standard .093"                                                                 | <u>3091121</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps<br>2.36mm Diameter<br>Standard .093"  | <u>3091125</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091126</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091151</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps<br>2.36mm Diameter<br>Standard .093" | <u>3091152</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"       | <u>3091153</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter<br>Standard .093"    | <u>3091157</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"          | <u>3091161</u> |
| Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter<br>Standard .093"                         | <u>3092011</u> |
| Pin and Socket Plug                                                                                                                                         |                |

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                          | <u>3092021</u> |
|  | Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug     | <u>3092022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug              | <u>3092031</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092041</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092042</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092049</u> |
|  | Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug | <u>3092061</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092062</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092092</u> |
|  | Housings, 9 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092121</u> |
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092122</u> |

|  |                                                                                                              |                |
|--|--------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                  | <u>3092151</u> |
|  | Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092159</u> |
|  | Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092161</u> |
|  | Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            |                |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                          | <u>3096021</u> |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097024</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Black                                                                    |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121022</u> |
|  | Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121026</u> |
|  | Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121036</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3121046</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <a href="#">3122022</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <a href="#">3122025</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122026</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122035</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3122036</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3122045</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122046</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                        |                |
|----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Circuits, Natural<br>(Translucent)                                                                                                     |                |
| Flat Blade Crimp                                                                                                                       | <u>5060117</u> |
| Terminal, Series<br>1508, Female, With<br>Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG (or 18 AWG<br>Double Crimp), Reel<br>Packaged |                |
| Crimp Terminal                                                                                                                         | <u>5121004</u> |
| 2482, 10-16 AWG,<br>Reel                                                                                                               |                |
| Crimp Terminal                                                                                                                         | <u>5121005</u> |
| 2482, 10-16 AWG,<br>Bag                                                                                                                |                |
| Crimp Terminal                                                                                                                         | <u>5121006</u> |
| 2482, 10-16 AWG,<br>Reel                                                                                                               |                |
| Crimp Terminal                                                                                                                         | <u>5121008</u> |
| 2482, 10-16 AWG,<br>Reel                                                                                                               |                |
| Crimp Terminal                                                                                                                         | <u>5121104</u> |
| 6482, 14-18 AWG,<br>Reel                                                                                                               |                |
| Flat Blade Appliance                                                                                                                   | <u>6021103</u> |
| Motor Switch Crimp<br>Housing, 10 Circuits                                                                                             |                |
| Flat Blade Appliance                                                                                                                   | <u>6022030</u> |
| Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural                                                                                    |                |
| Flat Blade Appliance                                                                                                                   | <u>6023042</u> |
| Defrost Timer Crimp<br>Housing, 4 Circuit, 4<br>Circuits                                                                               |                |
| Flat Blade Appliance                                                                                                                   | <u>6023103</u> |
| Motor Switch Crimp<br>Housing, 10 Circuit,<br>10 Circuits                                                                              |                |
| Flat Blade Appliance                                                                                                                   | <u>6023104</u> |
| Dryer Motor Crimp<br>Housing, 10 Circuit                                                                                               |                |
| KK 254 Cat Ear                                                                                                                         | <u>8500030</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel                                                 |                |
| KK 254 Cat Ear                                                                                                                         | <u>8500031</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel                                                                                |                |
| KK 254 Cat Ear                                                                                                                         | <u>8500032</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag                                                                                 |                |
| KK 396 Crimp                                                                                                                           | <u>8500106</u> |
| Terminal 2478, 18-24<br>AWG, Bag, Brass Tin<br>(Sn)                                                                                    |                |
| KK 254 Crimp                                                                                                                           | <u>8500113</u> |
| Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                                                                                    |                |

|                                                                                                 |                |
|-------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                        | <u>8500114</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                               | <u>8500135</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Tin, Bag                                           | <u>8500136</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating  | <u>8500160</u> |
| KK 100 Crp Term<br>Std 22-30 Awg Unplt                                                          | <u>8510101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn),<br>Nickel (Ni) Under<br>Plating         | <u>8510108</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>Tin (Sn)               | <u>8520072</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)               | <u>8520101</u> |
| KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Tin(Sn)          | <u>8520112</u> |
| KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)          | <u>8520113</u> |
| KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                                                    | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                | <u>8520123</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)          | <u>8520125</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),                           | <u>8550101</u> |

|                                                                                         |                |
|-----------------------------------------------------------------------------------------|----------------|
| Nickel (Ni) Under<br>Plating                                                            |                |
| KK 254 Crimp                                                                            | <u>8550102</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating       |                |
| KK 254 Crimp                                                                            | <u>8550110</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                               |                |
| KK 254 Crimp                                                                            | <u>8550111</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                |                |
| KK 254 Cat Ear                                                                          | <u>8550112</u> |
| Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                              |                |
| KK 254 Crimp                                                                            | <u>8550130</u> |
| Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating   |                |
| KK 254 Crimp                                                                            | <u>8550131</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating       |                |
| KK 254 Crimp                                                                            | <u>8560109</u> |
| Terminal, 22-30<br>AWG, Reel, Gold<br>(Au), Nickel (Ni)<br>Under Plating                |                |
| KK 254 Crimp                                                                            | <u>8560110</u> |
| Terminal, 22-30<br>AWG, Bag, Gold<br>(Au), Nickel (Ni)<br>Under Plating                 |                |
| KK 254 Crimp                                                                            | <u>8560115</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                |                |
| KK 254 Crimp                                                                            | <u>8560120</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                               |                |
| KK 396 Crimp                                                                            | <u>8650114</u> |
| Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au) |                |
| KK 396 Crimp                                                                            | <u>8650115</u> |
| Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)  |                |
| KK 396 Crimp                                                                            | <u>8650116</u> |
| Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,                                  |                |

|                                                                                                                         |                |
|-------------------------------------------------------------------------------------------------------------------------|----------------|
| 0.38μm Selective Gold (Au)                                                                                              |                |
| KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)                                   | <u>8650122</u> |
| KK 100 Crp Term Std 22-30 Awg SGold                                                                                     | <u>8650801</u> |
| KK 100 Crp Term Std 22-30 Awg SGold                                                                                     | <u>8650811</u> |
| KK 100 Crp Term Std 22-30 Awg SGold                                                                                     | <u>8650812</u> |
| KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)                                                  | <u>8650813</u> |
| KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)                                                   | <u>8650814</u> |
| KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)                                        | <u>8650815</u> |
| KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)                                         | <u>8650816</u> |
| KK 100 Crp Term Std 22-30 Awg SGold                                                                                     | <u>8650817</u> |
| 3.96 and 5.08mm Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel                                                | <u>8700012</u> |
| 3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits | <u>9011036</u> |
| KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00μm Tin (Sn), 2 Circuits                                | <u>9481024</u> |
| KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00μm Tin (Sn), 10 Circuits                               | <u>9481104</u> |
| KK 396 PC Board Connector, Top Entry, Polyester                                                                         | <u>9481105</u> |

Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board 9483024  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board 9483025  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board 9483026  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board 9483104  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board 9483105  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board 9483106  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board 9484028  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484029  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484108  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484109  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484119  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
3.96mm Pitch SPOX 9501021  
Crimp Housing,  
Female, with Friction  
Ramp, 2 Circuits,  
Natural  
3.96mm Pitch SPOX 9501023  
Crimp Housing,  
Female, with Friction

Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX [9501031](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX [9501033](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction

|                                                                                                        |                                |
|--------------------------------------------------------------------------------------------------------|--------------------------------|
| Ramp, 9 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                      | <a href="#"><u>9501101</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 10 Circuits,<br>Natural<br>3.96mm Pitch SPOX          | <a href="#"><u>9501103</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 10<br>Circuits, Natural<br>3.96mm Pitch SPOX | <a href="#"><u>9501111</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 11 Circuits,<br>Natural<br>3.96mm Pitch SPOX          | <a href="#"><u>9501113</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural<br>3.96mm Pitch SPOX | <a href="#"><u>9501121</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural<br>KK 3.96mm Crimp            | <a href="#"><u>9503021</u></a> |
| Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503031</u></a> |
| Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503041</u></a> |
| Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503051</u></a> |
| Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503061</u></a> |
| Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503071</u></a> |
| Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503081</u></a> |
| Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503091</u></a> |
| Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <a href="#"><u>9503101</u></a> |
| Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp                         | <a href="#"><u>9503111</u></a> |
| Terminal Housing,                                                                                      |                                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 16<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 17<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 18<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 19<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 20<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 21<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 22<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 23<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 24<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 2<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 3<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 4<br>Circuits, Natural | <br><br><u>9503121</u><br><br><br><u>9503131</u><br><br><br><u>9503141</u><br><br><br><u>9503151</u><br><br><br><u>9503161</u><br><br><br><u>9503171</u><br><br><br><u>9503181</u><br><br><br><u>9503191</u><br><br><br><u>9503201</u><br><br><br><u>9503211</u><br><br><br><u>9503221</u><br><br><br><u>9503231</u><br><br><br><u>9503241</u><br><br><br><u>9507021</u><br><br><br><u>9507031</u><br><br><br><u>9507041</u> |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507051</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507061</u> |
| Terminal Housing, 6  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507071</u> |
| Terminal Housing, 7  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507081</u> |
| Terminal Housing, 8  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507111</u> |
| Terminal Housing, 11 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507131</u> |
| Terminal Housing, 13 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507141</u> |
| Terminal Housing, 14 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507151</u> |
| Terminal Housing, 15 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507161</u> |
| Terminal Housing, 16 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507171</u> |
| Terminal Housing, 17 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507221</u> |
| Terminal Housing, 22 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |

|                                                                                                            |                |
|------------------------------------------------------------------------------------------------------------|----------------|
| Friction Ramp, 2<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 2          | <u>9508023</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4                              | <u>9508041</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4                              | <u>9508043</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 5                                                | <u>9508050</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6                              | <u>9508063</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9                              | <u>9508093</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 10                                               | <u>9508100</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                             | <u>9508101</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                             | <u>9508103</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14                             | <u>9508141</u> |
| Circuits, Natural<br>3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 2 Circuits,<br>Natural | <u>9524024</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 3 Circuits,<br>Natural                      | <u>9524034</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 4 Circuits,<br>Natural                      | <u>9524044</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 5 Circuits,<br>Natural                      | <u>9524054</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 6 Circuits,<br>Natural                      | <u>9524064</u> |

|  |                        |                |
|--|------------------------|----------------|
|  | SPOX and KK            | <u>9652028</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 2  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652029</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 2 Circuits       |                |
|  | SPOX and KK            | <u>9652038</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 3  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652039</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 3 Circuits       |                |
|  | SPOX and KK            | <u>9652048</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 4  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652049</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 4 Circuits       |                |
|  | SPOX and KK            | <u>9652058</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 5  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652068</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 6  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652069</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 6 Circuits       |                |
|  | SPOX and KK            | <u>9652078</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 7  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652079</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 7 Circuits       |                |
|  | SPOX and KK            | <u>9652088</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical,      |                |
|  | with Friction Lock, 8  |                |
|  | Circuits               |                |
|  | SPOX and KK            | <u>9652089</u> |
|  | 396 Wire-to-Board      |                |
|  | Header, Vertical, with |                |
|  | Friction Lock, with    |                |
|  | Void, 8 Circuits       |                |

|  |                                                                                 |                |
|--|---------------------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable  | <u>9930200</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Glow-Wire Capable  | <u>9930300</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable  | <u>9930400</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable  | <u>9930500</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable  | <u>9930600</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable  | <u>9930700</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable  | <u>9930800</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable  | <u>9930900</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable | <u>9931000</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Glow-Wire Capable | <u>9931100</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Glow-Wire Capable | <u>9931200</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Glow-Wire Capable | <u>9931300</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Glow-Wire Capable | <u>9931400</u> |

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Glow-Wire<br>Capable | <u>9931500</u>  |
| 15 PIN MICRO-<br>D FEMAL ASSY<br>M8351309B11                                                | <u>10008503</u> |
| 15/C METALSHELL<br>RECEPT.WIRED                                                             | <u>10008637</u> |
| 15/C METAL SHELL<br>PLUG WIRED                                                              | <u>10008638</u> |
| 25/C RECEP.<br>HARNESS ASSY                                                                 | <u>10008645</u> |
| 37/C RECEP.<br>HARNESS ASSY                                                                 | <u>10008647</u> |
| STAT. 3CKT<br>RECEP. PIN 1/4 IN 1<br>FT                                                     | <u>10008653</u> |
| R/A 3CKT PLUG<br>SOC. INSERT PUR<br>12 FEET                                                 | <u>10008654</u> |
| 15/C M SHELL<br>RECEPT. WIRED<br>72.0                                                       | <u>10008655</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                        | <u>10011024</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 3 Circuits,<br>Natural                        | <u>10011034</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 4 Circuits,<br>Natural                        | <u>10011044</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 5 Circuits,<br>Natural                        | <u>10011054</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 6 Circuits,<br>Natural                        | <u>10011064</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 7 Circuits,<br>Natural                        | <u>10011074</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 8 Circuits,<br>Natural                        | <u>10011084</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 9 Circuits,<br>Natural                        | <u>10011094</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 10 Circuits,<br>Natural                       | <u>10011104</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 11 Circuits,<br>Natural                       | <u>10011114</u> |

|                       |                                 |
|-----------------------|---------------------------------|
| 5.08mm Pitch KK       | <a href="#"><u>10011124</u></a> |
| Crimp Terminal        |                                 |
| Housing, 12 Circuits, |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013026</u></a> |
| Crimp Terminal        |                                 |
| Housing, 2 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013036</u></a> |
| Crimp Terminal        |                                 |
| Housing, 3 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013046</u></a> |
| Crimp Terminal        |                                 |
| Housing, 4 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013056</u></a> |
| Crimp Terminal        |                                 |
| Housing, 5 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013066</u></a> |
| Crimp Terminal        |                                 |
| Housing, 6 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013076</u></a> |
| Crimp Terminal        |                                 |
| Housing, 7 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013086</u></a> |
| Crimp Terminal        |                                 |
| Housing, 8 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013096</u></a> |
| Crimp Terminal        |                                 |
| Housing, 9 Circuits,  |                                 |
| Natural               |                                 |
| KK PC Board           | <a href="#"><u>10021022</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 2    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021032</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 3    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021042</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 4    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021052</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 5    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021062</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 6    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021072</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board <u>10021082</u><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board <u>10021092</u><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board <u>10021102</u><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board <u>10021112</u><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 11<br>Circuits<br>KK PC Board <u>10021122</u><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 12<br>Circuits<br>5.08mm Pitch KK <u>10061045</u><br>Header, Right<br>Angle, Square Pin,<br>4 Circuits, Tin (Sn)<br>Plating<br>KK Header, Right <u>10061055</u><br>Angle, Square Pin,<br>5 Circuits, Tin (Sn)<br>Plating<br>KK Header, Vertical, <u>10081021</u><br>Round Pin, 2<br>Circuits, Tin (Sn)<br>Plating, Pin Length<br>19.05mm<br>KK Header, Vertical, <u>10081022</u><br>Round Pin, 2<br>Circuits, Tin (Sn)<br>Plating, Pin Length<br>23.80mm<br>KK Header, Vertical, <u>10081029</u><br>Round Pin, 2<br>Circuits, Tin (Sn)<br>Plating, Pin Length<br>20.32mm<br>KK Header, Vertical, <u>10081031</u><br>Round Pin, 3<br>Circuits, Tin (Sn)<br>Plating, Pin Length<br>19.05mm<br>KK Header, Vertical, <u>10081039</u><br>Round Pin, 3<br>Circuits, Tin (Sn)<br>Plating, Pin Length<br>20.32mm<br>KK Header, Vertical, <u>10081041</u><br>Round Pin, 4<br>Circuits, Tin (Sn) |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081049](#)  
Round Pin, 4  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081051](#)  
Round Pin, 5  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081061](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081069](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081071](#)  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081081](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081082](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081089](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081091](#)  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081101](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081102](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081111](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081112](#)  
Round Pin, 11  
Circuits, Tin (Sn)

Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081121  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10085021  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085031  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085041  
with Polarizing  
Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085051  
with Polarizing  
Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085061  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085071  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085081  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085091  
with Polarizing  
Backwall, 9 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085101  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085111  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085121  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board 10101021  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board 10101023  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board 10101031  
Connector, Right-  
Angle Mount Style A,

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 1.00µm Tin (Sn), 3<br>Circuits<br>KK PC Board <u>10101033</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 3<br>Circuits<br>KK PC Board <u>10101041</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 4<br>Circuits<br>KK PC Board <u>10101043</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 4<br>Circuits<br>KK PC Board <u>10101051</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 5<br>Circuits<br>KK PC Board <u>10101053</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 5<br>Circuits<br>KK PC Board <u>10101061</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board <u>10101063</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board <u>10101071</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board <u>10101073</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board <u>10101081</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board <u>10101083</u><br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board <u>10101091</u><br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board <u>10101093</u><br>Connector, Top<br>Entry Mount Style C, |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                              |                 |
|--|------------------------------------------------------------------------------|-----------------|
|  | 1.00µm Tin (Sn), 9<br>Circuits                                               |                 |
|  | KK PC Board                                                                  | <u>10101101</u> |
|  | Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits |                 |
|  | KK PC Board                                                                  | <u>10101103</u> |
|  | Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits    |                 |
|  | KK PC Board                                                                  | <u>10101111</u> |
|  | Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits |                 |
|  | KK PC Board                                                                  | <u>10101113</u> |
|  | Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits    |                 |
|  | KK PC Board                                                                  | <u>10101121</u> |
|  | Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 12<br>Circuits |                 |
|  | KK PC Board                                                                  | <u>10101123</u> |
|  | Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 12<br>Circuits    |                 |
|  | KK 254 Crimp                                                                 | <u>10112023</u> |
|  | Housing, High<br>Pressure, 2 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112033</u> |
|  | Housing, High<br>Pressure, 3 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112043</u> |
|  | Housing, High<br>Pressure, 4 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112053</u> |
|  | Housing, High<br>Pressure, 5 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112063</u> |
|  | Housing, High<br>Pressure, 6 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112073</u> |
|  | Housing, High<br>Pressure, 7 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112083</u> |
|  | Housing, High<br>Pressure, 8 Circuits,<br>Natural                            |                 |
|  | KK 254 Crimp                                                                 | <u>10112093</u> |
|  | Housing, High<br>Pressure, 9 Circuits,<br>Natural                            |                 |

|  |                                                                                                                 |                                 |
|--|-----------------------------------------------------------------------------------------------------------------|---------------------------------|
|  | KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural                                                       | <a href="#"><u>10112103</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 11 Circuit                                                                 | <a href="#"><u>10112113</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 12 Circuits, Natural                                                       | <a href="#"><u>10112123</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 13 Circuits, Natural                                                       | <a href="#"><u>10112133</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 14 Circuits, Natural                                                       | <a href="#"><u>10112143</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 15 Circuits, Natural                                                       | <a href="#"><u>10112153</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 16 Circuits, Natural                                                       | <a href="#"><u>10112163</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 17 Circuits, Natural                                                       | <a href="#"><u>10112173</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 18 Circuits, Natural                                                       | <a href="#"><u>10112183</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals                    | <a href="#"><u>10181031</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Male Terminals                    | <a href="#"><u>10181032</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals | <a href="#"><u>10181033</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals | <a href="#"><u>10181034</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals, 1 Female Terminal | <a href="#"><u>10181035</u></a> |
|  | 2.36mm Diameter Standard .093" Pin                                                                              | <a href="#"><u>10181036</u></a> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter <a href="#"><u>10181037</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Female Terminals,<br>1 Male Terminal<br>2.36mm Diameter <a href="#"><u>10181038</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Female Terminals<br>2.36mm Diameter <a href="#"><u>10181040</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter <a href="#"><u>10181041</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Male Terminals<br>2.36mm Diameter <a href="#"><u>10181042</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Female Terminals<br>2.36mm Diameter <a href="#"><u>10181043</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter <a href="#"><u>10181044</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Female Terminals,<br>1 Male Terminals<br>2.36mm Diameter <a href="#"><u>10181045</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Male Terminals, 2<br>Female Terminals<br>2.36mm Diameter <a href="#"><u>10181046</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Male Terminals, 1<br>Female Terminal<br>2.36mm Diameter <a href="#"><u>10181047</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter <a href="#"><u>10181048</u></a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits, |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1 Female Terminal,<br>2 Male Terminals, 1<br>Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter <a href="#">10181049</a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>1 Male Terminal, 1<br>Female Terminal,<br>1 Male Terminal, 1<br>Female Terminal<br>2.36mm Diameter <a href="#">10181050</a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>2 Male Terminals<br>2.36mm Diameter <a href="#">10181090</a><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 9 Circuits,<br>9 Male Terminals<br>2.36mm Diameter <a href="#">10181091</a><br>Standard .093" Pin<br>and Socket Header,<br>3 Rows, Shrouded,<br>Unfilled Polyester,<br>UL 94V-0, 9 Circuits,<br>9 Female Terminals<br>2.36mm Diameter <a href="#">10181120</a><br>Standard .093"<br>Pin and Socket<br>Header, Shrouded,<br>12 Circuits, 12 Male<br>Terminals<br>2.36mm Diameter <a href="#">10181122</a><br>Standard .093"<br>Pin and Socket<br>Header, 3 Rows,<br>Shrouded, Unfilled<br>Polyester, UL 94V-0,<br>12 Circuits, 12<br>Female Terminals<br>2.36mm Diameter <a href="#">10181150</a><br>Standard .093"<br>Pin and Socket<br>Header, Shrouded,<br>15 Circuits, 15 Male<br>Terminals<br>5.08mm Pitch SPOX <a href="#">10221022</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 2<br>Circuits<br>2.50mm Pitch KK <a href="#">10302031</a><br>Crimp Terminal<br>Housing, 3 Circuits<br>5.00/7.50mm Pitch <a href="#">10311028</a><br>SPOX Header,<br>Vertical, with Friction<br>Lock, 2 Circuits<br>5.00/7.50mm Pitch <a href="#">10311038</a><br>SPOX Header, |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

This document was generated on 09/11/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

11-40-5253