




- ① CAVITY LOCATION DIMENSIONS INCREASE IN INCREMENTS OF .125 - TOLERANCE NON-CUMULATIVE
- ② AMP LOGO MOLDED IN APPROXIMATE AREA SHOWN.
- ③ .000050 GOLD IN CONTACT AREA, .000100-.000200 TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- ④ .000030 GOLD IN CONTACT AREA, .000100-.000200 TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL.



④	1.868	1.750	14	30	5-5102935-7	
③	2.493	2.375	19	40	3-5102935-6	
③	1.993	1.875	15	32	2-5102935-8	
③	1.493	1.375	11	24	1-5102935-9	
③	1.243	1.125	7	20	1-5102935-6	
③	.993	.875	9	16	1-5102935-2	
③	.743	.625	5	12	5102935-8	
③	.618	.500	4	10	5102935-6	
③	.493	.375	3	8	5102935-4	
③	.368	.250	2	6	5102935-2	
REMARKS	FINISH	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. **STE** TE Connectivity

DWG: S. BURKHOLDER
 CHK: M. YEOMANS
 APP'D: M. YEOMANS
 DATE: 22NOV04

DIMENSIONS: INCHES
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0. PLC ± -
 1. PLC ± -
 2. PLC ± -
 3. PLC ± -
 4. PLC ± -
 ANGLES ± -

MATERIAL: -
 FINISH: -
 WEIGHT: -
 SCALE: 4:1
 SHEET: 1 of 1
 REV: D2

RECEPTACLE ASSY, LEVEL V
 DOUBLE ROW, .125 x .125 CL
 #22 - #26 Gage, LEAD FREE

SIZE: A1
 CAGE CODE: 00779
 DRAWING NO: 5102935

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-5102935-6](#)