



3 |

NOTES:

1.) MATERIAL:

HOUSING: LCP

CONTACT: COPPER ALLOY

PLATING:

CONTACT: (SEE TABLE) SOLDER BALL: (SEE TABLE) EUTECTIC SnPb OR LEAD FREE

95.5Sn/4Aq/0.5Cu

2.) SOLDER BALLS WILL NOT BE PERFECT SPHERICAL SHAPE DUE TO REFLOW ATTACHMENT.

(3.) MATED HEIGHT EFFECTED BY CUSTOMER'S PCB PAD SIZE, PLATING, SOLDER REFLOW PROFILE, & SOLDER PASTE.

4.) PLATING FOR INDICATED -2XX SERIES PRODUCT NUMBERS MEET THE REQUIREMENTS OF GR-1217-CORE, CENTRAL OFFICE ENVIRONMENT, (25 YEAR LIFE EXPECTANCY). THE CONTACT GEOMETRY IN THESE PRODUCT NUMBERS IS SPECIAL ALSO.

1 | 2

(5.) FOR PROPER APPLICATION FOLLOW FCI APPLICATION SPECIFICATION GS-20-033 LEAD FREE SOLDER BALLS WILL NOT SOLDER PROPERLY IN A LEADED SOLDER PROCESS DUE TO A HIGHER REFLOW TEMPERATURE. LEAD FREE PRODUCT IS THERFORE NOT BACKWARDS COMPATIBLE WITH LEADED OR SOME SOLDERING APPLICATIONS. REFERENCE FCI APPLICATION SPECIFICATION.

(6.) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004 PRODUCT MEETING THIS DIRECTIVE IS IDENTIFIED IN THE LOT CODE NUMBER MARKED ON EACH PART BY HAVING AN "X" IN THE SEVENTH CHARACTER POSITION.

(7.) 74388-A01, AND -A01LF HAVE CUSTOMER SPECIAL Au PLATING.

(8.) CURRENT COMPANY LOGO TO BE VISIBLE IN APPROXIMATE AREA SHOWN.

1

PRODUCT NUMBER	PICK-UP CAP (NATURAL OR BLACK COLOR)	CONTACT PLATING AND THICKNESS	SOLDER BALL	NOTES
74388-001	YES	15u" (.38um) Au	SnPb	
74388-001LF	YES	15u" (.38um) Au	LEAD FREE	6
74388-091	YES	15u" (.38um) GXT	SnPb	
74388-091LF	YES	15u" (.38um) GXT	LEAD FREE	6
74388-101	YES	30u" (.76um) Au	SnPb	
74388-101LF	YES	30u" (.76um) Au	LEAD FREE	6
74388-191	YES	30u" (.76um) GXT	SnPb	
74388-191LF	YES	30u" (.76um) GXT	LEAD FREE	6
74388-201	YES	50u" (1.27um) Au SPECIAL	SnPb	4
74388-201LF	YES	50u" (1.27um) Au SPECIAL	LEAD FREE	4 AND 6
74388-291	YES	50u" (1.27um) GXT SPECIAL	SnPb	4
74388-291LF	YES	50u" (1.27um) GXT SPECIAL	LEAD FREE	4 AND 6
74388-A01	YES	30u" (.76um) SPECIAL	SnPb	7
74388-A01LF	YES	30u" (.76um) SPECIAL	LEAD FREE	6 AND 7
-74388-301	YES	15u" (.38um) Au SPECIAL	SnPb	7
_74388-301LF	YES	15u" (.38um) Au SPECIAL	LEAD FREE	6 AND 7
-74388-401	YES	30u" (.76um) Au SPECIAL	SnPb	7
-74388-401LF	YES	30u" (.76um) Au SPECIAL	LEAD FREE	6 AND 7
-74388-501	YES	Au SPECIAL	SnPb	4 AND 7
-74388-501LF	YES	Au SPECIAL	LEAD FREE	4, 6 AND 7

(10) A MA SYMBOL WILL BE NEXT TO ANY DIMENSION, NEW VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION

mat'l. code				surface / to			toler	olerance		projection		prod	uct f	amily									
SEE NOTE 1				ASME Y14.5 ASME Y14.5						₩-€			MEG-ARRAY										
ltr	ecn	по	dr	date		tolerances unless otherwise specified					ecified	0	D-C	7	title								
Ρ						angles			.X	±.3		ММ		60	nm	RF	CFP	TACI	F	224	ЕМВ	lΥ	
								.XX±.13] ""											
						0° ±	2* =	2. = 3		XX±.051		scal	2	::1		$10 \times 40 = 400 \text{ POS}$							
						dr	D WAUGHEN			1998-	-01-05					ПО			S	heet	3 o	if 3	size
						engr	T LEMKE		1998-01-05 1998-01-05		FCi	, Î		74388						١, ١			
						chr	T LEM				ΚE					/			4500				A4
						appd T LEMKE 1998-01-05		-01-05		7		type CUSTOMER Drawing											
shee	et	revis	sion																				
inde:	index		sheet																				

3 |

form: A4mmXLc

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

<u>74388-101LF</u> <u>74388-201</u> <u>74388-001LF</u> <u>74388-201LF</u> <u>74388-A01</u> <u>74388-101</u> <u>74388-001</u> <u>74388-091LF</u> <u>74388-91LF</u> <u>74388-091LF</u> <u>74388-091L</u>