








45.72 [1.800]	50.80 [2.000]	52.07 [2.050]	54.864 [2.160]	18	19	5532600-6
78.74 [3.100]	83.82 [3.300]	85.09 [3.350]	87.88 [3.460]	31	32	5532600-5
76.20 [3.000]	81.28 [3.200]	82.55 [3.250]	85.34 [3.360]	30	31	5532600-4
60.96 [2.400]	66.04 [2.600]	67.31 [2.650]	70.10 [2.760]	24	25	5532600-2
D	C	B	A	X	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.						DWN AL FRANTUM	18 OCT 04	tyco <i>Electronics</i>		Tyco Electronics Corporation Harrisburg, Pa 17105-3608		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CWK AL FRANTUM	18 OCT 04	NAME		CONNECTOR ASSEMBLY, STD EDGE II, 2.54 [.100] x 3.81 [.150], RIGHT ANGLE				
		0 P/LC ± - 2 P/LC ± - 2 P/LC 0.1X(.005) 0 P/LC ± - ANGLES ± ±°		PRODUCT SPEC 108-9039 APPLICATION SPEC		SIZE		CAGE CODE		DRAWING NO		
MATERIAL			FINISH		WEIGHT		A1		00779		C=5532600	
				CUSTOMER DRAWING		RESTRICTED TO		-		REV B		



Technical drawing of a perforated metal plate. The drawing shows a rectangular plate with a grid of circular holes. Key dimensions and features include:

- Overall Width:** 76.20 [3.000]
- Overall Height:** 3.81 [.150]
- Top Flange:** A horizontal flange at the top with a width of 76.20 [3.000] and a thickness of 1.07 ± .08 [0.042 ± .003]. It features a central hole with a diameter of 1.07 ± .08 [0.042 ± .003] and a tolerance of .006 [0.006]. The flange is labeled "TYP" (Typical).
- Bottom Flange:** A horizontal flange at the bottom with a width of 76.20 [3.000] and a thickness of 1.07 ± .08 [0.042 ± .003]. It features a central hole with a diameter of 1.07 ± .08 [0.042 ± .003] and a tolerance of .006 [0.006]. The flange is labeled "TYP" (Typical).
- Plate Thickness:** 3.81 [.150]
- Grid of Holes:** A grid of circular holes with a diameter of 1.07 ± .08 [0.042 ± .003] and a tolerance of .006 [0.006]. The holes are spaced at 1.07 ± .08 [0.042 ± .003] intervals.
- Labels:** "X SPACES AT" and "Y SPACES AT" are used to indicate the spacing of the holes.
- Annotations:** "BSC" (Basic) is used to indicate the basic dimensions of the flanges.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG 18 OCT 04 AL FRANTUM CHK 18 OCT 04 AL FRANTUM APD		 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.13 [.005] 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± 2° FINISH		NAME CONNECTOR ASSEMBLY, STD EDGE II, 2.54 [.100] x 3.81 [.150], RIGHT ANGLE	
		PRODUCT SPEC 108-9039 APPLICATION SPEC —		SIZE CAGE CODE DRAWING NO A1 00779 C-5532600	
MATERIAL SEE SHEET 1		WEIGHT —		RESTRICTED TO —	
CUSTOMER DRAWING				SCALE 5:1 SHEET 2 OF 2 REV B	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5532600-2](#)