






LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION		DATE	DWN	APVD
			B7	REV PER ECR-12-018925		31OCT2012	CZ	SZ
			B8	REV PER ECR-14-002489		25FEB2014	OL	SZ



- 1 HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-O; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- 2 CONTACT PLATING: NOBLE METAL PLARING ON CONTACT FUNCTIONAL AREA OF POWER CONTACTS
RETENTION CLIP: .000115 MIN TIN.
- 3 "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- 4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
6. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- 7 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 8 NO RELEASED FOR PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER	15MAR06	 TE Connectivity			
DIMENSIONS: INCHES		CHK M. PERCHERKE	15MAR06				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P.LC ± 2 P.LC ± 4 P.LC ±.005 4 P.LC ± ANGLES ±	APVD M. PERCHERKE	15MAR06	NAME VERTICAL HEADER CONN, W/GUIDES PRESS FIT, TYPE P MULTI-BEAM XL			
		PRODUCT SPEC 108-1973					
		APPLICATION SPEC 114-13038					
	FINISH -2	WEIGHT -		SIZE A1	CAGE CODE 00779	DRAWING NO C-6600303	RESTRICTED TO -
		MATERIAL					
		CUSTOMER DRAWING					
				SCALE 2:1	SHEET 1 OF 6	REV B8	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

B7	.325	1.800	.300	2.150	.300	.475	1.850	YES	5ACP	1-6600303-2
	.375	1.900	.300	2.250	.350	.525	1.950	NO	5ACP	1-6600303-1
	.300	2.050	.300	2.400	.275	.450	2.100	NO	6ACP	1-6600303-0
	.375	1.900	.300	2.250	.350	.525	1.950	YES	5ACP	6600303-9
8	.325	1.200	.300	1.550	.300	.475	1.250	YES	3ACP	6600303-7
	.300	1.800	.250	2.150	.275	.450	1.850	YES	6P	6600303-6
	.300	2.550	.250	2.900	.275	.450	2.600	NO	9P	6600303-5
	.300	2.150	.200	2.500	.275	.450	2.200	NO	9HDP	6600303-4
8	.325	1.500	.300	1.850	.300	.475	1.550	YES	4ACP	6600303-3
	.300	1.300	.250	1.650	.275	.450	1.350	YES	4P	6600303-2
	.300	2.300	.250	2.650	.275	.450	2.350	YES	8P	6600303-1
	DIM "TT"	DIM "U"	DIM "S"	DIM "L"	DIM "K"	DIM "G"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN
D. RINGLER

CHK
M. PERCHERKE

APVD
M. PERCHERKE

ISMAR06
ISMAR06
ISMAR06

DIMENSIONS:
INCHES



0 PLC ±"

1 PLC ±"

2 PLC ±"

3 PLC ±.005

4 PLC ±"

ANGLES ±"

FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC
108-1973

APPLICATION SPEC
114-13038

WEIGHT -

NAME

SIZE
A1

CAGE CODE
00779

DRAWING NO
6600303

RESTRICTED TO
-

TE Connectivity

VERTICAL HEADER CONN, W/GUIDES
PRESS FIT, TYPE P
MULTI-BEAM XL

CUSTOMER DRAWING

SCALE
2:1

SHEET
2


OF
6

REV
B8

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600303-3	D		VM	VM	VM	VM	
	C						
	B						
	A						
4ACP		HD					HD

[illegible][illegible]


PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600303-2	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD

[illegible][illegible]

-	RETENTION CLIP	HD
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER


4805 (3/11)

PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
6600303-6	D		VM	VM	VM	VM	VM	VM	
	C								
	B								
	A								
6P		HD							HD




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER	15MAR06		
		CHK M. PERCHERRE	15MAR06		
		EVAL M. PERCHERRE	15MAR06		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±.1		VERTICAL HEADER CONN, W/GUIDES PRESS FIT, TYPE P MULTI-BEAM XL	
		1 PLC ±.1			
		2 PLC ±.005			
3 PLC ±.005		APPLICATION SPEC		SIZE CASE CODE DRAWING NO	
4 ANGLES ±.1		114-13038		RESTRICTED TO	
MATERIAL	FINISH	WEIGHT		A100779C6600303 -	
		CUSTOMER DRAWING		SCALE 2:1 SHEET 4 OF 6 REV B	

PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
I-6600303-0	D		VM	VM	VM	VM	VM	VM	
	C								
	B								
	A								
6ACP									

4805 (3/11)

PART NUMBER	ROWS		POWER					
			P1	P2	P3	P4	P5	
I-6600303-2	D		VM	VM	VM	VM	VM	
	C							
	B							
	A	HD						HD
5ACP								

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-6600303-0](#)