


Protective covers - VS-08-SD-F-S - 1653139

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Protective cover, IP67, irradiated for welding applications, flat design, to cover the contact insert in the panel mounting frame



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 970055
GTIN	4017918970055

Technical data

Mechanical characteristics

Connection profile	RJ45
Locking type	without
Color	black
Degree of protection	IP67

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

Material data

Flammability rating according to UL 94	HB
Housing material	PA
Material	Plastic
Sealing material	EDPM, self-greasing
Seal material	EDPM, self-greasing
Height	10 mm


Standards and Regulations

Flammability rating according to UL 94	HB
--	----

Protective covers - VS-08-SD-F-S - 1653139

Drawings

Dimensional drawing



Protective cover, IP67

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1653139](#)