





4805 (3/11)


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AD	00	—	—	SEE SHEET 1	—	—




* SIDE ACTUATOR ONLY.





* SIDE ACTUATOR ONLY.




REVERSE "L" TYPE SURFACE MOUNT





* SIDE ACTUATOR ONLY.




* SIDE ACTUATOR ONLY.



"L" TYPE SURFACE MOUNT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.BINNER	12JAN04	 TE Connectivity	
DIMENSIONS: INCHES [mm]		CHK —	—	NAME	
	TOLERANCES UNLESS SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± .010[0.25] 4 PLC ± — ± 1° FINISH —	APVD —	—	SLIDE SWITCH ASE/ASF, AUTO-INSERTABLE, THRU-HOLE AND SURFACE MOUNT	
		PRODUCT SPEC —	—	—	
		APPLICATION SPEC —	—	—	
		SIZE CASE CODE DRAWING NO		RESTRICTED TO	
MATERIAL SEE SPECIFICATIONS		WEIGHT —	A1 00779  1437581-2 —		
CUSTOMER DRAWING		SCALE 4:1	SHEET 2	OF 2	REV K2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[ASF42RG](#)