


## Specification Sheet

Part Number: PFCLCSM



Connector, Fiber Optic LC Singlemode OS2, Pre-Polished (Cleave & Insert), 1/Pkg

**Article Number** 855-14206

**Type** PFCLC

**Color** Blue (BU)

**Features & Benefits**

- Factory-polished zirconia ceramic ferrules for quick and reliable field installations.
- Unique wedge clip retains connector shape for precision connection.
- Easy to use- no epoxy, heat curing, polishing or special tools required.
- Color coded for easy identification.
- Meet ANSI/TIA/EIA 568-C standards.
- Meet ANSI/TIA/EIA 604 (FOCIS) connector interface requirements.

**Quantity Per** bag

<b>Product Description</b>	HellermannTyton offers both LC multimode and single mode connectors. Designed for both field and factory installation using either epoxy or anaerobic adhesive. All connectors comply with the IEC874-14 standard ensuring compatibility with all other manufactured adaptors.
<b>Short Description</b>	Connector, Fiber Optic LC Singlemode OS2, Pre-Polished (Cleave & Insert), 1/Pkg
<b>Global Part Name</b>	PFCLC
<b>Technical Description</b>	Pre-Polished LC Single Mode Fiber Connector, Blue
<b>Port Count</b>	2
<b>Use Conditions</b>	For Indoor Use Only
<b>Package Quantity(Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	8536700000

