

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.





LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
D		UPDATE PACKAGING QUANTITY TO 1100 PCS	09OCT.2012	M.S	S.Y
E		ADD DIMENSIONS.	25OCT.2012	M.S	S.Y
F		UPDATE WEIGHT INFORMATION	14MAY2013	M.S	S.Y
G		PCN:E-13-014564	16SEP2013	M.S	C.W

1932766-1, AS SHOWN



- NOTE:
- 1 MATERIAL: COPPER ALLOY.
 - 2 SHELL: STAINLESS STEEL.
 - 3 HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0 BLACK FINISH
 - 4 TERMINAL: NICKLE UNDERPLATING; GOLD PLATING ON CONTACT AREA. GOLD FLASH PLATING ON SOLDERING AREA.
 - 5 SHELL: NICKLE UNDERPLATING; PURE TIN PLATING ON SOLDERING AREA.
 - 6 COPLANARITY AMONG ALL SOLDER TAILS: 0.08 mm MAX.
 - 7 RECOMMENDED DURABILITY: 2,000 CYCLES.
 - 8 PACKAGING: TAPE & REEL.
 - 9 RECOMMEND SOLDERING THICKNESS: 100 MICRON MIN.
 - 10 RECOMMEND SOLDERING AREA: 100% OF REFERENCE LAYOUT PATTERN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	± 0.20
0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	± 5°
MATERIAL	FINISH

DWN	30JAN.2011
CHK	MING SHI
APVD	30JAN.2011
STEVEN YAO	
PRODUCT SPEC	108-115023
APPLICATION SPEC	114-XXXXX
WEIGHT	0.5722 g
CUSTOMER DRAWING	

TE Connectivity			
1.5 MM HEIGHT SIM CONNECTOR			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A300779	C=1932766		
SCALE	SHEET	OF	REV
4:1	1	2	G

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1





2.40±0.10



SECTION Z - Z

SECTION Y - Y



40mm MIN.
WITHOUT CHARGE
SEALED WITH COVER TAPE

WITH PRODUCT CHARGE
1100 PCS/IREEL


100mm MIN.
WITHOUT CHARGE
SEALED WITH COVER TAPE

NOTES:
1. MATERIAL: PS, 0.4MM THICKNESS, BLACK.
2. QUANTITY PER REEL: 1100PCS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:
±0.20

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±5°

MATERIAL

FINISH

DWN 30JAN.2011

MING SHI

CHK 30JAN.2011

WENKE HE

APVD 30JAN.2011

STEVEN YAO

PRODUCT SPEC

108-115023

APPLICATION SPEC

114-XXXXX

WEIGHT

X.XXg

CUSTOMER DRAWING



TE Connectivity

NAME

1.5 MM HEIGHT SIM CONNECTOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-1932766

-

SCALE 4:1

SHEET 2 OF 2

REV G

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1932766-1](#)