

## Cable gland - VC-EMV-KV-PG21(11,5-15,5/13,5) - 1854242

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PG21 EMC half screw connection, for size 2 - 4 metal housing, comprising rubber seal, iris spring, cone discs, and pressure screw, for size 1 housing, cable shielding clamping area: 9.5 - 13.5 [mm], cable: 11.5 - 15.5 [mm]



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 145828
Weight per Piece (excluding packing)	49.6 g
Custom tariff number	85369010
Country of origin	Poland

### Technical data

#### Dimensions

Wrench size, union nut	30 mm
External cable diameter	11.5 mm ... 15.5 mm
Shield diameter	13.5 mm

#### Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 125 °C

#### General

Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
No. of conductors	1
Material, pressure screw	Nickel-plated brass
Seal material	TPE
Shielded	yes

# Cable gland - VC-EMV-KV-PG21(11,5-15,5/13,5) - 1854242

## Technical data

### General

Thread type on seal side	Pg21
Tightening torque, union nut	10.00 Nm

## Classifications

### eCl@ss

eCl@ss 4.0	27141209
eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 7.0	27149109
eCl@ss 8.0	27149109

### ETIM

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000441

### UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 12.01	31261502
UNSPSC 13.2	31261502

## Approvals

### Approvals

#### Approvals

EAC / EAC / EAC

#### Ex Approvals

## Cable gland - VC-EMV-KV-PG21(11,5-15,5/13,5) - 1854242

### Approvals

Approvals submitted

---

#### Approval details

EAC
EAC
EAC

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1854242