

## FO connectors - PSM-SET-FSMA/4-KT - 2799720

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

F-SMA plug set for polymer fiber, for self assembly consisting of 4 quick mounting connectors with bend protection sleeve



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 156053
Weight per Piece (excluding packing)	32.9 g
Custom tariff number	85367000
Country of origin	Poland

### Technical data

#### General

Type of plug	F-SMA/Type 905, IEC 874-2
FO fiber	Polymer fiber
Attenuation	< 1.5 dB

#### Standards and Regulations

Free from substances that could impair the application of coating	according to P-VW 3.10.7 57 65 0 VW-AUDI-Seat central standard
---	--

### Classifications

#### eCl@ss

eCl@ss 4.0	27061001
eCl@ss 4.1	27061001
eCl@ss 5.0	27061803
eCl@ss 5.1	27061803

## FO connectors - PSM-SET-FSMA/4-KT - 2799720

### Classifications

#### eCl@ss

eCl@ss 6.0	27061803
eCl@ss 7.0	27061803
eCl@ss 8.0	19170122
eCl@ss 9.0	19170122

#### ETIM

ETIM 2.0	EC001122
ETIM 3.0	EC001122
ETIM 4.0	EC001122
ETIM 5.0	EC001122

#### UNSPSC

UNSPSC 6.01	26121607
UNSPSC 7.0901	26121607
UNSPSC 11	26121607
UNSPSC 12.01	26121607
UNSPSC 13.2	26121607

### Accessories

#### Accessories

#### Assembly tool

Assembly tool - PSM-POF-KONFTOOL - 2744131



Polymer fiber DIY case, consisting of: Stripping knife, stripping pliers, polishing wheels for F-SMA and SC-RJ quick mounting connectors, polishing pad and emery paper

---

#### Data cable by the meter

FO cable - PSM-LWL-KDHEAVY-980/1000 - 2744319



Polymer fiber cable, duplex 980/1000 µm, medium-weight version for permanent indoor installation, by the meter, without connector

## FO connectors - PSM-SET-FSMA/4-KT - 2799720

### Accessories

FO cable - PSM-LWL-RUGGED-980/1000 - 2744322



Polymer fiber cable, duplex, 980  $\mu\text{m}$ /1000  $\mu\text{m}$ , heavy version for permanent indoor installation, sold by the meter without connectors

---

FO cable - PSM-LWL-RUGGED-FLEX-980/1000 - 2744335



Polymer fiber cable, duplex 980/1000  $\mu\text{m}$ , heavy-weight, highly flexible version for flexible conduit applications, by the meter, without connector

---

FO cable - FL FOC PN-B-980/1000 - 2313397



PROFINET polymer fiber cable, duplex, 980/1000  $\mu\text{m}$ , heavy-weight design, for permanent indoor installation, by the meter, without connector

---

FO cable - FL FOC PN-C-FLEX-980/1000 - 2313407



PROFINET polymer fiber cable, duplex, 980/1000  $\mu\text{m}$ , heavy-weight highly flexible design, for flexible cable conduit applications, by the meter, without connector

---

### Data cable preassembled

FO patch cable - FOC-RUGGED-1012/IP20/... - 2901548



Rugged POF installation cable (IP20 heads only) for fixed installation in the inner area. Individual elements made from extremely wear-resistant polyamide (PE). Halogen-free, ozone and UV resistant with a reinforced polyurethane (PUR) outer sheath.

---

## FO connectors - PSM-SET-FSMA/4-KT - 2799720

### Accessories

FO patch cable - FOC-RUGGED-FLEX-1013/IP20/... - 2901549



Highly flexible POF round cable (IP20 heads only) for use in drag chains. Individual elements made from extremely wear-resistant polyamide (PE). The cable is halogen-free, ozone and UV resistant, and has a rugged polyurethane (PUR) outer sheath.

---

FO patch cable - FOC-PN-B-1000/IP20/... - 2901551



POF PROFINET installation cable (IP20 heads only) for fixed installation in the inner area with individual elements of highly durable polyamide (PE). Individual elements made of extremely wear-resistant polyamide (PE). The cable is halogen-free, ozone and UV resistant and has a rugged polyurethane (PUR) outer sheath.

---

FO patch cable - FOC-PN-C-1003/IP20/  
- 2901552



Highly flexible POF PROFINET cable (IP20 heads only) for use in drag chains. Individual elements made from extremely wear-resistant polyamide (PE). The cable is halogen-free, ozone and UV resistant, and has a rugged polyurethane (PUR) outer sheath.

---

FO patch cable - FOC-KDHEAVY-1011/IP20/... - 2901553



POF installation cable (IP20 heads only) for fixed installation in the inner area with individual elements made of highly durable polyamide (PE). The cable is halogen-free, ozone and UV resistant and has a rugged polyurethane (PUR) outer sheath.

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2799720](#)