


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B


A



PCB LAYOUT FOR 2 POSITION 
COMPONENT SIDE



PCB LAYOUT FOR 3 POSITION 
COMPONENT SIDE




PCB LAYOUT FOR 4-12 POSITION 
COMPONENT SIDE

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.ROOT 06OCT2000	 TE Connectivity			
DIMENSIONS:		CHK K.WHITAKER 13-MAR-2001				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD K.WHITAKER 13-MAR-2001	NAME RIGHT ANGLE THRU HOLEHEADER ASSY, TIN CONTACTS W/PLASTIC HOLDDOWNS, SINGLE ROW, MICRO MATE-N-LOK™			
	0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH	PRODUCT SPEC - APPLICATION SPEC - WEIGHT -				
MATERIAL	SEE TABLE	CUSTOMER DRAWING	SIZE A2	CAGE CODE 00779	DRAWING NO C-1445055	RESTRICTED TO -
		SCALE 5:1		SHEET 2	OF 2	REV B1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1445055-2](#)