







DETAIL M
SCALE 8:1



- 1 HOUSING: LCP, COLOR-BLACK.
POST: BRASS.
- 2 POST: 0.00254-0.00508 [.000100-.00200] BRIGHT TIN-LEAD OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY THE CUSTOMER.
- 4 TWO POLARIZATION SLOTS ON ASSEMBLIES WITH FOUR OR MORE
POSITIONS.
- 5 0.00254-0.00508 [.000100-.000200] BRIGHT TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 7 0.00254-0.00508 [.000100-.000200] MATTE TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.





THIS DRAWING IS A CONTROLLED DOCUMENT.				DWG	B. HAYMAKER	02DEC99			TE Connectivity	
				CHK	J. MOSIER	02DEC99				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J. MOSIER	02DEC99	NAME	HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU		
mm [INCHES]				PRODUCT SPEC						
		0 PLC ± — 1 PLC ± — 2 PLC ± 0.13 [.005] 3 ANGLES ± — FINISH SEE TABLE		APPLICATION SPEC						
MATERIAL				WEIGHT	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
						A1	00779	 147324	—	
CUSTOMER DRAWING						SCALE		6:1	SHEET	2 OF 4
									REV	K

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION								REVISIONS			
© COPYRIGHT — By —				ALL RIGHTS RESERVED.								P LTR DESCRIPTION DATE DWN APVD			
												— — SEE SHEET 1 — — —			

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION								REVISIONS			
© COPYRIGHT — By —				ALL RIGHTS RESERVED.								P LTR DESCRIPTION DATE DWN APVD			
												— — SEE SHEET 1 — — —			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-147324-3](#)