

4

3

2

1

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	LOC	DIST	REVISIONS		
© COPYRIGHT	ALL RIGHTS RESERVED.					
				P LTR DESCRIPTION		
				A1	ECR-14-002653	24FEB2014 GK HMR

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151420-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911252
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911252

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		TE Connectivity		
DIMENSIONS:		CHK RAGHAVENDRA				
		APVD RAGHAVENDRA				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APPLICATION SPEC		NAME SIDE FEED SYSTEM III APPLICATOR		
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO
FINISH		CUSTOMER DRAWING		A3	© 1911252	RESTRICTED TO
				SCALE	SHEET 1 OF 2	REV A1

8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
THIS DRAWING IS UNPUBLISHED. © COPYRIGHT 2008 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.	RELEASED FOR PUBLICATION 2008																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				FEED FINGER 1901694-1	SET UP GAGE 1901067-1	LOC A	DIST 66																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				P LTR A	RELEASED	DATE 29SEP2008	OWN BH APVD BH																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table border="1"> <tr> <td>PART NUMBER</td> <td>REV</td> <td>DESCRIPTION</td> <td>PROGRAMMED MEMORY CHIP</td> </tr> <tr> <td>1911252-1</td> <td>A</td> <td>CUTS CARRIER</td> <td>8-1911252-1</td> </tr> <tr> <td>1911252-6</td> <td>A</td> <td>CONTINUOUS CARRIER</td> <td>8-1911252-6</td> </tr> <tr> <td>7-1911252-1</td> <td>A</td> <td>-1 AND SPARE PARTS</td> <td>9-1911252-1</td> </tr> <tr> <td>7-1911252-6</td> <td>A</td> <td>-6 AND SPARE PARTS</td> <td>9-1911252-6</td> </tr> <tr> <td>7-1911252-7</td> <td>A</td> <td>SPARE PARTS KIT</td> <td>-</td> </tr> </table>				PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP	1911252-1	A	CUTS CARRIER	8-1911252-1	1911252-6	A	CONTINUOUS CARRIER	8-1911252-6	7-1911252-1	A	-1 AND SPARE PARTS	9-1911252-1	7-1911252-6	A	-6 AND SPARE PARTS	9-1911252-6	7-1911252-7	A	SPARE PARTS KIT	-	REVISIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																					
PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1911252-1	A	CUTS CARRIER	8-1911252-1																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1911252-6	A	CONTINUOUS CARRIER	8-1911252-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
7-1911252-1	A	-1 AND SPARE PARTS	9-1911252-1																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
7-1911252-6	A	-6 AND SPARE PARTS	9-1911252-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
7-1911252-7	A	SPARE PARTS KIT	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				DATE 29SEP2008																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				OWN BH APVD BH																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<table border="1"> <tr> <td colspan="4">APPLICATOR DATA</td> </tr> <tr> <td>CRIMP</td> <td>SIZE</td> <td>TYPE</td> <td></td> </tr> <tr> <td>WIRE</td> <td>1.78mm [.070]</td> <td>F</td> <td></td> </tr> <tr> <td>INSUL</td> <td>2.54mm [.100]</td> <td>OV</td> <td></td> </tr> <tr> <td>APPL INSTRUCTIONS</td> <td>408-10135</td> <td></td> <td></td> </tr> </table>				APPLICATOR DATA				CRIMP	SIZE	TYPE		WIRE	1.78mm [.070]	F		INSUL	2.54mm [.100]	OV		APPL INSTRUCTIONS	408-10135																																																																																																																																																																																																																																																																																																																																																																																																																																																												
APPLICATOR DATA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
CRIMP	SIZE	TYPE																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
WIRE	1.78mm [.070]	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
INSUL	2.54mm [.100]	OV																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
APPL INSTRUCTIONS	408-10135																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
<p>TERMINAL DATA: FCI TERMINAL TYCO CRIMP SPEC</p> <p>TERMINAL NAME: 1.5MM FEMALE SICMA-3 TERMINAL</p> <p>WIRE STRIP LENGTH INSULATION DIAMETER RANGE</p> <p>4.8-5.6 mm [.188-.220 IN] 1.30-1.80mm [.051-.070 IN]</p> <p>TERMINAL TYCO</p> <p>APPL SPEC</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
<p>TERMINALS APPLIED</p> <table border="1"> <tr> <td>TE TERMINAL</td> <td>FCI TERMINAL</td> <td>TE TERMINAL</td> <td>FCI TERMINAL</td> </tr> <tr> <td>1572993-1</td> <td>211CC2S1160</td> <td>1572993-2</td> <td>211CC2S1150</td> </tr> <tr> <td>1572993-3</td> <td>211CC2S1460</td> <td>1572993-4</td> <td>211CC2S1161</td> </tr> </table>				TE TERMINAL	FCI TERMINAL	TE TERMINAL	FCI TERMINAL	1572993-1	211CC2S1160	1572993-2	211CC2S1150	1572993-3	211CC2S1460	1572993-4	211CC2S1161																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
TE TERMINAL	FCI TERMINAL	TE TERMINAL	FCI TERMINAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1572993-1	211CC2S1160	1572993-2	211CC2S1150																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1572993-3	211CC2S1460	1572993-4	211CC2S1161																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
<table border="1"> <tr> <td>WIRE SIZE</td> <td>CRIMP HEIGHT mm [INCH]</td> </tr> <tr> <td>0.75mm</td> <td>.1.33±.05 [.052±.002]</td> </tr> <tr> <td>0.50mm</td> <td>.1.14±.05 [.045±.002]</td> </tr> <tr> <td>0.35mm</td> <td>.1.04±.05 [.041±.002]</td> </tr> </table>				WIRE SIZE	CRIMP HEIGHT mm [INCH]	0.75mm	.1.33±.05 [.052±.002]	0.50mm	.1.14±.05 [.045±.002]	0.35mm	.1.04±.05 [.041±.002]																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
WIRE SIZE	CRIMP HEIGHT mm [INCH]																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
0.75mm	.1.33±.05 [.052±.002]																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
0.50mm	.1.14±.05 [.045±.002]																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
0.35mm	.1.04±.05 [.041±.002]																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				<table border="1"> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1-993111-6</td> <td>PIN, SLOTTED SPRING 3.0 X 30.0</td> <td>1</td> <td>77</td> </tr> <tr> <td>-</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>3-22280-7</td> <td>SPRING, COMPRESSION</td> <td>1</td> <td>76</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1752353-1</td> <td>GUIDE PIN, HOLDDOWN</td> <td>1</td> <td>75</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1901680-1</td> <td>GUIDE PIN, HOLDDOWN</td> <td>1</td> <td>74</td> </tr> <tr> <td>-</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>SEE TABLE</td> <td>MEMORY CHIP, PROGRAMMED</td> <td>1</td> <td>73</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1633565-1</td> <td>DOCUMENTATION PACKAGE SIII</td> <td>1</td> <td>71</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1901048-1</td> <td>TAG, IDENTIFICATION</td> <td>1</td> <td>67</td> </tr> <tr> <td>-</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>21017-1</td> <td>SCREW, DRIVE</td> <td>1</td> <td>66</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>18028-1</td> <td>WASHER, FLAT, REG M3</td> <td>1</td> <td>64</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1655785-9</td> <td>SCR, BTN SKT HD CAP (M3 X 6)</td> <td>1</td> <td>62</td> </tr> <tr> <td>-</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>1655785-1</td> <td>SCR, BTN SKT HD CAP (M4 X 8)</td> <td>1</td> <td>60</td> </tr> <tr> <td>-</td> <td>4</td> <td>4</td> <td>4</td> <td>4</td> <td>4</td> <td>1655783-3</td> <td>SCR, CAP, SOC HD, LOW HEAD, M4 X 12</td> <td>1</td> <td>54</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1-18030-0</td> <td>NUT, HEX, REG M3.5</td> <td>1</td> <td>52</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1901681-1</td> <td>HOLDDOWN, TERMINAL</td> <td>1</td> <td>51</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1-1752354-9</td> <td>STANDOFF, HOLD-DOWN</td> <td>1</td> <td>50</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1752300-1</td> <td>SF SYSTEM III APPLICATOR</td> <td>1</td> <td>46</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1752308-1</td> <td>RAM</td> <td>1</td> <td>44</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>2-1655785-3</td> <td>SCR, BTN SKT HD CAP (M8 X 25)</td> <td>1</td> <td>41</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>993002-4</td> <td>SCREW, SET, SFT TIP</td> <td>1</td> <td>40</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1962043-1</td> <td>PLUNGER, BALL, METRIC</td> <td>1</td> <td>39</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1752309-1</td> <td>RING, INSULATION CRIMP</td> <td>1</td> <td>38</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1-1752356-8</td> <td>SUPPORT, TERMINAL</td> <td>1</td> <td>34</td> </tr> <tr> <td>-</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>3-1655785-3</td> <td>SCR, BTN SKT HD CAP (M4 X 20)</td> <td>1</td> <td>33</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>18028-3</td> <td>WASHER, FLAT, REG M5</td> <td>1</td> <td>32</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>5-1655316-3</td> <td>SCR, SKT HD CAP, M5 X 10.0</td> <td>1</td> <td>31</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1320908-1</td> <td>SPACER, STRIP GUIDE</td> <td>1</td> <td>30</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1901087-3</td> <td>ASSEMBLY, STRIP GUIDE</td> <td>1</td> <td>29</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1-455888-0</td> <td>SPACER, CRIMPER</td> <td>1</td> <td>28</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1320928-1</td> <td>PLATE, STRIP GUIDE</td> <td>1</td> <td>24</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1976045-1</td> <td>STRIPPER</td> <td>1</td> <td>22</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>18028-2</td> <td>WASHER, FLAT, REG M4</td> <td>1</td> <td>20</td> </tr> <tr> <td>-</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>REF</td> <td>1752311-1</td> <td>STRIPPER</td> <td>1</td> <td>19</td> </tr> <tr> <td>-</td> <td>1</td> <td>-</td> <td>1</td> <td>-</td> <td>-</td> <td>1338684-1</td> <td>SHARP HOLDER, FRONT</td> <td>1</td> <td>13</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>3-22280-3</td> <td>SPRING, COMPRESSION</td> <td>1</td> <td>12</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>356885-4</td> <td>STOP, SHEAR</td> <td>1</td> <td>11</td> </tr> <tr> <td>-</td> <td>-</td> <td>1</td> <td>-</td> <td>-</td> <td>-</td> <td>1320921-1</td> <td>SHARP HOLDER, FRONT, CUT</td> <td>1</td> <td>10</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>217234-1</td> <td>FLOATING SHEAR, FRONT</td> <td>1</td> <td>9</td> </tr> <tr> <td>-</td> <td>1</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> <td>8-1333203-1</td> <td>ANVIL, COMBINATION</td> <td>1</td> <td>8</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>2-455889-0</td> <td>DEPRESSOR, SHEAR</td> <td>1</td> <td>5</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>238011-4</td> <td>BLOCK, CRIMPER SPACER</td> <td>1</td> <td>4</td> </tr> <tr> <td>-</td> <td>1</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> <td>1-854830-8</td> <td>CRIMPER, INSULATION SPECIAL</td> <td>1</td> <td>3</td> </tr> <tr> <td>-</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>455888-7</td> <td>SPACER, CRIMPER</td> <td>1</td> <td>2</td> </tr> <tr> <td>-</td> <td>1</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> <td>3-456404-8</td> <td>CRIMPER, WIRE PREMIUM</td> <td>1</td> <td>1</td> </tr> <tr> <td colspan="4"></td> <td colspan="4">PART NO</td> </tr> <tr> <td colspan="4"></td> <td colspan="4">DESCRIPTION</td> </tr> <tr> <td colspan="4"></td> <td colspan="4">ITEM NO</td> </tr> <tr> <td colspan="4"> <p>THIS DRAWING IS A CONFIDENTIAL DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO EXAMINE AND FOR USE ONLY BY EMPLOYEES OF TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE COPIED OR DISCLOSED EXCEPT AS AUTHORIZED IN THE LAST PARAGRAPH.</p> <p>BY: HIGMAN 14AUG2008 CHG: T ELGIN 14AUG2008 APV: T DEMING 14AUG2008</p> <p>NAME: SIDE FEED SYSTEM III APPLICATOR</p> <p>BIMENSIONS: INCHES (mm)</p> <p>TOLERANCES: UNLESS OTHERWISE SPECIFIED: 1 PLC ±.005 2 PLC ±.010 3 PLC ±.015 4 PLC ±.020</p> <p>PRODUCT SPEC:</p> <p>APPLICATION SPEC: SEE TABLE</p> <p>MATERIAL: FINISH: WEIGHT: -</p> <p>SIZE: CASE CODE: DRAWING NO: RESTRICTED TO: A 00779 C=1911252 -</p> <p>CUSTOMER DRAWING: CUSTOMER ACCESSIBLE PRODUCTION DRAWING</p> </td> </tr> </table>				-	1	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	1	77	-	2	2	2	2	2	3-22280-7	SPRING, COMPRESSION	1	76	-	1	1	1	1	1	1752353-1	GUIDE PIN, HOLDDOWN	1	75	-	1	1	1	1	1	1901680-1	GUIDE PIN, HOLDDOWN	1	74	-	REF	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	1	73	-	1	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE SIII	1	71	-	1	1	1	1	1	1901048-1	TAG, IDENTIFICATION	1	67	-	2	2	2	2	2	21017-1	SCREW, DRIVE	1	66	-	1	1	1	1	1	18028-1	WASHER, FLAT, REG M3	1	64	-	1	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	1	62	-	2	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	1	60	-	4	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	1	54	-	1	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	1	52	-	1	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	1	51	-	1	1	1	1	1	1-1752354-9	STANDOFF, HOLD-DOWN	1	50	-	1	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	1	46	-	1	1	1	1	1	1752308-1	RAM	1	44	-	1	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	1	41	-	1	1	1	1	1	993002-4	SCREW, SET, SFT TIP	1	40	-	1	1	1	1	1	1962043-1	PLUNGER, BALL, METRIC	1	39	-	1	1	1	1	1	1752309-1	RING, INSULATION CRIMP	1	38	-	1	1	1	1	1	1-1752356-8	SUPPORT, TERMINAL	1	34	-	2	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	1	33	-	1	1	1	1	1	18028-3	WASHER, FLAT, REG M5	1	32	-	1	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	1	31	-	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	1	30	-	1	1	1	1	1	1901087-3	ASSEMBLY, STRIP GUIDE	1	29	-	1	1	1	1	1	1-455888-0	SPACER, CRIMPER	1	28	-	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	1	24	-	1	1	1	1	1	1976045-1	STRIPPER	1	22	-	1	1	1	1	1	18028-2	WASHER, FLAT, REG M4	1	20	-	REF	REF	REF	REF	REF	1752311-1	STRIPPER	1	19	-	1	-	1	-	-	1338684-1	SHARP HOLDER, FRONT	1	13	-	1	1	1	1	1	3-22280-3	SPRING, COMPRESSION	1	12	-	1	1	1	1	1	356885-4	STOP, SHEAR	1	11	-	-	1	-	-	-	1320921-1	SHARP HOLDER, FRONT, CUT	1	10	-	1	1	1	1	1	217234-1	FLOATING SHEAR, FRONT	1	9	-	1	2	2	1	1	8-1333203-1	ANVIL, COMBINATION	1	8	-	1	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	1	5	-	1	1	1	1	1	238011-4	BLOCK, CRIMPER SPACER	1	4	-	1	2	2	1	1	1-854830-8	CRIMPER, INSULATION SPECIAL	1	3	-	1	1	1	1	1	455888-7	SPACER, CRIMPER	1	2	-	1	2	2	1	1	3-456404-8	CRIMPER, WIRE PREMIUM	1	1					PART NO								DESCRIPTION								ITEM NO				<p>THIS DRAWING IS A CONFIDENTIAL DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO EXAMINE AND FOR USE ONLY BY EMPLOYEES OF TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE COPIED OR DISCLOSED EXCEPT AS AUTHORIZED IN THE LAST PARAGRAPH.</p> <p>BY: HIGMAN 14AUG2008 CHG: T ELGIN 14AUG2008 APV: T DEMING 14AUG2008</p> <p>NAME: SIDE FEED SYSTEM III APPLICATOR</p> <p>BIMENSIONS: INCHES (mm)</p> <p>TOLERANCES: UNLESS OTHERWISE SPECIFIED: 1 PLC ±.005 2 PLC ±.010 3 PLC ±.015 4 PLC ±.020</p> <p>PRODUCT SPEC:</p> <p>APPLICATION SPEC: SEE TABLE</p> <p>MATERIAL: FINISH: WEIGHT: -</p> <p>SIZE: CASE CODE: DRAWING NO: RESTRICTED TO: A 00779 C=1911252 -</p> <p>CUSTOMER DRAWING: CUSTOMER ACCESSIBLE PRODUCTION DRAWING</p>			
-	1	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	1	77																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	2	2	2	2	2	3-22280-7	SPRING, COMPRESSION	1	76																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1752353-1	GUIDE PIN, HOLDDOWN	1	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1901680-1	GUIDE PIN, HOLDDOWN	1	74																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	REF	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	1	73																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE SIII	1	71																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1901048-1	TAG, IDENTIFICATION	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	2	2	2	2	2	21017-1	SCREW, DRIVE	1	66																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	18028-1	WASHER, FLAT, REG M3	1	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	1	62																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	2	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	1	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	4	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	1	54																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	1	52																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	1	51																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1-1752354-9	STANDOFF, HOLD-DOWN	1	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	1	46																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1752308-1	RAM	1	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	1	41																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	993002-4	SCREW, SET, SFT TIP	1	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1962043-1	PLUNGER, BALL, METRIC	1	39																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1752309-1	RING, INSULATION CRIMP	1	38																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1-1752356-8	SUPPORT, TERMINAL	1	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	2	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	1	33																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	18028-3	WASHER, FLAT, REG M5	1	32																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	1	31																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	1	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1901087-3	ASSEMBLY, STRIP GUIDE	1	29																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1-455888-0	SPACER, CRIMPER	1	28																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	1	24																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	1976045-1	STRIPPER	1	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	18028-2	WASHER, FLAT, REG M4	1	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	REF	REF	REF	REF	REF	1752311-1	STRIPPER	1	19																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	-	1	-	-	1338684-1	SHARP HOLDER, FRONT	1	13																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	3-22280-3	SPRING, COMPRESSION	1	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	356885-4	STOP, SHEAR	1	11																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	-	1	-	-	-	1320921-1	SHARP HOLDER, FRONT, CUT	1	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	217234-1	FLOATING SHEAR, FRONT	1	9																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	2	2	1	1	8-1333203-1	ANVIL, COMBINATION	1	8																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	1	5																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	238011-4	BLOCK, CRIMPER SPACER	1	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	2	2	1	1	1-854830-8	CRIMPER, INSULATION SPECIAL	1	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	1	1	1	1	455888-7	SPACER, CRIMPER	1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-	1	2	2	1	1	3-456404-8	CRIMPER, WIRE PREMIUM	1	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				PART NO																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				ITEM NO																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<p>THIS DRAWING IS A CONFIDENTIAL DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO EXAMINE AND FOR USE ONLY BY EMPLOYEES OF TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE COPIED OR DISCLOSED EXCEPT AS AUTHORIZED IN THE LAST PARAGRAPH.</p> <p>BY: HIGMAN 14AUG2008 CHG: T ELGIN 14AUG2008 APV: T DEMING 14AUG2008</p> <p>NAME: SIDE FEED SYSTEM III APPLICATOR</p> <p>BIMENSIONS: INCHES (mm)</p> <p>TOLERANCES: UNLESS OTHERWISE SPECIFIED: 1 PLC ±.005 2 PLC ±.010 3 PLC ±.015 4 PLC ±.020</p> <p>PRODUCT SPEC:</p> <p>APPLICATION SPEC: SEE TABLE</p> <p>MATERIAL: FINISH: WEIGHT: -</p> <p>SIZE: CASE CODE: DRAWING NO: RESTRICTED TO: A 00779 C=1911252 -</p> <p>CUSTOMER DRAWING: CUSTOMER ACCESSIBLE PRODUCTION DRAWING</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1911252-6](#)