

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0541323262](#)  
**Status:** **Active**  
**Overview:** [FFC-FPC \(SMT\)](#)  
**Description:** Easy-On FFC/FPC Connector, 0.50mm Pitch, Slider Series, Right-Angle, Bottom Contact, 2.00mm Height, 32 Circuits, Gold Plating

**Documents:**

|  |   |
|--|---|
| <a href="#">3D Model</a>                                     | <a href="#">Packaging Specification SPK-54132-001-001 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                | <a href="#">RoHS Certificate of Compliance (PDF)</a>            |
| <a href="#">Product Specification PS-54132-061-001 (PDF)</a> | <a href="#">Product Literature (PDF)</a>                        |

**Agency Certification**

UL E29179

**General**

|                             |                               |
|-----------------------------|-------------------------------|
| Product Family              | FFC/FPC Connectors            |
| Series                      | <a href="#">54132</a>         |
| Overview                    | <a href="#">FFC-FPC (SMT)</a> |
| Product Literature Order No | 987651-8061                   |
| Product Name                | Easy-On                       |
| Series Name                 | Slider                        |
| UPC                         | 822348709045                  |

**Physical**


|                                |                                |
|--------------------------------|--------------------------------|
| Actuator Type                  | Slider                         |
| Circuits (Loaded)              | 32                             |
| Color - Resin                  | Black, Natural                 |
| Contact Position               | Bottom                         |
| Durability (mating cycles max) | 20                             |
| Flammability                   | 94V-0                          |
| Mated Height                   | 2.00mm                         |
| Material - Metal               | Phosphor Bronze                |
| Material - Plating Mating      | Gold                           |
| Material - Plating Termination | Gold                           |
| Material - Resin               | High Temperature Thermoplastic |
| Net Weight                     | 373.688/mg                     |
| Number of Rows                 | 1                              |
| Orientation                    | Right Angle                    |
| PCB Locator                    | No                             |
| PCB Mounting                   | Surface Mount                  |
| PCB Retention                  | Yes                            |
| Packaging Type                 | Embossed Tape on Reel          |
| Pitch - Mating Interface       | 0.50mm                         |
| Plating min - Mating           | 0.102µm                        |
| Plating min - Termination      | 0.051µm                        |
| Polarized to PCB               | Yes                            |
| Stackable                      | No                             |
| Surface Mount Compatible (SMC) | N/A                            |
| Temperature Range - Operating  | -20° to +85°C                  |
| Wire/Cable Type                | FFC/FPC                        |

**Electrical**

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 0.5A |
| Voltage - Maximum             | 50V  |

**Material Info**

**Reference - Drawing Numbers**



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
ED/61/2018 (27 June  
2018)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[54132 Series](#)

Packaging Specification  
Product Specification  
Sales Drawing

SPK-54132-001-001  
PS-54132-061-001  
SD-54132-064-001, SD-54132-065

This document was generated on 10/30/2018

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[54132-3262](#)