



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
N		REVISED PER ECR-17-006536	14SEP2017	RS SZ



- ① TO PREVENT THREAD STRIPPING, SCREW TORQUE SHOULD NOT EXCEED 9 IN LBS.
- ② TAP HOLE IS 6-32UNC-2B, TWO MIN THREADS.
- ③ TAP HOLE IS M4 X 0.7, TWO MIN THREADS.
- ④ TAP: .000150 TIN-LEAD OVER .000050 NICKEL.
- ⑤ TAP: .000150 TIN OVER .000050 NICKEL.



OBSOLETE			993879-1	YES	9-55558-1
OBSOLETE	⑤	②	NO	YES	9-55558-0
OBSOLETE	④	③	NO	YES	1-55558-1
SUPERSEDED BY -4		②	993879-1	NO	55558-8
OBSOLETE		②	NO	NO	55558-7
OBSOLETE	④	②	993879-1	YES	55558-4
OBSOLETE		②	NO	YES	55558-3
	FINISH	HOLE TYPE	SCREW	EMBOSSMENT	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 1-11-88																					
DIMENSIONS: INCHES		CHK R. STONE 1-11-88																					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. GALLOWAY 1-11-88	NAME TAP, POWER DISTRIBUTION																				
<table border="1"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>-</td></tr> <tr><td>3 PLC</td><td>±</td><td>.008</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>-</td></tr> </table>		0 PLC	±	-	1 PLC	±	-	2 PLC	±	-	3 PLC	±	.008	4 PLC	±	-	ANGLES	±	-	PRODUCT SPEC -	SIZE A2	CAGE CODE 00779	DRAWING NO C=55558
0 PLC	±	-																					
1 PLC	±	-																					
2 PLC	±	-																					
3 PLC	±	.008																					
4 PLC	±	-																					
ANGLES	±	-																					
MATERIAL COPPER ALLOY 725.		FINISH ④⑤	WEIGHT 0.000000	RESTRICTED TO -																			
CUSTOMER DRAWING			SCALE 4:1	SHEET 1 of 1	REV N																		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[55558-3](#)