# **Detailed Specifications & Technical Data**



ENGLISH MEASUREMENT VERSION

### AX101437 Faceplates and Panels - Interface Plates 4 Port Single Gang Flush







For more Information please call

1-800-Belden1



nterface Plates 4 Port Single Gang Flue	sh			
Isage (Overall)				
Suitable Applications:	- Compatible with a variety of modules that are suitable for use with Belden IBDN Systems 10GX, 4800,3600, 2400 and 1200.			
Related Parts:	- Compatible with 10GX, CAT6+ and CAT5E MDVO-style Modular Jacks and MDVO Multimedia Modules			
Physical Characteristics (Connectivity)				
Capacity				
Max. Capacity:	4 ports			
Access				
Front Connection:	Flush			
Dimensions Dimensions: Height (in.) Width (in.) Depth (in.) 4.490 3.000 0.460				
Description Material   Plate Plastic - UL94V-0				
Color				
Color:	White			
Weight				
Weight:	0.110 lbs.			
Included Parts				
Included Parts:	blank, 6-32 screw, carton label, clear window, installation sheet			
Packaging				
Packaging:	Individually packaged in a plastic bag.			
Rechanical Characteristics (Connectivity)				
Connector/Hardware Retention:	20 lbs.			
Storage Temperature Range:	-40°C To +70°C			
Installation Temperature Range:	-10°C To +60°C			
Operating Temperature Range:	-10°C To +60°C			
Applicable Specifications and Agency Complia	ance (Overall)			
Applicable Standards & Environmental Programs				
EU Directive 2002/95/EC (RoHS):	Yes			
EU RoHS Compliance Date (mm/dd/yyyy):	07/01/2006			
MII Order #39 (China RoHS):	EUP 50			
Safety Listing:	ACA, Bi-national Standard Listed			
Suitability				
Suitability - Indoor:	Yes			

Notes (Overall)

Notes: For proper installation refer to Installation Guide PX101806 included with the product or visit our web site at http://www.belden.com



#### ENGLISH MEASUREMENT VERSION

#### AX101437 Faceplates and Panels - Interface Plates 4 Port Single Gang Flush

Produ	ct	Family
Part	Nu	mhore

Pa	Part Numbers:							
	Description	Gray	Almond	White	Black	lvory		
	Interface Plate Flush 2-port Single Gang	AX101431	AX101432	AX101433	AX101434	AX102582		
	Interface Plate Flush 4-port Single Gang	AX101435	AX101436	AX101437	AX101438	AX102583		
	Interface Plate Flush 6-port Single Gang	AX101439	AX101440	AX101441	AX101442	AX102584		
	Interface Surface Adapter Box Single gang	AX101474	AX101475	AX101476	AX101477	AX102589		

#### **Put Ups and Colors:**

Item #	Putup	Ship Weight	Color	Notes	Item Desc
AX101437	1 EA	0.038 KG	WHITE		INTERFACE PLATE 4-PORT, WHI

Revision Number: 0 Revision Date: 06-02-2009

## © 2017 Belden, Inc All Rights Reserved

All regits Reserved. Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information, and belief at the date of its publication. The information provided in this Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in this product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Belden Wire & Cable: AX101437