


THIS DRAWING IS UNPUBLISHED.  
RELEASED FOR PUBLICATION  
ALL RIGHTS RESERVED.

© COPYRIGHT - By -

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APVD
	V	REVISED PER ECO-15-011608	04NOV2015	NK MZ
	W	REVISED PER ECO-18-000435	17JAN2018	RS MZ

A	[.46]	[.028]	--	12	9.5	[.375]	6	38	0.18	[.007]	04121	5-192043-0	
A	[.46]	[.028]	--	12	9.5	[.375]	1-2	38	0.18	[.007]	04128	4-192043-9	OBsolete
A	[.46]	[.028]	--	12	9.5	[.375]	UNPL	38	0.18	[.007]	04120	4-192043-8	OBsolete
A	[.55]	[.024]	--	12	9.5	[.375]	6	38	0.15	[.006]	04108	4-192043-7	19
A	[.60]	[.028]	--	12	9.5	[.375]	3-2	39	0.15	{.006}	--	4-192043-6	
A	[.55]	[.024]	--	12	9.5	[.375]	3-2	38	0.15	[.006]	04053	4-192043-5	
A	[.53]	[.024]	--	12	9.5	[.375]	1-2	38	0.15	[.006]	04067	4-192043-4	OBsolete
A	--	--	--	12	9.5	[.375]	1-2	38	0.15	[.006]	04092	4-192043-3	OBsolete
SUPERSEDED BY 4-192043-1													
A	[.55]	[.024]	--	12	9.5	[.375]	UNPL	38	0.15	[.006]	04071	4-192043-1	OBsolete
A	[.55]	[.026]	--	12	9.5	[.375]	5-2	38	0.12	[.005]	--	4-192043-0	19
A	[.55]	[.026]	--	13	9.5	[.375]	1-2	38	0.12	[.005]	04174	3-192043-9	
A	[.55]	[.026]	--	13	9.5	[.375]	UNPL	38	0.12	[.005]	--	3-192043-8	
A	[.54]	[.026]	--	12	9.1	[.359]	3-2	36	0.18	[.007]	04204	3-192043-7	OBsolete
A	[.54]	[.026]	--	12	9.1	[.359]	1-2	36	0.18	[.007]	04184	3-192043-6	OBsolete
A	[.54]	[.026]	--	12	9.1	[.359]	UNPL	36	0.18	[.007]	04183	3-192043-5	19
A	--	--	--	12	8.9	[.359]	3-2	35	0.115	[.006]	04178	3-192043-4	OBsolete
A	--	--	--	12	8	[.315]	3-2	30	0.18	[.007]	04177	3-192043-3	OBsolete
A	--	[.026]	--	12	8	[.315]	3-2	29	0.18	[.007]	04179	3-192043-2	OBsolete
A	[.38]	[.026]	--	12	8	[.315]	1-2	29	0.18	[.007]	04206	3-192043-1	OBsolete
A	[.38]	[.026]	--	12	8	[.315]	UNPL	29	0.18	[.007]	04185	3-192043-0	
A	[.43]	[.024]	--	12	8	[.315]	3-2	32	0.15	[.006]	--	2-192043-9	19
A	[.40]	[.024]	--	12	8	[.315]	1-2	31	0.15	[.006]	--	2-192043-8	
A	[.43]	[.024]	--	12	8	[.315]	1-2	32	0.15	[.006]	04076	2-192043-7	OBsolete
A	[.43]	[.024]	--	12	8	[.315]	UNPL	32	0.15	[.006]	04052	2-192043-6	OBsolete
A	[.40]	[.026]	--	13	7.9	[.312]	UNPL	32	0.12	[.005]	04079	2-192043-5	OBsolete
A	--	--	--	12	7.5	[.296]	1-2	32	0.18	[.007]	04189	2-192043-4	OBsolete
A	--	--	--	12	7.49	[.295]	3-2	30	0.15	[.006]	04051	2-192043-3	OBsolete
A	--	--	--	12	7.44	[.293]	3-2	29	0.12	[.005]	04050	2-192043-2	OBsolete
A	--	--	--	12	7.14	[.281]	3-2	28	0.20	[.008]	04049	2-192043-1	OBsolete
A	[.45]	[.024]	--	12	7.1	[.280]	3-2	28	0.15	[.006]	04106	2-192043-0	
A	[.45]	[.024]	--	12	7.1	[.280]	UNPL	28	0.15	[.006]	04199	1-192043-9	OBsolete
A	--	--	--	12	7	[.276]	3-2	27	0.12	[.005]	04047	1-192043-8	OBsolete
A	--	--	--	12	6.45	[.254]	7-2	26	0.15	[.006]	04065	1-192043-7	OBsolete
A	[.35]	[.024]	--	12	6.45	[.254]	3-2	26	0.15	[.006]	04075	1-192043-6	
A	[.35]	[.024]	--	12	6.45	[.254]	1-2	26	0.15	[.006]	04086	1-192043-5	OBsolete
A	[.35]	[.024]	--	12	6.45	[.254]	UNPL	26	0.15	[.006]	04046	1-192043-4	15 OBsolete
A	[.50]	[.026]	--	13	6.45	[.254]	UNPL	26	0.12	[.005]	04093	1-192043-3	OBsolete
A	[.29]	[.024]	--	12	6.35	[.250]	3-2	26	0.20	[.008]	04045	1-192043-2	19
A	[.29]	[.024]	--	12	6.35	[.250]	1-2	26	0.20	[.008]	04116	1-192043-1	
SUPERSEDED BY 1-192043-6													
A	[.29]	[.016]	--	13	6.35	[.250]	UNPL	26	0.12	[.005]	04082	192043-9	OBsolete
A	[.28]	[.024]	--	12	6	[.237]	3-2	24	0.15	[.006]	04041	192043-8	19
A	[.28]	[.024]	--	12	6	[.237]	UNPL	24	0.15	[.006]	04042	192043-7	
A	[.28]	[.024]	--	12	5.54	[.218]	1-2	23	0.15	[.006]	04146	192043-6	OBsolete
A	[.28]	[.024]	--	12	5.54	[.218]	UNPL	23	0.15	[.006]	04143	192043-5	OBsolete
A	--	--	--	12	5.5	[.217]	3-2	21	0.20	[.008]	04040	192043-4	OBsolete
A	[.27]	[.024]	--	12	5.5	[.217]	3-2	21	0.15	[.006]	04105	192043-3	OBsolete
A	[.26]	[.024]	--	12	5	[.197]	3-2	20	0.15	[.006]	04215	192043-2	
A	[.26]	[.024]	--	12	5	[.197]	UNPL	20	0.15	[.006]	04216	192043-1	19

STYLE (FREE DIA) LH LENGTH MAT'L (NOTE) MATING PIN Ø REF PLATING (NOTE NO.) NUM LOUV MAT'L THK REF PART NUMBER



STYLE A (FEMALE)  
STYLE C (STRIP)

- 1 FINISH—SILVER PLATE 200  $\mu$ INCH THICK MIN.
- 2 FINISH—NICKEL PLATE 40  $\mu$ INCH THICK MIN.
- 3 FINISH—GOLD PLATE 10  $\mu$ INCH THICK MIN.
- 4 FINISH
- 5 FINISH—GOLD PLATE 40  $\mu$ INCH THICK MIN.
- 6 FINISH—TIN PLATE 300  $\mu$ INCH THICK MIN.
- 7 FINISH—GOLD PLATE 50  $\mu$ INCH THICK MIN.
- 8 FINISH—NICKEL PLATE 100  $\mu$ INCH THICK MIN.
- 9 FINISH—PREPLATE
- 10 PLATING NOTES ARE TO BE INTERPRETED AS FOLLOWS,  
6-8 AS 6 OVER 8.
- 11 MATERIAL—CDA172, BeCu.
- 12 MATERIAL—STAINLESS STEEL
- 13 PRODUCT IS SOLD BY THE FOOT.

15 OBsolete (PENDING).  
16 MATERIAL: ELGILOY.  
17 PRELIMINARY PART NUMBER.  
18 FINISH: COPPER PLATE 10  $\mu$ INCH THICK MIN.  
19 OBsolete PARTS: OBsolete CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.	09-21-91	TE Connectivity	

THIS DRAWING IS UNPUBLISHED.  
RELEASED FOR PUBLICATION  
ALL RIGHTS RESERVED.


© COPYRIGHT - By -  
D

A	[.09]	[.024]	--	12	1.57	[.062]	3-2	7	0.12	[.005]	--	9-192043-9	OBSOLETE
A	[.21]	[.026]	--	12	4.39	[.173]	3-18	17	0.15	[.006]	--	9-192043-8	
A	[.17]	[.026]	--	16	3.17	[.125]	3-2	13	0.12	[.005]	--	9-192043-7	
A	[1.00]	[.026]	--	12	18.4	[.725]	1-2	73	0.15	[.006]	--	9-192043-6	
C	--	[.038]	NOTE	14	12	--	1-2,9	--	0.15	[.006]	--	9-192043-5	OBSOLETE 19
A	[.16]	[.026]	--	12	3.2	[.125]	3-2	11	0.15	[.006]	--	9-192043-4	
A	[.21]	[.026]	--	12	3.98	[.157]	1-2	14	0.15	[.006]	--	9-192043-3	OBSOLETE
A	[.21]	[.026]	--	12	3.98	[.157]	UNPL	14	0.15	[.006]	--	9-192043-2	OBSOLETE 19
C	--	[.016]	NOTE	14	12	--	UNPL	--	0.12	[.005]	--	9-192043-1	
C	--	[.030]	NOTE	14	12	--	UNPL	--	0.15	[.006]	--	9-192043-0	
A	[.58]	[.024]	--	12	11.1	[.439]	UNPL	44	0.20	[.008]	--	8-192043-9	OBSOLETE 19
A	[.50]	[.024]	--	12	10.4	[.410]	UNPL	40	0.20	[.008]	--	8-192043-8	
--	--	--	--	--	--	--	--	--	--	--	--	8-192043-7	OBSOLETE
A	[.40]	[.024]	--	12	10.4	[.408]	1-2	40	0.15	[.006]	04220	8-192043-6	
A	[.29]	[.024]	--	12	6.3	[.250]	UNPL	26	0.20	[.008]	--	8-192043-5	
A	[.26]	[.024]	--	12	5.5	[.217]	UNPL	21	0.15	[.006]	--	8-192043-4	
C	--	[.026]	NOTE	14	12	--	UNPL	--	0.15	[.006]	--	8-192043-3	
A	[.19]	[.024]	--	12	4.7	[.187]	UNPL	18	0.15	[.006]	--	8-192043-2	
C	--	[.030]	[.46]	--	12	--	UNPL	15	0.15	[.006]	--	8-192043-1	
A	[.17]	[.028]	--	12	3.2	[.125]	7-2	13	0.15	[.006]	--	8-192043-0	OBSOLETE 19
A	[.65]	[.024]	--	12	15.3	[.602]	UNPL	60	0.15	[.006]	04224	7-192043-9	
C	--	[.036]	NOTE	14	12	--	1-2	--	0.15	[.006]	--	7-192043-8	OBSOLETE
A	[.16]	[.026]	--	12	3.17	[.125]	UNPL	11	0.15	[.006]	04229	7-192043-7	OBSOLETE 19
A	[.21]	[.024]	--	12	3.98	[.157]	1-2	15	0.15	[.006]	04230	7-192043-6	
A	[.06]	[.018]	--	12	.6	[.025]	UNPL	4	0.12	[.005]	04225	7-192043-5	OBSOLETE
A	[.16]	[.026]	--	12	3.2	[.125]	8	11	0.15	[.006]	04227	7-192043-4	19
C	--	[.026]	NOTE	14	12	--	1-2	--	0.12	[.005]	04001	7-192043-3	
A	[.16]	[.026]	--	12	3.2	[.125]	1-2	11	0.15	[.006]	04228	7-192043-2	
C	[.16]	[.036]	.37	12	--	UNPL	12	0.15	[.006]	04221	7-192043-1	OBSOLETE 19	
--	--	--	--	--	--	--	--	--	--	--	--	7-192043-0	OBSOLETE
A	--	--	--	12	25.4	[1.00]	7-2	--	0.20	[.008]	04058	6-192043-9	OBSOLETE
A	--	--	--	12	18	[.709]	7-2	--	0.20	[.008]	04056	6-192043-8	OBSOLETE
A	[.65]	[.024]	--	12	15.3	[.602]	7-2	60	0.15	[.006]	04074	6-192043-7	OBSOLETE
A	--	[.024]	--	12	12	[.472]	8	48	0.20	[.008]	04172	6-192043-6	OBSOLETE
A	[.72]	[.024]	--	12	12	[.472]	3-2	48	0.20	[.008]	04090	6-192043-5	
A	[.72]	[.024]	--	12	12	[.472]	1-2	48	0.20	[.008]	04095	6-192043-4	OBSOLETE
A	[.72]	[.024]	--	12	12	[.472]	UNPL	48	0.20	[.008]	04096	6-192043-3	19
A	--	--	--	12	12	[.472]	3-2	48	0.15	[.006]	04055	6-192043-2	OBSOLETE
A	--	--	--	12	12	[.472]	1-2	48	0.15	[.006]	04091	6-192043-1	OBSOLETE
A	[.58]	[.024]	--	12	11.1	[.439]	3-2	44	0.20	[.008]	04205	6-192043-0	OBSOLETE
A	[.58]	[.024]	--	12	11.1	[.439]	1-2	44	0.20	[.008]	04201	5-192043-9	
A	[.57]	[.024]	--	12	10.4	[.410]	3-2	40	0.20	[.008]	04154	5-192043-8	
A	[.50]	[.024]	--	12	10.4	[.408]	3-2	40	0.15	[.006]	04186	5-192043-7	
A	[.50]	[.024]	--	12	10.4	[.408]	UNPL	40	0.15	[.006]	04187	5-192043-6	
A	[.50]	[.024]	--	12	9.5	[.375]	1-2	38	0.20	[.008]	04115	5-192043-5	
A	[.50]	[.024]	--	12	9.5	[.375]	UNPL	38	0.20	[.008]	04176	5-193043-4	
A	[.45]	[.030]	--	12	9.5	[.375]	3-2	38	0.18	[.007]	04209	5-192043-3	
A	[.45]	[.030]	--	12	9.5	[.375]	6	38	0.18	[.007]	04207	5-192043-2	
A	[.45]	[.030]	--	12	9.5	[.375]	UNPL	38	0.18	[.007]	04208	5-192043-1	

STYLE (FREE DIA) LENGTH MAT'L LENGTH MATING PLATING NUM MAT'L THK REF PART NUMBER

REVISIONS			
P	LTR	DESCRIPTION	DATE
	-	SEE SHEET 1	-

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN RA JAYNE 09-21-91
DIMENSIONS: mm[INCHES]	CHK J.TURNER 07-21-93
0 PLC ± -	APVD -
1 PLC ± -	PRODUCT SPEC
2 PLC ± 0.5 [.02]	—
3 PLC ± 0.25 [.010]	APPLICATION SPEC
4 PLC ± -	—
MATERIAL -	SEE TABLE
FINISH	WEIGHT -
CUSTOMER DRAWING	
A2 00779 C=192043	
SCALE 1:1	RESTRICTED TO
REV W	
CONTACT BAND, FEMALE	
1471-9 (1/15)	SHEET 2 OF 2



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-192043-7](#)