



"IF DIMENSION IS NOT CONTROLLED EXPLICITLY FOR POSITIONAL TOLERANCE, ASSUMPTION SHALL BE CONTACTED FOR THE LATEST VERSION" DWN C VALINTE 01APR2010 CHK C RHODE 01APR2010 APPV C RHODE 01APR2010						Tyco Electronics Harrisburg, PA 17105-3608					
DIMENSIONS: mm [INCH]			TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME			FLEXPAC SYSTEM SOCKET HOUSING		
 0 PLC ±. 1 PLC ±. 2 PLC ±.013(.005) 3 PLC ±. 4 PLC ±. ANGLES ±.			PRODUCT SPEC			-			-		
			APPLICATION SPEC			-			-		
MATERIAL			FINISH			WEIGHT			RESTRICTED TO		
			-			A100779C=1437250-2			SCALE 10:1 SHEET 1 OF 2 REV G		
CUSTOMER DRAWING											

4805 (2/09)
Pro/ENGINEER DRAWING

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



76.20 (3.000)	78.74 (3.100)	NO	62	FP-6200DM	6-1437252-8
76.20 (3.000)	78.74 (3.100)	YES	62	FP-6200DPM	3-1437252-1
71.12 (2.800)	73.66 (2.900)	YES	58	FP-5800DPM	2-1437252-6
71.12 (2.800)	73.66 (2.900)	NO	58	FP-5800DM	2-1437252-4
68.58 (2.700)	71.12 (2.800)	YES	56	FP-5600DPM	2-1437252-2
66.04 (2.600)	68.58 (2.700)	YES	54	FP-5400DPM	1-1437252-9
63.50 (2.500)	66.04 (2.600)	YES	52	FP-5200DPM	1-1437252-6
55.88 (2.200)	58.42 (2.300)	YES	46	FP-4600DPM	1437252-9
45.72 (1.800)	48.26 (1.900)	YES	38	FP-3800DPM	9-1437251-9
45.72 (1.800)	48.26 (1.900)	NO	38	FP-3800DM	9-1437251-7
43.18 (1.700)	45.72 (1.800)	YES	36	FP-3600DPM	6-1437252-9
43.18 (1.700)	45.72 (1.800)	NO	36	FP-3600DM	6-1437252-7
40.64 (1.600)	43.18 (1.700)	YES	34	FP-3400DPM	9-1437251-3
38.10 (1.500)	40.64 (1.600)	YES	32	FP-3200DPM	8-1437251-6
35.56 (1.400)	38.10 (1.500)	NO	30	FP-3000DM	6-1437252-6
35.56 (1.400)	38.10 (1.500)	YES	30	FP-3000DPM	7-1437251-5
33.02 (1.300)	35.56 (1.400)	YES	28	FP-2800DPM	6-1437251-5
33.02 (1.300)	35.56 (1.400)	NO	28	FP-2800DM	6-1437251-3
30.48 (1.200)	33.02 (1.300)	YES	26	FP-2600DPM	5-1437251-2
27.94 (1.100)	30.48 (1.200)	YES	24	FP-2400DPM	3-1437251-9
22.86 (0.900)	25.40 (1.000)	NO	20	FP-2000DM	1-1437251-3
22.86 (0.900)	25.40 (1.000)	YES	20	FP-2000DPM	1437249-6
20.32 (0.800)	22.86 (0.900)	YES	18	FP-1800DPM	1437251-2
17.78 (0.700)	20.32 (0.800)	YES	16	FP-1600DPM	8-1437250-8
15.24 (0.600)	17.78 (0.700)	NO	14	FP-1400DM	7-1437250-4
12.70 (0.500)	15.24 (0.600)	YES	12	FP-1200DPM	6-1437250-2
10.16 (0.400)	12.70 (0.500)	YES	10	FP-1000DPM	1437249-1
7.62 (0.300)	10.16 (0.400)	NO	8	FP-0800DM	3-1437250-6
2.54 (0.100)	5.08 (0.200)	YES	4	FP-0400DPM	1-1437250-2
B	A	POLARIZED	NO. OF POSITIONS	T&B CATALOG NO. (REF)	PART NUMBER

△ OBSOLETE

TYPICAL DIMENSIONS TO BE USED FOR THIS PRODUCT UNLESS OTHERWISE SPECIFIED. IF IT IS FOR THE CUSTOMER TO BE USED FOR THE CUSTOMER'S ORGANIZATION, THE CUSTOMER SHALL BE CONTACTED FOR THE LATEST REVISION.		DWN C. VALENTIN 01APR2010	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCH]		CHK C. ROHDE 01APR2010	NAME FLEXPAC SYSTEM SOCKET HOUSING	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. ROHDE 01APR2010	PRODUCT SPEC -	
9 PLC ±.010		APPLICATION SPEC -		SIZE A100779
3 PLC ±.010		WEIGHT -		
5 PLC ±.010		CUSTOMER DRAWING		SCALE 10:1
4 PLC ±.010		REVISIONS		SHEET 2 OF 2
ANGLES ±.010		REV G		
FINISH				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1437250-9](#)