

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018641](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Daughter Card Module Installation Press-In Tool


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above, Press-In Tool, See Tooling Specification (PDF) Above, Press-In Tool
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	PremiumGrade
Tool Type	Press-Fit Insertion Tool
UPC	800756930633
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-622018641, TM-622018799](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact Daughtercard Signal Module, [76160 Series](#)

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Unguided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free [1703401020](#)

Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Left Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead Free [1703403010](#)

Impact 85 Ohm Plus [1703403020](#)

4 Pair, Right-Angle
Daughtercard, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1703403120](#)

4 Pair, Right-Angle
Daughtercard, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free

Impact 85 Ohm Plus [1703403520](#)

4 Pair, Right-Angle
Daughtercard, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free

Impact 85 Ohm Plus [1703405010](#)

4 Pair, Right-Angle
Daughtercard, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 85 Ohm Plus [1703405020](#)

4 Pair, Right-Angle
Daughtercard, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1703405120](#)

4 Pair, Right-Angle
Daughtercard, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free

Impact 100 Ohm [761601010](#)

4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 120
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761601020
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 120
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603010
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761603020
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603120
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761605010
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605020
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605110
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,

Polarizing Key
Position A, Lead-
Free
Impact 100 Ohm 761605120
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free
Impact 100 Ohm 761605220
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position B, Lead
Free
Impact 100 Ohm 761605310
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Polarizing Key
Position C, Lead
Free
Impact 100 Ohm 761605320
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 100 Ohm 761605620
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position F, Lead
Free
Impact 100 Ohm 765001104
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 10
Columns, 120
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 765001105
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 765001107
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001108
4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001115
4 Pair RAM Right-
Angle Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 765001117
4 Pair RAM Right-
Angle Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 765001118
4 Pair RAM Right-
Angle Header,
Unguided, Left
Endwall, 10
Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001127

4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 10

Columns, 120

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001128

4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 10

Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001135

4 Pair RAM Right-
Angle Header,
Unguided, Right
Endwall, 10

Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765001137

4 Pair RAM Right-
Angle Header,
Unguided, Right
Endwall, 10

Columns, 120

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 765001138

4 Pair RAM Right-
Angle Header,
Unguided, Right
Endwall, 10

Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765003104

4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,

10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765003105

4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765003107

4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765003108

4 Pair RAM Right-
Angle Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765005104

4 Pair RAM Right-
Angle Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765005105

4 Pair RAM Right-
Angle Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765005107

4 Pair RAM Right-
Angle Header,
Right Guided,

Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765005108

4 Pair RAM Right-
Angle Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765007107

4 Pair RAM Right-
Angle Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765009108

4 Pair RAM Right-
Angle Header, Right
Guided, Left Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768501010

4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 120
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768501020

4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 120
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768503010

4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 10 Columns,
120 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768503020
4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768505010
4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768505020
4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 03/28/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION