

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002912	26FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150296-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1529253
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1529253

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV			
		CHK	RAGHAVENDRA			
		APVD	RAGHAVENDRA			
		PRODUCT SPEC				
		APPLICATION SPEC				
		WEIGHT				
		CUSTOMER DRAWING		SCALE	SHEET 1 OF 2	
				REV	A1	

TE Connectivity	
NAME	
FINE ADJUST END FEED HDI APPLICATOR	
SIZE	CAGE CODE
DRAWING NO	RESTRICTED TO
A3	©- 1529253

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
ANGLES	±
MATERIAL	FINISH

465184-9
LUBRICATOR ASSEMBLY (REF)

The diagram illustrates the assembly of the 465184-9 Lubricator Assembly. Key components and their assembly sequence are indicated by callouts:



- Top Assembly:** Components 3-7, 3-8, 3-9, 4-5, 6-3, and 5 are shown at the top, likely representing the pump or motor assembly.
- Central Body:** The main body of the assembly, featuring a large circular opening on the left side.
- Right Side Components:** A series of components including 7, 3-2, 5-6, 5-3, 2-2, 2-5, 5-2, 5-4, 2-0, 5-7, 3-3, 1-8, 2-4, and 1-7, which form the right-hand section of the assembly.
- Bottom Assembly:** Components 4-1, 4, 3, 2, 1, 4-4, 2-9, 2-7, 2-8, 8, 4-6, 6-0, 3-1, 9, 1-0, and 1-1 are shown at the bottom, likely representing the base or mounting components.

The diagram uses standard mechanical drawing conventions, including dashed lines to indicate hidden internal features and arrows to show the direction of assembly.

-	1	1	1338705-4	DOCUMENTATION PACKAGE	71
-	1	1	461264-5	PLATE, IDENTIFICATION	67
-	2	2	21017-2	SCREW, DRIVE	66
-	1	1	3-18031-0	SCR, SET, CUP POINT M6 X 6.0	63
-	1	1	18024-7	SCR, BTN SKT HD CAP (M4 X 10.0)	60
-	4	4	1-18023-0	SCR, SKT HD CAP M4 X 8.0	57
-	2	2	1-18023-4	SCR, SKT HD CAP M4 X 20.0	56
-	2	2	18029-1	NUT, HEX, REG M3	54
-	2	2	986965-1	NUT, LOCK, HEX, TORQUE (M4)	53
-	2	2	2-18032-2	SCR, SET, FLT POINT M3 X 10.0	52
-	1	1	18024-3	SCR, BTN SKT HD CAP (M3 X 10.0)	49
-	1	1	1338676-1	CAM, UNIVERSAL POST-FEED	47
-	1	1	1338662-1	SUB ASSY, APPLICATOR FRAME	46
-	1	1	690191-1	PLUG, NYLON	45
-	1	1	1333260-1	RAM	44
-	1	1	2-18024-6	SCR, BTN SKT HD CAP (M8 X 25.0)	41
-	1	1	690125-1	SHIM SUB-ASSY	39
-	1	1	469367-9	SHIM	38
-	1	1	879103-2	FINE ADJUST HEAD ASSEMBLY	37
-	4	4	18027-2	WASHER, FLAT, REG M4	33
-	2	2	18025-2	WASHER, SPRG LOCK, REG M4	32
-	2	2	1-18024-0	SCR, BTN SKT HD CAP (M4 X 20.0)	31
-	2	2	18024-8	SCR, BTN SKT HD CAP (M4 X 12.0)	29
-	1	1	3-690451-2	SPACER, STRIPPER	28
-	1	1	240639-1	STRIPPER (MACHINING)	27
-	2	2	1320906-1	STUD, THREADED	25
-	1	1	1320995-1	PLATE, STRIP GUIDE	24
-	2	2	4-22281-1	SPRING, DRAG	22
-	1	1	1338665-1	DRAG	20
-	1	1	2-458030-7	STRIP GUIDE, REAR	19
-	1	1	2-458031-7	STRIP GUIDE, FRONT	18
-	4	4	1-18024-8	SCR, BTN SKT HD CAP (M6 X 12.0)	17
-	1	1	240644-1	PLATE, REAR SHEAR	11
-	2	2	1-240645-2	SPACER, SHEAR PLATE	10
-	1	1	240642-1	PLATE, FRONT SHEAR	9
1	2	1	1333222-8	ANVIL, COMBINATION	8
-	1	1	2-240651-1	BLADE, SLUG	7
-	-	-	-	-	6
-	1	1	2-240641-6	SPACER	5
-	1	1	238009-1	BLOCK, FL CRIMPER SPACER	4
1	2	1	6-456134-1	CRIMPER, INSULATION F PREMIUM	3
-	1	1	1-455888-0	CRIMPER, CRIMPER	2
1	2	1	456411-9	CRIMPER, WIRE PREMIUM	1
-77	-71	-1	PART NO	DESCRIPTION	ITEM NO

VIEW B ROTATED 180°

PRE-FEED 40mm STROKE	POST-FEED 30mm STROKE

<small>THIS DRAWING IS A PROPERTY DOCUMENT OF THE CUSTOMER. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE CUSTOMER. IT IS TO BE USED FOR THE PROJECT AND PURPOSE SPECIFIED IN THE ORDER. IT IS TO BE RETURNED TO THE CUSTOMER UPON COMPLETION OF THE PROJECT. IT IS TO BE DESTROYED UPON THE CUSTOMER'S REQUEST. IT IS TO BE KEPT IN A SAFE PLACE. IT IS TO BE PROTECTED FROM DAMAGE. IT IS TO BE KEPT IN A SAFE PLACE. IT IS TO BE PROTECTED FROM DAMAGE. IT IS TO BE KEPT IN A SAFE PLACE. IT IS TO BE PROTECTED FROM DAMAGE.</small>		DWN 10 JUL 2007 L LOFHOUSE		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.0001 4 PLC ±.0001 ANGLES ±.01		APVD 10 JUL 2007 M CLIFFORD	
		PRODUCT SPEC APPLICATION SPEC		NAME FINE ADJUST END FEED HDI APPLICATOR	
MATERIAL .		FINISH .		SIZE A 00779 C=1529253	
		WEIGHT .		RESTRICTED TO .	
		CUSTOMER DRAWING .		SCALE 3:5 SHEET 1 OF 1 REV A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1529253-1](#)