

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION , .AUG 2006

© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD





F4

REVISED (ECR-17-012932)

04SEP2017

T.Q

W.H



OBSOLETE

32.74	34.0	30.0	32	3-1470108-2
30.74	32.0	28.0	30	3-1470108-0
28.74	30.0	26.0	28	2-1470108-8
26.74	28.0	24.0	26	2-1470108-6
24.74	26.0	22.0	24	2-1470108-4
22.74	24.0	20.0	22	2-1470108-2
20.74	22.0	18.0	20	2-1470108-0
18.74	20.0	16.0	18	1-1470108-8
16.74	18.0	14.0	16	1-1470108-6
14.74	16.0	12.0	14	1-1470108-4
12.74	14.0	10.0	12	1-1470108-2
10.74	12.0	8.0	10	1-1470108-0
8.74	10.0	6.0	8	1470108-8
6.74	8.0	4.0	6	1470108-6
DIM C	DIM B	DIM A	POS.	PART NUMBER

NOTE:

- MATERIAL:
HOUSING: THERMOPLASTIC UL94V-0, NATURAL COLOR.
CONTACT: BRASS, THICKNESS=0.20MM.
- FINISH:
CONTACT: 100u" MIN. TIN PLATED ON CONTACT AREA,
30u" MIN. NICKEL UNDERPLATED OVER ALL.
- WAVE SOLDER CAPABLE TO 240°C PER TEST SPEC.
109-202, CONDITION B.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN J. LEE 24OCT2005

CHK S. HOU 24OCT2005

APVD W.J. KE 24OCT2005

PRODUCT SPEC

108-57217

QUALIFICATION TEST REPORT

501-57218

WEIGHT - GRAMS

CUSTOMER DRAWING



TE Connectivity

NAME

2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779C-1470108

SCALE

SHEET

1 OF 3

REV

F4

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION , .AUG 2006

© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR



DESCRIPTION

DATE



DWN

APVD

SEE SHEET 1.



RECOMMENDED PCB LAYOUT (THICKNESS:1.6MM)
(TOP VIEW) (TOLERANCE:±0.05)



16 4-1470108-6
POS. PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1470108

SCALE


SHEET

2 OF 3

REV

F4

DIMENSIONS:
MM



MATERIAL

SEE SHEET 1.

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC ± 0.1
4 PLC ± -
ANGLES ± 3°

FINISH

SEE SHEET 1.

4

3



2

1


LOC	DIST	REVISIONS				
DW		P	LTR	DESCRIPTION	DATE	APVD
				SEE SHEET 1.		

D

D




ANTISTATIC 48-011



C

C



CARTON

LABEL
TUBE

1,890	30	4-1470108-6
1,008	16	3-1470108-2
1,008	16	3-1470108-0
1,134	18	2-1470108-8
1,260	20	2-1470108-6
1,260	20	2-1470108-4
1,386	22	2-1470108-2
1,575	25	2-1470108-0
1,764	28	1-1470108-8
1,890	30	1-1470108-6
2,205	35	1-1470108-4
2,520	40	1-1470108-2
2,898	46	1-1470108-0
3,528	56	1470108-8
4,410	70	1470108-6
APQ (PCS/CARTON)	PPQ (PCS/TUBE)	PART NUMBER


B

B

NOTES:
1. DIMENSION :
TUBE : L=600, W=10, H=10
SHIPPING CARTON : L=615, W=110, H=100

A

A



LABEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
		CHK			
DIMENSIONS: MM		APVD		NAME	
		PRODUCT SPEC		2.0MM PITCH HEADER, DIP, RIGHT ANGLE TYPE	
		APPLICATION SPEC			
MATERIAL		WEIGHT		SIZE	CAGE CODE
				A3	00779
				DRAWING NO	
				C=1470108	
		CUSTOMER DRAWING		RESTRICTED TO	
				SCALE	SHEET
					3 of 3
				REV	F4

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1470108-4](#)