

Adapter - RAD-ADP-N/M-SMA/F - 2917036

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter, N (male) -> SMA (female); insertion attenuation < 0.3 dB at 2.4 GHz

Product Features

- Outdoor surge protection
- As an adapter between devices and cables
- Adapter for installing the antenna inside buildings



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	32.53 g
Custom tariff number	85366910
Country of origin	China

Technical data

Dimensions

Width	27.5 mm
Diameter	20.5 mm

Ambient conditions

Ambient temperature (operation)	-65 °C ... 165 °C
Ambient temperature (storage/transport)	-65 °C ... 165 °C
Degree of protection	IP20

Classifications

eCl@ss

eCl@ss 4.0	27060805
------------	----------

Adapter - RAD-ADP-N/M-SMA/F - 2917036

Classifications

eCl@ss

eCl@ss 4.1	27060805
eCl@ss 5.0	27061805
eCl@ss 5.1	27061805
eCl@ss 6.0	27061805
eCl@ss 7.0	27061805
eCl@ss 8.0	19070417

ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 5.0	EC001135

UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608
UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121608

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2917036](#)