

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	ECR-13-017201	6NOV13	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150076-2


FOR REPLACEMENT PARTS FOR APPLICATOR 1239043
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1239043

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME END FEED HDI APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1239043	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE		SHEET 1 OF 2	REV D1

HD-1 APPLICATOR
AND SPARE PARTS
SPARE PARTS KIT

Exploded view diagram of the HD-1 Applicator assembly, showing various components numbered 1 through 67. The diagram includes a central applicator unit with a handle, a base, and a vertical assembly. Callouts include 'B' for a specific part, '46 REF' for a reference part, and '465184-9 LUBRICATOR ASSY (REF)' for a lubricator assembly. The diagram is a technical drawing showing the assembly structure.



1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. CERTAIN TERMINALS REQUIRE LUBRICATION. REFER TO THE APPLICATOR INSTRUCTION SHEET FOR MORE INFORMATION.
4. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
5. CUT TO LENGTH AT ASSEMBLY.

AMP 1756 REV 3-92 Translated 070409.222949 (YYMMDD.HHMMSS) from
CompuText, Inc., Medusa Revision 12.2.51

					73
—	1	1	1239043	PRINT, APPLICATOR LOG SHEET	72
—	1	1	1338705-2	DOCUMENTATION PACKAGE	71
					70
					69
					68
—	1	1	461264-1	PLATE, IDENTIFICATION	67
—	2	2	21017-2	SCR,DRIVE(1/2X.19)ID PLATE	66
					65
—	1	1	986950-1	WASHER, FLAT PRECISION	64
—	1	1	3-18031-0	SCR,SKT SET(M6X6)RAM	63
—	1	1	18023-9	SCR,SKT CAP(M4X6)CP DSC	62
					61
—	1	1	18024-7	SCR,BHC(M4X10)ANVIL	60
					59
—	2	2	1-18023-3	SCR,BHC(M4X16)HOLD DOWN	58
—	5	5	18023-9	SCR,SHC(M4X6)STRIP GUIDE	57
—	2	2	1-18023-5	SCR,SHC(M4X25)SLUG BLADE	56
					55
—	2	2	18029-1	NUT,HEX(M3)DRAG	54
—	2	2	986965-1	NUT,HEX SL(M4)DRAG STUD	53
—	2	2	2-18032-2	SCR,SKT SET(M3X10)DRAG	52
					51
					50
—	1	1	18024-3	SCR,BHC(M3X10)CAM	49
					48
—	1	1	1338676-1	CAM, POST-FEED 30 & 40 mm ST	47
—	1	1	1338662-1	APPLICATOR, BASIC (SUBASSY)	46
—	1	1	690191-1	PLUG, NYLON	45
—	1	1	1320998-1	RAM	44
—	1	1	690125-1	WASHER, LAMINATED	43
—	1	1	690124-1	WASHER, RAM	42
—	1	1	2-18024-6	SCREW,BHC(M8X25)CRIMPER	41
—	1	1	23241-1	BALL, STEEL	40
—	1	1	2-22278-7	SPRING, COMPRESSION	39
—	1	1	1320922-1	DISC, INSULATION	38
—	1	1	354777-1	WIRE DISC, PLASTIC	37
—	1	1	22480-5	WASHER, SPRING	36
—	1	1	690212-1	POST, RAM	35
					34
					33
—	9	9	18025-2	WASHER,LOCK(M4)SHEAR BL	32
—	1	1	1-18024-0	SCR,BHC(M4X20)SHEAR PL	31
—	1	1	4-18024-7	SCR,BHC(M4X25)SHEAR PL	30
—	2	2	18024-8	SCR,BHC(M4X12)STRIPPER	29
—	1	1	1-690451-5	SPACER, STRIPPER	28
—	1	1	240639-4	STRIPPER	27
					26
—	2	2	1320906-1	DRAG, STUD	25
—	1	1	1320995-8	STRIP GUIDE	24
—	1	1	240825-1	PLATE, STRIP HOLD DOWN	23
—	2	2	4-22281-1	SPRING, DRAG	22
					21
—	1	1	1338665-1	DRAG, STOCK	20
					19
—	2	2	1338663-4	GUIDE, LOWER STRIP	18
—	4	4	1-18024-8	SCR,BHC(M6X12)STRIP GD PL	17
—	1	1	1338708-1	SPACER, SLUG BLADE	16
					15
					14
—	1	1	1-690481-0	SPACER, HOLD DOWN	13
—	1	1	23846-1	SPRING, HOLD DOWN	12
—	1	1	240833-7	PLATE, REAR SHEAR	11
					10
—	1	1	690482-5	PLATE, FRONT SHEAR	9
1	2	1	1338686-1	ANVIL	8
—	1	1	690474-5	BLADE, SLUG	7
—	1	1	6-455892-9	HOLD DOWN, TERMINAL	6
—	1	1	2-240641-6	SPACER, SLUG BLADE	5
—	1	1	2-238009-3	SPACER, BLOCK CRIMPER	4
1	2	1	8-456134-7	CRIMPER, INSULATION	3
—	1	1	455888-5	SPACER, CRIMPER	2
1	2	1	3-456404-9	CRIMPER, WIRE	1

21		-77		-71		-1		J-430404-9		CRIMPER, WIRE		ITEM NO	
								PART NO		DESCRIPTION			
								← REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION NO)					
QTY REQD PER ASSY								PARTS LIST					
DIMENSIONS: mm [INCHES] DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED:								MATL		HT TR		FIN	
2 PLC DEC ±								DR		31MAY00		APP	
3 PLC DEC ±								T.KINT		31MAY00		T.ELBIN	
4 PLC DEC ±								CHK -		REL		050CT00 L.LOFTHOUSE	
ANGLES ±								NAME		END FEED HD-I APPLICATOR			
SURF TEXTURE: ✓								SCALE		D		DWG NO	
REMOVE BURRS, BREAK SHARP EDGES 0.38 MAX								-		1239043		SHEET	
APP DATE								1 of 1		REV		D	
CASE CODE 00779								CUSTOMER AND ASSEMBLY DRAWING				RESTRICTED TO	
												-	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1239043-1](#)