

THIS DRAWING IS UNPUBLISHED.										REVISIONS																																																																																																																																																																									
© COPYRIGHT - By -										ALL RIGHTS RESERVED.																																																																																																																																																																									
LOC										DIST																																																																																																																																																																									
P										LTR										DESCRIPTION										DATE										DWN										APVD																																																																																																																																	
H2										REVISED PER ECO-11-004587										11MAR11										RK										HMR																																																																																																																																											
-										-										-										180.7										188.2										18										1-1546306-8																																																																																																																							
-										-										-										171.2										178.7										17										1-1546306-7																																																																																																																							
-										-										161.7										169.2										16										1-1546306-6																																																																																																																																	
1 2 3 4										-										152.2										159.7										15										6-1546306-2																																																																																																																																	
-										-										152.2										159.7										15										1-1546306-5																																																																																																																																	
-										-										142.7										150.2										14										1-1546306-4																																																																																																																																	
-										-										133.2										140.7										13										1-1546306-3																																																																																																																																	
3 5										-										123.7										131.2										12										4-1546306-0																																																																																																																																	
3 4										-										123.7										131.2										12										3-1546306-3																																																																																																																																	
-										-										123.7										131.2										12										1-1546306-2																																																																																																																																	
6										11										114.2										121.7										11										5-1546306-2																																																																																																																																	
1 3										2										114.2										121.7										11										3-1546306-4																																																																																																																																	
3										-										114.2										121.7										11										3-1546306-1																																																																																																																																	
-										-										114.2										121.7										11										1-1546306-1																																																																																																																																	
1										-										104.7										112.2										10										6-1546306-0																																																																																																																																	
3 6										-										104.7										112.2										10										5-1546306-8																																																																																																																																	
-										-										104.7										112.2										10										1-1546306-0																																																																																																																																	
2 3 7										4										95.2										102.7										9										6-1546306-3																																																																																																																																	
3 6										-										95.2										102.7										9										5-1546306-6																																																																																																																																	
-										-										95.2										102.7										9										1546306-9																																																																																																																																	
-										-										85.7										93.2										8										5-1546306-9																																																																																																																																	
3 5										-										85.7										93.2										8										3-1546306-9																																																																																																																																	
-										-										85.7										93.2										8										1546306-8																																																																																																																																	
3 6										-										76.2										83.7										7										5-1546306-5																																																																																																																																	
1										1										76.2										83.7										7										5-1546306-0																																																																																																																																	
-										-										76.2										83.7										7										4-1546306-5																																																																																																																																	
3										-										76.2										83.7										7										3-1546306-7																																																																																																																																	
-										-										76.2										83.7										7										1546306-7																																																																																																																																	
3 6										-										66.7										74.2										6										5-1546306-4																																																																																																																																	
1 3										-										66.7										74.2										6										4-1546306-9																																																																																																																																	
-										6										66.7										74.2										6										4-1546306-8																																																																																																																																	
-										-										66.7										74.2										6										4-1546306-4																																																																																																																																	
3										-										66.7										74.2										6										3-1546306-6																																																																																																																																	
-										-										66.7										74.2										6										1546306-6																																																																																																																																	
6										-										57.2										64.7										5										5-1546306-7																																																																																																																																	
6										5										57.2										64.7										5										5-1546306-3																																																																																																																																	
1 3										SCREW ON ONE SIDE										57.2										64.7										5										4-1546306-7																																																																																																																																	
-										-										57.2										64.7										5										4-1546306-3																																																																																																																																	
3										-										57.2										64.7										5										3-1546306-5																																																																																																																																	
-										-										57.2										64.7										5										1546306-5																																																																																																																																	
3 5										-										47.7										55.2										4										4-1546306-2																																																																																																																																	
-										-										47.7										55.2										4										3-1546306-8																																																																																																																																	
-										-										47.7										55.2										4										1546306-4																																																																																																																																	
-										3										38.2										45.7										3										6-1546306-1																																																																																																																																	
-										-										38.2										45.7										3										5-1546306-1																																																																																																																																	
-										-										38.2										45.7										3										1546306-3																																																																																																																																	
3										-										28.7										36.2										2										4-1546306-6																																																																																																																																	
-										2										28.7										36.2										2										4-1546306-1																																																																																																																																	
-										-										28.7										36.2										2										1546306-2																																																																																																																																	
NOTES										13 QC TAB .187 SS FLAT										12 QC TAB .187 SS FLAT										11 QC TAB .187 SS 90°										10 JUMPER										9 QC TAB DBL SIDE 90° .250										8 QC TAB DBL SIDE 45° .250										7 QC TAB DBL SIDE FLAT .250										6 QC TAB DBL SIDE 90° .187										5 QC TAB DBL SIDE 45° .187										4 QC TAB DBL SIDE FLAT .187										3 QC TAB SGL SIDE 90° .250										2 QC TAB SGL SIDE 45° .250										1 QC TAB SGL SIDE FLAT .250										DIM B										DIM A										NO. OF POS.										PART NO.									
THIS DRAWING IS A CONTROLLED DOCUMENT.										DWN S SCHLEGEL										20AUG2002										S SCHLEGEL										TE Connectivity																																																																																																																																											
DIMENSIONS: MM										CHK C RICHARD										8/20/02										C RICHARD										NAME																																																																																																																																											
										APVD C RICHARD										8/20/02										C RICHARD										PRODUCT SPEC																																																																																																																																											
MATERIAL										FINISH										WEIGHT										A2										00779										C=1546306										RESTRICTED TO																																																																																																																							
CUSTOMER DRAWING										SCALE NTS										SHEET 1 OF 3										REV H2																																																																																																																																																					

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		—	SEE SHEET 1	—	—	—

- PHYSICAL PROPERTIES:
HOUSING MATERIAL: THERMOPLASTIC, PC
FLAMMABILITY: UL94V-0 COLOR: BLACK
MAX BOW/WARP: .0056 IN/IN.

TERMINAL:
TERMINALS: BRASS, TIN PLATED
SCREWS: 6-32, STEEL, NICKEL PLATED

MECHANICAL:
PITCH (TERMINAL SPACING): 9.50mm(.374")
WIRE RANGE: 12-22 AWG
RECOMMENDED TIGHTENING TORQUE: 12IN-LBS MAX.

ELECTRICAL PROPERTIES:
MAXIMUM CURRENT: 20A
OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:
OPERATING TEMP RANGE: -40°C TO +120°C.
- 1 SEE FIGURE.

2 MARKED WITH WHITE INK.

3 PRELIMINARY PART NUMBER.

4 SCREWS AND TERMINALS ARE NICKEL PLATED BRASS.

5 STAINLESS STEEL SCREWS.

6 SCREWS ARE NICKEL PLATED BRASS.

7 WIRE CLAMP SCREWS TO BE USED ONLY ON SIDE OPPOSITE QC TABS.

8 TE CONNECTIVITY LOGO LOCATED APPROXIMATE AREA SHOWN.

-- SELECT LOAD CHART --

—	—	4–5,5–6	—	—	—	—	ALL	—	—	—	—	11	3–1546306–4
—	—	—	—	—	—	ALL	1–3	—	—	—	—	10	6–1546306–0
—	—	1,2	—	—	ALL	—	—	—	—	—	—	7	5–1546306–0
—	—	—	—	1	ALL	—	—	—	—	—	—	6	4–1546306–9
⑫ QC TAB .187 SS FLAT	⑪ QC TAB .187 SS 90°	⑩ JUMPER	⑨ QC TAB DBL SIDE 90° .250	⑧ QC TAB DBL SIDE 45° .250	⑦ QC TAB DBL SIDE FLAT .250	⑥ QC TAB DBL SIDE 90° .187	⑤ QC TAB DBL SIDE 45° .187	④ QC TAB DBL SIDE FLAT .187	③ QC TAB SGL SIDE 90° .250	② QC TAB SGL SIDE 45° .250	① QC TAB SGL SIDE FLAT .250	NO. OF POS.	PART NUMBER
POSITIONS LOADED													

-	-	-	-	-	-	-	-	-	-	-	-	-	-	294.7	302.2	30	3-1546306-0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	285.2	292.7	29	2-1546306-9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	275.7	283.2	28	2-1546306-8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	266.2	273.7	27	2-1546306-7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	256.7	264.2	26	2-1546306-6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	247.2	254.7	25	2-1546306-5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	237.7	245.2	24	2-1546306-4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	228.2	235.7	23	2-1546306-3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	218.7	226.2	22	2-1546306-2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	209.2	216.7	21	2-1546306-1
1 2 SPL MARKING	-	-	-	-	-	-	-	-	-	-	-	-	-	199.7	207.2	20	3-1546306-2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	199.7	207.2	20	2-1546306-0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	190.2	197.7	19	1-1546306-9

NOTES

13 QC TAB .187 SS FLAT

12 QC TAB .187 SS FLAT

11 QC TAB .187 SS 90°

10 JUMPER

9 QC TAB DBL SIDE 90° .250

8 QC TAB DBL SIDE 45° .250

7 QC TAB DBL SIDE FLAT .250

6 QC TAB DBL SIDE 90° .187

5 QC TAB DBL SIDE 45° .187

4 QC TAB DBL SIDE FLAT .187

3 QC TAB SGL SIDE 90° .250

2 QC TAB SGL SIDE 45° .250

1 QC TAB SGL SIDE FLAT .250

DIM B

DIM A

NO. OF POS.

PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± 0.3
2 PLC ± 0.25
3 PLC ± -
4 PLC ± -
ANGLES ± 2°
FINISH -

DWN S SCHLEGEL
CHK C RICHARD
APVD C RICHARD
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

20AUG2002
8/20/02
8/20/02

TE Connectivity

9.50MM (.374) DBL ROW BARRIER STRIP W/O WASHER



SIZE A2 CAGE CODE 00779 DRAWING NO C=1546306 RESTRICTED TO -

CUSTOMER DRAWING




SCALE NTS SHEET 2 OF 3 REV H2

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		—	SEE SHEET 1	—	—	—




D





C



B



A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	20AUG2002	TE Connectivity			
DIMENSIONS: MM		CHK	8/20/02				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	8/20/02	NAME			
0 PLC ± -		PRODUCT SPEC		9.50MM (.374) DBL ROW BARRIER STRIP W/O WASHER			
1 PLC ± 0.3		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
2 PLC ± 0.25				A2	00779	C=1546306	-
3 PLC ± -		WEIGHT	-	SCALE	NTS	SHEET	3 OF 3
4 PLC ± -		CUSTOMER DRAWING		REV	H2		
ANGLES ± 2°							
FINISH							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1546306-6](#)