





REF. -50 OPT. SCREW
(WHERE APPLICABLE)



3 CIRCUIT SHOWN



NOTES:

1. MATERIAL: SEE TABLE
2. FINISH: SEE TABLE
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
4. ALL COMPONENTS ARE ROHS COMPLIANT.

				ADD P/N 387291662		EC NO: IFG2015-0005		DRAWN BY DRWINRSTONE 2014/07/01		CHKD BY ARDEN 2014/07/03		APPR: JFMURPHY 2014/07/29		REV		DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
																		▽=0		mm INCH		DRAWN BY DATE		TITLE					
6 XX SCREW&WASHER, #6-32X.250 PAN, PH/SL (-50 OPT)				STEEL		ZN, CLEAR CHROMATE												4 PLACES ± --- ± ---		C. YORK 2006/08/18		9.53MM [.375] SR BTS ASY							
5 XX SCREW, #6-32X.250 BHD, PH/SL (-49 OPT)				BRASS		NICKEL PLATE												3 PLACES ± --- ± .005		CHECKED BY DATE		J. MACNEIL 2006/08/18		CS W/COVER, INSUL. FT					
4 XX SCREW, #6-32X.250 BHD, PH/SL (STD.)				STEEL		ZN, CLEAR CHROMATE												2 PLACES ± 0.13 ± .01		APPROVED BY DATE		J. MACNEIL 2006/08/18		MOLEX MOLEX INCORPORATED					
3 XX TERM FT, #6-32				BRASS		TIN PLATE												1 PLACE ± 0.3 ± ---											
2 1 COVER, HINGE				PBT, 30% GF		BLACK												ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.					
1 1 INSULATOR, SR BTS CSINSL, MO MTG.				PBT, 30% GF		BLACK														SEE SHT. 2		SD-38729-047		1 OF 2					
ITEM QTY. DESCRIPTION				MATERIAL		FINISH												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[38729-1015](#) [38729-1556](#) [38729-0965](#) [38729-1013](#) [38729-1571](#) [38729-1572](#)