

 .000100-.000200 MATTE TIN OVER .000050 NICKEL.



5	2	—	.125	.318	.500	5	.584	12	4-87543-3
	2	—	.125	.318	4.100	41	4.184	80	4-87543-2
2	2	—	.125	.318	4.000	40	4.084	80	4-87543-1
	2	—	.125	.318	3.900	39	3.984	80	4-87543-0
2	4	—	.125	.318	3.800	38	3.884	78	3-87543-9
	4	—	.125	.318	3.700	37	3.784	76	3-87543-8
2	4	—	.125	.318	3.600	36	3.684	74	3-87543-7
	4	—	.125	.318	3.500	35	3.584	72	3-87543-6
2	4	—	.125	.318	3.400	34	3.484	70	3-87543-5
	4	—	.125	.318	3.300	33	3.384	68	3-87543-4
2	4	—	.125	.318	3.200	32	3.284	66	3-87543-3
	4	—	.125	.318	3.100	31	3.184	64	3-87543-2
2	4	—	.125	.318	3.000	30	3.084	62	3-87543-1
	4	—	.125	.318	2.900	29	2.984	60	3-87543-0
2	4	—	.125	.318	2.800	28	2.884	58	2-87543-9
	4	—	.125	.318	2.700	27	2.784	56	2-87543-8
2	4	—	.125	.318	2.600	26	2.684	54	2-87543-7
	4	—	.125	.318	2.500	25	2.584	52	2-87543-6
2	4	—	.125	.318	2.400	24	2.484	50	2-87543-5
	4	—	.125	.318	2.300	23	2.384	48	2-87543-4
2	4	—	.125	.318	2.200	22	2.284	46	2-87543-3
	4	—	.125	.318	2.100	21	2.184	44	2-87543-2
2	4	—	.125	.318	2.000	20	2.084	42	2-87543-1
	4	—	.125	.318	1.900	19	1.984	40	2-87543-0
2	4	—	.125	.318	1.800	18	1.884	38	1-87543-9
	4	—	.125	.318	1.700	17	1.784	36	1-87543-8
2	4	—	.125	.318	1.600	16	1.684	34	1-87543-7
	4	—	.125	.318	1.500	15	1.584	32	1-87543-6
2	4	—	.125	.318	1.400	14	1.484	30	1-87543-5
	4	—	.125	.318	1.300	13	1.384	28	1-87543-4
2	4	—	.125	.318	1.200	12	1.284	26	1-87543-3
	4	—	.125	.318	1.100	11	1.184	24	1-87543-2
2	4	—	.125	.318	1.000	10	1.084	22	1-87543-1
	4	—	.125	.318	.900	9	.984	20	1-87543-0
2	4	—	.125	.318	.800	8	.884	18	87543-9
	4	—	.125	.318	.700	7	.784	16	87543-8
2	4	—	.125	.318	.600	6	.684	14	87543-7
	4	—	.125	.318	.500	5	.584	12	87543-6
2	4	—	.125	.318	.400	4	.484	10	87543-5
	4	—	.125	.318	.300	3	.384	8	87543-4
2	4	—	.125	.318	.200	2	.284	6	87543-3
	4	—	.125	.318	.100	1	.184	4	87543-2
2	4	—	.125	.318	—	—	.084	2	87543-1
	4	—	.125	.318	—	—	.084	2	87543-1
FINISH		E	D	C	B	A	NO OF POSN	PART NUMBER	

4805 (1/15)

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

By

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

△6	.125	.318	3.900	39	3.984	80	9-87543-0
	.125	.318	3.800	38	3.884	78	8-87543-9
	.125	.318	3.700	37	3.784	76	8-87543-8
	.125	.318	3.600	36	3.684	74	8-87543-7
	.125	.318	3.500	35	3.584	72	8-87543-6
	.125	.318	3.400	34	3.484	70	8-87543-5
	.125	.318	3.300	33	3.384	68	8-87543-4
	.125	.318	3.200	32	3.284	66	8-87543-3
	.125	.318	3.100	31	3.184	64	8-87543-2
	.125	.318	3.000	30	3.084	62	8-87543-1
	.125	.318	2.900	29	2.984	60	8-87543-0
	.125	.318	2.800	28	2.884	58	7-87543-9
	.125	.318	2.700	27	2.784	56	7-87543-8
	.125	.318	2.600	26	2.684	54	7-87543-7
	.125	.318	2.500	25	2.584	52	7-87543-6
	.125	.318	2.400	24	2.484	50	7-87543-5
	.125	.318	2.300	23	2.384	48	7-87543-4
	.125	.318	2.200	22	2.284	46	7-87543-3
	.125	.318	2.100	21	2.184	44	7-87543-2
	.125	.318	2.000	20	2.084	42	7-87543-1
	.125	.318	1.900	19	1.984	40	7-87543-0
	.125	.318	1.800	18	1.884	38	6-87543-9
	.125	.318	1.700	17	1.784	36	6-87543-8
	.125	.318	1.600	16	1.684	34	6-87543-7
	.125	.318	1.500	15	1.584	32	6-87543-6
	.125	.318	1.400	14	1.484	30	6-87543-5
	.125	.318	1.300	13	1.384	28	6-87543-4
	.125	.318	1.200	12	1.284	26	6-87543-3
	.125	.318	1.100	11	1.184	24	6-87543-2
	.125	.318	1.000	10	1.084	22	6-87543-1
	.125	.318	.900	9	.984	20	6-87543-0
	.125	.318	.800	8	.884	18	5-87543-9
	.125	.318	.700	7	.784	16	5-87543-8
	.125	.318	.600	6	.684	14	5-87543-7
	.125	.318	.500	5	.584	12	5-87543-6
	.125	.318	.400	4	.484	10	5-87543-5
	.125	.318	.300	3	.384	8	5-87543-4
	.125	.318	.200	2	.284	6	5-87543-3
	.125	.318	.100	1	.184	4	5-87543-2
△6	.125	.318	-	-	.084	2	5-87543-1
FINISH	E	D	C	B	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
M.E.PASTEL
20 NOV 87

CHK
T.C. CLARK
20 NOV 87

APVD
T.C. CLARK
20 NOV 87

DIMENSIONS:
INCHES

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

SEE TABLE

MATERIAL
HSG-GLASS FILLED NYLON
COLOR: BLACK
CONTACT-PIBOS BRONZE

FINISH

APPROVALS

DWN
M.E.PASTEL
20 NOV 87

CHK
T.C. CLARK
20 NOV 87

APVD
T.C. CLARK
20 NOV 87

NAME

ASSEMBLY, MOD II, HEADER, DOUBLE ROW,
.100X.100

APPLICATION SPEC

SIZE
A1

CAGE CODE
00779

DRAWING NO
C-87543

RESTRICTED TO

WEIGHT
-

SCALE
4:1

SHEET
2

OF
2

REV
H4

CUSTOMER DRAWING

SCALE
4:1

SHEET
2

OF
2

REV
H4

STE

TE Connectivity Ltd.

4805 (1/15)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-87543-5](#)