




LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
E	00	A		INITIAL RELEASED	27NOV2006 A,S S.Y



▲ PART NUMBER, AND DATE CODE MARKED IN AREA SHOWN.



▲ MATERIAL:
 HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY





▲ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS

▲ MECHANICAL CONNECTOR KEEP OUT ZONE.

▲ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

▲ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

▲ PCB - $.0453 \pm .0010$ DRILLED HOLES PLATED WITH $.0003$ MIN Sn OVER $.001$ TO $.003$ Cu PLATING TO ACHIEVE A $.040$ HOLE.



SECTION Z-Z

	.275	1.200	1.250	.250	1.550	32S	6450531-1
DIM TT	DIM U	DIM D	DIM K	DIM L	DESCRIPTION	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION.
 IT IS THE RESPONSIBILITY OF THE USER TO ENSURE THAT IT IS THE LATEST REVISION.
 SHOULD BE CONTACTED FOR THE LATEST REVISION.

CHN: ALEX SHAO 27NOV2006
 APV: SUNY ZHAO 27NOV2006
 NAME: TYCO Electronics incorporated
 ShangHai, P.R.China. 200233

DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± .005
1 PLC	± .01
2 PLC	± .005
3 PLC	± .001
4 PLC	± .0020

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 MATERIAL: 2
 FINISH: 3
 ANGLES: ± 2°
 WEIGHT: -

SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO:
 A | 00779 | 6450531 | -
 CUSTOMER DRAWING

SCALE: 4:1 SHEET: 1 OF 2 REV: A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6450531-1](#)