
	8				7					6
	THIS DRAWING IS UNPUBLISHED		RELEASED FOR PUBLIC		— ,N/	Ά.				
	C COPYRIGHT N/A By -	By – ALL RIGHTS RESERVED.								1
	PART NO.	A 1		B A		C 1		D	REMARKS	
	846950-1	1200.00 [3	30480.0]	12.00	[304.8]	12.00	[304.8]	4.00	<u> </u>	OBSOLETE
	846950-2	480.00 [´	12192.0]	12.00	[304.8]	12.00	[304.8]	4.00	25	OBSOLETE
	846950-3	180.00 [4	4572.0]	12.00	[304.8]	12.00	[304.8]	4.00	<u> </u>	OBSOLETE
	846950-4	60.00 [´	1524.0]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	
	846950-5	192.00 [4	4876.8]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	OBSOLETE
	846950-6	12.00 []	304.8]	12.00	[304.8]	12.00	[304.8]	2.62	$\sqrt{5}$	
	846950-7	12.00 []	304.8]	24.00	[609.6]	24.00	[609.6]	2.75	$\sqrt{5}$	
	846950-8	108.00 [2	2743.2]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	
	846950-9	108.00 [2	2743.2]	12.00	[304.8]		-	4.00	$\sqrt{5}$	OBSOLETE
	1-846950-0	48.00 [1219.2]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	
	1-846950-1	10.00 [2	254.0]	12.00	[304.8]	_		3.00	$\sqrt{5}$	OBSOLETE
D	1-846950-2	15.00 [3	381.0]	12.00	[304.8]	_		3.00	$\sqrt{5}$	OBSOLETE
	1-846950-3	24.00 [6	609.6]	12.00	[304.8]		-	3.00	$\sqrt{5}$	OBSOLETE
	1-846950-4	96.00 [2	2438.4]	12.00	[304.8]	12.00	[304.8]	3.00	$\sqrt{5}$	
	1-846950-5	70.00 [´	1778.0]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	
	1-846950-6	32.50 [8	825.5]	6.00	[152.4]	6.00	[152.4]	4.00	$\overline{5}$	OBSOLETE
	1-846950-7	50.00 [´	1270.0]	12.00	[304.8]	12.00	[304.8]	4.00	$\overline{5}$	
	1-846950-8	20.00 [5	508.0]	12.00	[304.8]	12.00	[304.8]	4.00	$\overline{5}$	
	1-846950-9	30.00 [7	762.0]	12.00	[304.8]		-	4.00	$\sqrt{5}$	
	2-846950-0	79.00 [2	2006.6]	12.00	[304.8]	12.00	[304.8]	6.00	$\sqrt{5}$	
	2-846950-1	300.00 [7	7620.0]	12.00	[304.8]	12.00	[304.8]	4.00	$\overline{5}$	OBSOLETE
	2-846950-2	348.00 [8	8839.2]	12.00	[304.8]	12.00	[304.8]	4.00	$\overline{5}$	
	2-846950-3	17.00 [4	431.8]	12.00	[304.8]	12.00	[304.8]	4.00	$\overline{5}$	
	2-846950-4	26.00 [6	660.4]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	OBSOLETE
-	2-846950-5	14.00 []	355.6]	12.00	[304.8]	12.00	[304.8]	3.00	$\sqrt{5}$	
	2-846950-6	216.50 [5	5500.1]	12.00	[304.8]	12.00	[304.8]	4.00	$\sqrt{5}$	
	5-846950-8	108.00[2	2743.2]	12.00	[304.8]	12.00	[304.8]	4.00	\triangle	
	6-846950-0	48.00 [^	1219.2]	12.00	[304.8]	12.00	[304.8]	4.00	\triangle	
	6-846950-8	20.00 [5	508.0]	12.00	[304.8]	12.00	[304.8]	4.00	\triangle	
	7-846950-0	79.00 [2	2006.6]	12.00	[304.8]	12.00	[304.8]	6.00	\triangle	




В

10:37am

А







THIS DRAWING IS A
DIMENSIONS:
INCHES [mm]
MATERIAL
SEEC ALLOUTS

		2				1						
						REVISIONS						
		_	Ρ	LTR		DESCRIPTION	DATE	DWN	APVD			
				AB	REV PER ECO 1	3-015549	10-2-13	СТ	DE			
Δ	TOLERANCE OF LEAD LENGTH: UP TO 24 INCHES $[609.6] = \pm .12 [\pm 3.0]$ 24 INCHES $[609.6] \& UP = \pm 1\%$											
2	MA	MARKED PER MIL-STD-130.										
3.	LOCDISTREVISIONSPLTRDESCRIPTIONDATEDWNAPVDABREV PER ECO 13-01554910-2-13CTDE1TOLERANCE OF LEAD LENGTH: UP TO 24 INCHES [609.6] = \pm .12 [\pm 3.0] 24 INCHES [609.6] & UP = \pm 1%2MARKED PER MIL-STD-130.5.TO MATE WITH AMP LGH-4 RECEPTACLE WITH 2.00 [50.8] BARREL DEPTH.											
4.												
$\sqrt{5}$	WH	IERE	AP	°LIC4	ABLE PIGTAIL	L IS SOLDER DIPPED.						
6												
\triangle	INS	SULAT	ION	CU	T, BUT NOT	REMOVED.						

A CO	ONTROLLED DOCUMENT.	C.C.THOMAS	3-MAR-90	_	TE	TE	Connectiv	ity	
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	D.OPLINGER APVD 05	9-APR-90 9-APR-90 NAME	<u> </u>					
	0 PLC \pm - 1 PLC \pm - 2 PLC \pm .02 [0.5] 3 PLC \pm -	D.OPLINGER PRODUCT SPEC — APPLICATION SPEC				DOUBLE M ND SILICON LGH-4			
	4 PLC ± – ANGLES ± –	_	SIZE		DRAWING NO			RES	STRICTED TO
	FINISH SEE CALLOUTS	WEIGHT	A '	1 00779	C- 846	6950			_
		CUSTOMER DRA	WING			scale 1:1	SHEET C	F 1	AB

В

А

С

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: <u>1-846950-5</u>