





PART NO.	DIMENSION A 寸法 A	DIMENSION B 寸法 B	DIMENSION C 寸法 C	DIMENSION D 寸法 D
1612035-1	12.15 REF	14.05 REF	9.1 REF	15.7 REF
1612035-2	11.75 REF	13.65 REF	8.7 REF	15.3 REF



1. 嵌合相手品番; 1473672-1
2. 適用端子及び適用電線はTABLE-1参照
- △3. 本品には、2種類のパネルロック形状がある
4. 取扱説明書NO.411-78050



1. PART NUMBER OF PLUG HOUSING;1473672-1
2. APPLICABLE TERMINAL AND WIRE RANGE;REFER TO TABLE-1
- △3. PANEL LOCK VARIATIONS
4. INSTRUCTION SHEET NO.411-78050

TABLE - 1

TEMINAL	FINISH	APPLICABLE WIRE RANGE
1674742-1	TIN	AVSS/AVSSH-f CAVS/CAVUS 0.3~0.5mm ²

PAPER BOX ダンボール箱	PLASTIC BAG ビニール袋	NATURAL	B	1612035-2
PAPER BOX ダンボール箱	PLASTIC BAG ビニール袋	NATURAL	A	1612035-1
OUTER 外装	INNER 内装	COLOR 色	PANEL LOCK TYPE パネルロック △3	PART NUMBER 型番
PACKING STYLE 梱包形態				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN N.YASUDA 29OCT02	TE TE Connectivity 025G W-W CONNECTOR 4POS CAP HOUSING		
DIMENSIONS: 単位: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3 0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ±3°00' FINISH 仕上	CHK T.KOHNO 29OCT02			NAME 名義
	MATERIAL 材料 PBT	APVD N.SAI 29OCT02	DRAWING NO 番号		
		PRODUCT SPEC 製造規格 108-5787	RESTRICTED TO		
		APPLICATION SPEC 取付適用規格 114-5340	SIZE	CAGE CODE	
		WEIGHT 重量 3.1 g	A200779	C=1612035	
		CUSTOMER DRAWING	SCALE 縮尺 4:1	SHEET 枚数 1	OF 2
				REV 改訂 P	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1612035-1](#)