




1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm²)
3. TPA IS SHIPPED IN PRE-LOADED POSITION. SOME TPA'S MAY BECOME FULLY
SEATED DURING SHIPPING. USE TE CONNECTIVITY (TE) INSTRUCTION SHEET
408-10128 TO REPOSITION TPA TO IT'S PRE-LOADED POSITION.
4. TE ASSEMBLY PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR) ARE PRINTED IN THIS
LOCATION.
5. APPLICABLE HEADER INTERFACE DRAWING 1438199 IS AVAILABLE UPON REQUEST.
A COPY OF THIS DRAWING CAN BE OBTAINED FROM THE TE PRODUCT MANAGER, VIA
YOUR TE SALES REPRESENTATIVE OR CUSTOMER SERVICE.
6. WIRE DRESS COVER PART NO. 1326941-1 MATES WITH THIS CONNECTOR ASSEMBLY.
7. ASSEMBLIES ARE BULK PACKAGED.
8. OPTIONAL CPA IS SHIPPED IN IT'S PRE-LOADED POSITION.



A technical line drawing of a 12-pin D-sub connector. The connector has a D-shaped shield and a locking tab on the side. The pins are arranged in two rows of six. The drawing is a perspective view showing the front and side of the connector.



MINIMUM FEED THRU CONDITION
WITH 1mm CLEARANCE ALL AROUND

KEYING OPTION "B" SHOWN
SEE NOTE 5 FOR APPLICABLE HEADER
INTERFACE INFORMATION

AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS					
AA	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

						7U5T-14A464-EA-000	1326942-2	
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER	
TERMINAL POSITION								
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION								
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION								
KEY B, NO CPA								

6								1326942-9
6			3	2	1			1326942-8
		4				AU5T-14A464-BA-001		1326942-5
						AU5T-14A464-BA-000		1326942-4
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER	
TERMINAL POSITION								
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION								
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION								
KEY A, WITH CPA								

6	5		3		1	7LIT-14A464-CB-003	1326942-7
6	5	4			1	7LIT-14A464-CB-002	1326942-6
6					1	7LIT-14A464-CB-001	1326942-3
						7LIT-14A464-CB-000	1326942-1
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER
TERMINAL POSITION							
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION							
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION							
KEY B, WITH CPA							

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND EXISTING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST EDITION.

DIMENSIONS:
mm

MATERIAL
SEE TABLE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.3
2 PLC ±0.10
3 PLC ±
4 PLC ±
ANGLES ±°
FINISH -

DWN
A.HOLT
28MAR2007

CHK
D.STRAUSSER
28MAR2007

APVD
D.STRAUSSER
28MAR2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

Customer Drawing

Tyco Electronics
Harrisburg, PA 17105-3608

NAME
1 X 6 SEALED,
CONNECTOR FOR ANGLED WIRE DRESS
COVER

SIZE
A100779

CAGE CODE
C=1326942

DRAWING NO

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
2

REV
F5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1326942-2](#)