

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV , 1995.

© COPYRIGHT 1995 By —

ALL RIGHTS RESERVED.

|     |   |
|-----|---|
| LOC | J |
|-----|---|

|  |      |
|--|------|
|  | DIST |
|--|------|

REVISIONS

變更

[illegible]

|     |
|-----|
| LTR |
|-----|

| DESCRIPTION |
|-------------|
|-------------|

DATE \_\_\_\_\_

DWN

|      |
|------|
| APVD |
|------|






|  |   |
|--|---|
|  | B |
|--|---|

REVISFD FCR-13-007649

07MAY13

|  |   |   |
|--|---|---|
|  | I | T |
|--|---|---|

|  |   |   |
|--|---|---|
|  | S | Y |
|--|---|---|



|             |                |               |     |    |      |      |             |
|-------------|----------------|---------------|-----|----|------|------|-------------|
| NON SEALANT | AVAILABLE      | 3             | 30  | 70 | 48.7 | 140  | 6-5316318-0 |
| SEALANT     | AVAILABLE      | 3             | 30  | 70 | 54.7 | 160  | 1-5316318-1 |
|             | AVAILABLE      | ↑             | ↑   | ↑  | 48.7 | 140  | 1-↑-0       |
|             | NOT AVAILABLE  |               |     |    | 42.7 | 120  | ↓-9         |
|             | ↑              | ↓             | ↓   | ↓  | 36.7 | 100  | ↓-8         |
|             |                | 3             | 30  | 70 | 33.7 | 90   | ↓-7         |
|             |                | 5             | 50  | 43 | 30.7 | 80   | ↓-6         |
|             |                | ↑             | ↑   | ↑  | 27.7 | 70   | ↓-5         |
|             |                |               |     |    | 24.7 | 60   | ↓-4         |
|             |                |               |     |    | 21.7 | 50   | ↓-3         |
|             |                | ↓             | ↓   | ↓  | 18.7 | 40   | ↓-2         |
|             |                | NOT AVAILABLE | 5   | 50 | 43   | 15.7 | 30          |
| SEALANT     | TOOLING STATUS | ROW           | QTY | BB | AA   | POS. | PART NO.    |

THIS DRAWING IS A CONTROLLED DOCUMENT

DIMENSIONS  
單位：耗  
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
一般公差

|          |    |
|----------|----|
| MATERIAL | 材料 |
|----------|----|

|        |     |     |
|--------|-----|-----|
| 0      | PLC | ± - |
| 1      | PLC | ± - |
| 2      | PLC | ± - |
| 3      | PLC | ± - |
| 4      | PLC | ± - |
| ANGLES |     | ± - |
| FINISH |     |     |
| 仕上     |     |     |

|                  |         |
|------------------|---------|
| DWN              | STATUS  |
| LEO ZHOU         | 11NOV04 |
| CHK              | 11NOV04 |
| STEVEN YAO       |         |
| APVD             | 11NOV04 |
| IKUO ENOMOTO     |         |
| PRODUCT SPEC     |         |
| 製品規格             |         |
| 108-60047        |         |
| APPLICATION SPEC |         |
| 取付適用規格           |         |
| 114-5255         |         |
| WEIGHT           |         |




TE Connectivity

|            |           |                                                           |     |                 |               |
|------------|-----------|-----------------------------------------------------------|-----|-----------------|---------------|
| NAME<br>名称 |           | HARD TRAY ASSY<br>FH 0.6BTB CONNECTOR<br>REC 12H W/G-CONT |     |                 |               |
| SIZE       | CAGE CODE | DRAWING NO<br>番号                                          |     |                 | RESTRICTED TO |
| A3         | 00779     | C-5316318                                                 |     |                 |               |
|            |           | SCALE<br>尺度                                               | 1:2 | SHEET<br>1 OF 3 | REV<br>B      |

GENERAL TOLERANCE  
一般公差

10 $\geq$ : $\pm 0.2$   
30 $\geq$  >10: $\pm 0.25$   
100 $\geq$  >30: $\pm 0.3$   
ANGLES: $\pm 3^\circ$





# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-5316318-1](#)