









further more information
see DS 09191130202

full range of P/N's and
dimensions shown on page 2/2

coding style table

	style A: for connectors 6-pole
	style B: for connectors from 10 to 14-pole
	style C: for connectors from 16 to 64-pole

		All Dimensions in mm Original Size DIN A3		Scale 2:1		Free size tol. IEC 60603-13		Ref. Sub. TB 09195XXX324 / 500000068837 / 2014-05-16					
		All rights reserved Department EC PD - DE		Created by STORCK		Inspected by LEHNERT		Standardisation HOFFMANN		Date 2015-12-07		State Final Release	
HARTING Electronics GmbH D-32339 Espelkamp				Title SEK 19 male low profile straight solder 2.9								Doc-Key / ECM-Nr. 100154466/UGD/013/A 500000094890	
				Type TB		Number 09195XXX324						Rev. A	

1		2		3		4		5		6		7		8						
A		performance level						insulator colour	remark	dimensions						A				
		PL3		PL2		S4				A max.		B	E							
		no. of contacts	part number	part number		part number														
B		06	09 19 506 7324	09 19 506 6324		09 19 506 5324		beige	-	15,4	12,78	2,54 x 2 = 5,08				B				
		10	09 19 510 7324	09 19 510 6324		09 19 510 5324				20,5	17,86	2,54 x 4 = 10,16								
		14	09 19 514 7324	09 19 514 6324		09 19 514 5324				25,6	22,94	2,54 x 6 = 15,24								
		16	09 19 516 7324	09 19 516 6324		09 19 516 5324				28,1	25,48	2,54 x 7 = 17,78								
		20	09 19 520 7324	09 19 520 6324		09 19 520 5324				33,2	30,56	2,54 x 9 = 22,86								
		26	09 19 526 7324	09 19 526 6324		09 19 526 5324				40,8	38,18	2,54 x 12 = 30,48								
		30	09 19 530 7324	09 19 530 6324		09 19 530 5324				45,9	43,26	2,54 x 14 = 35,56								
		34	09 19 534 7324	09 19 534 6324		09 19 534 5324				51,0	48,34	2,54 x 16 = 40,64								
		40	09 19 540 7324	09 19 540 6324		09 19 540 5324				58,6	55,96	2,54 x 19 = 48,26								
		50	09 19 550 7324	09 19 550 6324		09 19 550 5324				71,5	68,66	2,54 x 24 = 60,96								
		60	09 19 560 7324	09 19 560 6324		09 19 560 5324				84,2	81,36	2,54 x 29 = 73,66								
		64	09 19 564 7324	09 19 564 6324		09 19 564 5324				89,3	86,44	2,54 x 31 = 78,74								
C		06	09 19 506 7324 001	09 19 506 6324 001		09 19 506 5324 001		black	-	15,4	12,78	2,54 x 2 = 5,08				C				
		10	09 19 510 7324 001	09 19 510 6324 001		09 19 510 5324 001				20,5	17,86	2,54 x 4 = 10,16								
		14	09 19 514 7324 001	09 19 514 6324 001		09 19 514 5324 001				25,6	22,94	2,54 x 6 = 15,24								
		16	09 19 516 7324 001	09 19 516 6324 001		09 19 516 5324 001				28,1	25,48	2,54 x 7 = 17,78								
		20	09 19 520 7324 001	09 19 520 6324 001		09 19 520 5324 001				33,2	30,56	2,54 x 9 = 22,86								
		26	09 19 526 7324 001	09 19 526 6324 001		09 19 526 5324 001				40,8	38,18	2,54 x 12 = 30,48								
		30	09 19 530 7324 001	09 19 530 6324 001		09 19 530 5324 001				45,9	43,26	2,54 x 14 = 35,56								
		34	09 19 534 7324 001	09 19 534 6324 001		09 19 534 5324 001				51,0	48,34	2,54 x 16 = 40,64								
		40	09 19 540 7324 001	09 19 540 6324 001		09 19 540 5324 001				58,6	55,96	2,54 x 19 = 48,26								
		50	09 19 550 7324 001	09 19 550 6324 001		09 19 550 5324 001				71,5	68,66	2,54 x 24 = 60,96								
		60	09 19 560 7324 001	09 19 560 6324 001		09 19 560 5324 001				84,2	81,36	2,54 x 29 = 73,66								
		64	09 19 564 7324 001	09 19 564 6324 001		09 19 564 5324 001				89,3	86,44	2,54 x 31 = 78,74								
D		06	09 19 506 7324 740	09 19 506 6324 740		09 19 506 5324 740		beige	vacuum cover tape & reel packaging	15,4	12,78	2,54 x 2 = 5,08				D				
		10	09 19 510 7324 740	09 19 510 6324 740		09 19 510 5324 740				20,5	17,86	2,54 x 4 = 10,16								
		14	09 19 514 7324 740	09 19 514 6324 740		09 19 514 5324 740				25,6	22,94	2,54 x 6 = 15,24								
		16	09 19 516 7324 740	09 19 516 6324 740		09 19 516 5324 740				28,1	25,48	2,54 x 7 = 17,78								
		20	09 19 520 7324 740	09 19 520 6324 740		09 19 520 5324 740				33,2	30,56	2,54 x 9 = 22,86								
		26	09 19 526 7324 740	09 19 526 6324 740		09 19 526 5324 740				40,8	38,18	2,54 x 12 = 30,48								
		30	09 19 530 7324 740	09 19 530 6324 740		09 19 530 5324 740				45,9	43,26	2,54 x 14 = 35,56								
		34	09 19 534 7324 740	09 19 534 6324 740		09 19 534 5324 740				51,0	48,34	2,54 x 16 = 40,64								
		40	09 19 540 7324 740	09 19 540 6324 740		09 19 540 5324 740				58,6	55,96	2,54 x 19 = 48,26								
		50	09 19 550 7324 740	09 19 550 6324 740		09 19 550 5324 740				71,5	68,66	2,54 x 24 = 60,96								
		60	09 19 560 7324 740	09 19 560 6324 740		09 19 560 5324 740				84,2	81,36	2,54 x 29 = 73,66								
		64	09 19 564 7324 740	09 19 564 6324 740		09 19 564 5324 740				89,3	86,44	2,54 x 31 = 78,74								
E		06	09 19 506 7324 741	09 19 506 6324 741		09 19 506 5324 741		black	vacuum cover tape & reel packaging	15,4	12,78	2,54 x 2 = 5,08				E				
		10	09 19 510 7324 741	09 19 510 6324 741		09 19 510 5324 741				20,5	17,86	2,54 x 4 = 10,16								
		14	09 19 514 7324 741	09 19 514 6324 741		09 19 514 5324 741				25,6	22,94	2,54 x 6 = 15,24								
		16	09 19 516 7324 741	09 19 516 6324 741		09 19 516 5324 741				28,1	25,48	2,54 x 7 = 17,78								
		20	09 19 520 7324 741	09 19 520 6324 741		09 19 520 5324 741				33,2	30,56	2,54 x 9 = 22,86								
		26	09 19 526 7324 741	09 19 526 6324 741		09 19 526 5324 741				40,8	38,18	2,54 x 12 = 30,48								
		30	09 19 530 7324 741	09 19 530 6324 741		09 19 530 5324 741				45,9	43,26	2,54 x 14 = 35,56								
		34	09 19 534 7324 741	09 19 534 6324 741		09 19 534 5324 741				51,0	48,34	2,54 x 16 = 40,64								
		40	09 19 540 7324 741	09 19 540 6324 741		09 19 540 5324 741				58,6	55,96	2,54 x 19 = 48,26								
		50	09 19 550 7324 741	09 19 550 6324 741		09 19 550 5324 741				71,5	68,66	2,54 x 24 = 60,96								
		60	09 19 560 7324 741	09 19 560 6324 741		09 19 560 5324 741				84,2	81,36	2,54 x 29 = 73,66								
		64	09 19 564 7324 741	09 19 564 6324 741		09 19 564 5324 741				89,3	86,44	2,54 x 31 = 78,74								
F								 All rights reserved Department EC PD - DE		Created by STORCK		Inspected by LEHNERT		Standardisation HOFFMANN		Date 2015-12-07		State Final Release		F
		HARTING Electronics GmbH D-32339 Espelkamp						Title SEK 19 male low profile straight solder 2.9		Doc-Key / ECM-Nr. 100154466/UGD/013/A 500000094890						Rev. A	Page 2/2			
								Type TB		Number 09195XXX324										
		1		2		3		4		5		6		7		8				



All rights reserved
Department EC PD - DE



All Dimensions in mm
Original Size DIN A3

Scale
1:1

Free size tol.

Created by
STORCK

Inspected by
LEHNERT

Standardisation
HOFFMANN

Date
2015-12-07

State
Final Release

Title
SEK 19 male low profile straight solder 2.9

Doc-Key / ECM-Nr.
100154466/UGD/013/A
500000094890

Type
TB

Number
09195XXX324

Rev.
A

Page
2/2

HARTING Electronics GmbH
D-32339 Espelkamp

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09195066324](#) [09195067324](#) [09195106324](#) [09195145324](#) [09195146324](#) [09195147324](#) [09195166324](#)
[09195167324](#) [09195205324](#) [09195267324](#) [09195406324](#) [09195507324](#) [09195607324](#) [09195206324](#) [09195207324](#)
[09195105324](#) [09195407324](#) [09195107324](#) [09195405324](#) [09195506324](#) [09195646324](#) [09195165324](#)
[09195266324](#) [09195347324](#) [09195345324](#) [09195346324](#) [09195106324740](#) [09195105324740](#) [09195207324740](#)
[09195066324741](#) [09195267324740](#) [09195106324741](#) [09195406324741](#) [09195107324740](#) [09195066324740](#)
[09195146324740](#) [09195206324740](#) [09195166324740](#) [09195266324740](#) [09195145324740](#)