







THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. PETERSON	010C12007	 TE Connectivity
		CHK L. VARSIK	010C12007	
DIMENSIONS:		APVD L. VARSIK	010C12007	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
mm	0 P/LC ±.1	APPLICATION SPEC		NAME PLUG KIT, UNASSEMBLED, 1 POSITION, RG-316 OR RG-174, 180 DEGREE, FAKRA, SMB
	1 P/LC ±.1			
	2 P/LC ±0.25			
	3 P/LC ±.1			
	4 P/LC ±.1	114-13157		SIZE
MATERIAL	FINISH	WEIGHT		CAGE CODE
-	-	-		DRAWING NO.
				RESTRICTED TO
				-
CUSTOMER DRAWING			A1 00779 © 1924792	
			SCALE	SHEET
			5:1	1 OF 2
				REV A.3


	PER DETAIL Y	PER DETAIL K	K	GRAY	I438894-2	CURRY	I-1438893-0	6-1924792-0
	PER DETAIL Y	PER DETAIL I	I	GRAY	I438894-2	BEIGE	I438893-9	5-1924792-9
	PER DETAIL Y	PER DETAIL H	H	GRAY	I438894-2	HEATHER VIOLET	I438893-8	5-1924792-8
	PER DETAIL Y	PER DETAIL G	G	GRAY	I438894-2	BLUE GREY	I438893-7	5-1924792-7
	PER DETAIL Y	PER DETAIL F	F	GRAY	I438894-2	NUT BROWN	I438893-6	5-1924792-6
	PER DETAIL Y	PER DETAIL E	E	GRAY	I438894-2	LEAF GREEN	I438893-5	5-1924792-5
	PER DETAIL Y	PER DETAIL D	D	GRAY	I438894-2	CLARET VIOLET	I438893-4	5-1924792-4
	PER DETAIL Y	PER DETAIL C	C	GRAY	I438894-2	SIGNAL BLUE	I438893-3	5-1924792-3
	PER DETAIL Y	PER DETAIL B	B	GRAY	I438894-2	SIGNAL WHITE	I438893-2	5-1924792-2
	PER DETAIL Y	PER DETAIL A	A	GRAY	I438894-2	JET BLACK	I438893-1	5-1924792-1
	PER DETAIL X	PER DETAIL M	M	RED	I438888-1	PASTEL ORANGE	I-1438893-2	1-1924792-2




LOC		DIST		REVISONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	




DETAIL A




DETAIL B




DETAIL C




DETAIL D




DETAIL E




DETAIL F




DETAIL G




DETAIL H



DETAIL I



DETAIL K



DETAIL M

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. PETERSON	01OCT2007	TE Connectivity			
		CHK L. VARSIK	01OCT2007				
DIMENSIONS:		APVD L. VARSIK	01OCT2007	NAME		PLUG KIT, UNASSEMBLED, 1 POSITION, RG-316 OR RG-174, 180 DEGREE, FAKRA, SMB	
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE	
		0 PLC ±		APPLICATION SPEC		CAGE CODE	
		1 PLC ±		114-13157		DRAWING NO	
		2 PLC ±		WEIGHT		A100779	
		3 PLC ±		CUSTOMER DRAWING		C=1924792	
		4 PLC ±		SCALE		5:1	
		ANGLES		SHEET		2 OF 2	
		FINISH		REV		A3	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924792-5](#)