


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAY, 1995.

© COPYRIGHT 1995 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
J		P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REVISED ECR-08-000339	01FEB08	T.T	T.F
			B	REVISED PER ECO-17-002393	27MAY17	B.J	S.Y

AS SHOWN: TYPE-1






DETAIL C


⚠ TRAY TYPE-1 AND TYPE-2 MUST BE PILED UP BY TURNS. (REFER TO PACKING SPECIFICATIONS)



D-D (SCALE 2:1)



E-E (SCALE 2:1)



DETAIL C (SCALE 4:1)

POSITION NO.1

	SEALANT	TOOLING STATUS	ROW	QTY	B	A	POS.	TRAY P/N	PART NO.
	↑	NOT AVAILABLE	3	30	70	54.7	160	912063-9	6-5316135-1
	↑	↑	↑	↑	↑	48.7	140	912063-8	6- - -0
	↑	↑	↑	↑	↑	42.7	120	4-912065-9	5- - -9
	↑	↑	↑	↑	↑	36.7	100	8-912066-2	5- - -8
	↑	↑	↑	↑	↑	33.7	90	9-912066-6	5- - -7
	↑	↑	↑	↑	↑	30.7	80	912067-3	5- - -6
	↑	↑	↑	↑	↑	27.7	70	912063-1	5- - -5
	↑	↑	↑	↑	↑	24.7	60	9-912066-5	5- - -4
	↑	↑	↑	↑	↑	21.7	50	9-912062-9	5- - -3
	↑	↑	↑	↑	↑	18.7	40	9-912066-4	5- - -2
	↓	NOT AVAILABLE	5	50	43	15.7	30	9-912066-3	5-5316135-1
	↓	↑	↑	↑	↑	54.7	160	912063-9	1-5316135-1
	↓	↑	↑	↑	↑	48.7	140	912063-8	1- - -0
	↓	↑	↑	↑	↑	42.7	120	4-912065-9	- - -9
	↓	↑	↑	↑	↑	36.7	100	8-912066-2	- - -8
	↓	↑	↑	↑	↑	33.7	90	9-912066-6	- - -7
	↓	↑	↑	↑	↑	30.7	80	912067-3	- - -6
	↓	↑	↑	↑	↑	27.7	70	912063-1	- - -5
	↓	↑	↑	↑	↑	24.7	60	9-912066-5	- - -4
	↓	↑	↑	↑	↑	21.7	50	9-912062-9	- - -3
	↓	↑	↑	↑	↑	18.7	40	9-912066-4	- - -2
	↓	↑	↑	↑	↑	15.7	30	9-912066-3	5316135-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN HAWKING HE 21DEC04
 CHK STEVEN YAO 21DEC04
 APVD I.ENOMOTO 21DEC04

Tyco Electronics Tyco Electronics Corporation
 Kawasaki, Japan

NAME 姓名
 PRODUCT SPEC 製品規格
 108-60047
 APPLICATION SPEC 取付適用規格
 114-5255

SOFT TRAY ASSY
 FH 0.6BTB CONNECTOR
 PLUG 4H STD

MATERIAL 材料
 FINISH 仕上

WEIGHT
 A300779



DRAWING NO 番号
 C-5316135

RESTRICTED TO



CUSTOMER DRAWING SCALE 尺度 1:2 SHEET 1 OF 2 REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAY, 1995.
 © COPYRIGHT 1995 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS		
J		P	LTR	DESCRIPTION
				DATE
				DWN
				APVD
		SEE SHEET 1		



F-F
(SCALE 8:1)



△ MATERIAL ; HOUSING : HIGH TEMP THERMO PLASTIC
 UL94V-0
 CONTACT : COPPER ALLOY
 △ FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.
 CONTACTING AREA 0.0002 MIN Au PL.
 SOLDERING AREA 0.001 MIN TIN PL.

REFERENCE P.C.BOARD LAYOUT

AVAILABLE	51.8	50.6	54.7	50	47.4	160
AVAILABLE	45.8	44.6	48.7	44	41.4	140
NOT AVAILABLE	39.8	38.6	42.7	38	35.4	120
AVAILABLE	33.8	32.6	36.7	32	29.4	100
NOT AVAILABLE	30.8	29.6	33.7	29	26.4	90
NOT AVAILABLE	27.8	26.6	30.7	26	23.4	80
AVAILABLE	24.8	23.6	27.7	23	20.4	70
AVAILABLE	21.8	20.6	24.7	20	17.4	60
AVAILABLE	18.8	17.6	21.7	17	14.4	50
NOT AVAILABLE	15.8	14.6	18.7	14	11.4	40
NOT AVAILABLE	12.8	11.6	15.7	11	8.4	30
TOOLING STATUS	E	D	C	B	A	POS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation	
DIMENSIONS: 単位: 耗 mm		CHK	Kawasaki, Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	NAME 名称	
0 PLC ± 0.3		PRODUCT SPEC 製品規格	SOFT TRAY ASSY	
1 PLC ± 0.3		APPLICATION SPEC 取付適用規格	FH 0.6BTB CONNECTOR	
2 PLC ± 0.3		WEIGHT	SIZE	CAGE CODE
3 PLC ± 0.3		CUSTOMER DRAWING	A3	00779
4 PLC ± 0.3			DRAWING NO	G-5316135
PLC ANGLES ± 3'		RESTRICTED TO	SCALE 尺度	SHEET
FINISH 仕上			4:1	2 OF 2
MATERIAL 材料				REV B

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5316135-3](#)