




REF -50 OPTION SCREW  
(WHERE APPLICABLE)



4 CIRCUIT SHOWN



# NOTES:

1. MATERIAL: SEE TABLE
2. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
3. ALL COMPONENTS ARE ROHS COMPLIANT.

| 5    | XX  | SCREW&WASHER, #6-32X.25 PAN, PH/SL (-50 OPT) | STEEL         | ZINC CLEAR CHROMATE |
|------|-----|----------------------------------------------|---------------|---------------------|
| 4    | XX  | SCREW, #6-32X.25 BHD, PH/SL (-49 OPT)        | BRASS         | NICKEL              |
| 3    | XX  | SCREW, #6-32X.25 BHD, PH/SL (STANDARD)       | STEEL         | ZINC CLEAR CHROMATE |
| 2    | XX  | TERMINAL, QUICK CONNECT (STYLE 9)            | BRASS         | TIN                 |
| 1    | 1   | INSULATOR, SR, CS, INSL BASE, MTG.           | THERMOPLASTIC | BLACK               |
| ITEM | QTY | DESCRIPTION                                  | MATERIAL      | FINISH              |

CORRECTION ON -50 OPT.  
EC NO: ETC2007-0333  
DRMNAH/DALGO 2007/04/24  
CHKD: JENCINAS 2007/04/27  
APPR: JMACNEIL 2007/04/30

REVISION  
REV  
DESCRIPTION

QUALITY SYMBOLS  
=0  
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

|               | mm     | INCH    |
|---------------|--------|---------|
| 4 PLACES      | ± .005 | ± .0005 |
| 3 PLACES      | ± .013 | ± .001  |
| 2 PLACES      | ± .03  | ± .003  |
| 1 PLACE       | ± .075 | ± .0075 |
| ANGULAR ± 2 ° |        |         |

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION STYLE  
MM/IN

| DRAWN BY     | DATE       |
|--------------|------------|
| EHILE        | 2006/08/23 |
| CHECKED BY   | DATE       |
| JMACNEIL     | 2006/08/23 |
| APPROVED BY  | DATE       |
| JMACNEIL     | 2006/08/23 |
| MATERIAL NO. | SEE CHART  |

SCALE  
2:1

DESIGN UNITS  
INCH

THIRD ANGLE PROJECTION

9.53MM [.375] SR BTS CS  
ASSY, INSULATED QUICK  
CONNECT W/MTG.

MOLEX INCORPORATED

DOCUMENT NO.  
SD-38725-002

SHEET NO.  
1 OF 2

EA

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[38725-1005](#)