

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0877153908](#)  
**Status:** **Active**  
**Overview:** Edge Card Connectors  
**Description:** 1.00mm Pitch Edgecard Connector, 230 Circuits, Nylon 4/6 Glass-filled, Black Housing, Phosphor Bronze, 0.38µm Gold Solder-tail

**Documents:**

[Drawing \(PDF\)](#) [Packaging Specification PK-87715-202-001 \(PDF\)](#)  
[Product Specification PS-87715-202-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Product Specification TS-87715-202-001 \(PDF\)](#)

**Agency Certification**

CSA LR19980

**General**


Product Family Edge Card Connectors  
 Series [87715](#)  
 Comments Not a PCI Standard Part  
 Component Type Edgecard to PCB  
 Data Rate 8.0 Gbps  
 Edge Card Thickness 1.57mm  
 Electrical Model Yes  
 High Power Bay (30.0A or more) No  
 Orientation Vertical  
 Overview [Edge Card Connectors](#)  
 Product Name Edge Card  
 Standard Based General  
 UPC 822348517893

**Physical**

(p)ower-(s)ignal Configuration 230s - 0p  
 Circuit Size Range 201-294 Circuits  
 Circuits (Loaded) 230  
 Circuits (maximum) 230  
 Color - Resin Black  
 Durability (mating cycles max) 50  
 Entry Angle Vertical (Top Entry)  
 Flammability 94V-0  
 Keying to Mating Part Yes  
 Material - Plating Mating Gold  
 Material - Plating Termination Tin-Lead  
 Net Weight 11.900/g  
 PC Tail Length 2.54mm  
 PCB Locator Yes  
 PCB Retention Yes  
 PCB Thickness - Recommended 1.60mm  
 Packaging Type Tray  
 Pitch - Mating Interface 1.00mm  
 Pitch - Termination Interface 1.00mm  
 Plating min - Mating 0.381µm  
 Polarized to Mating Part Yes  
 Temperature Range - Operating 65°C  
 Termination Interface: Style Through Hole

**Electrical**

Current - Maximum per Contact 1.1A  
 Voltage - Maximum 50V AC (RMS)/DC



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
 ED/61/2018 (27 June  
 2018)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[87715 Series](#)

**Mates With**

1.00mm Thick Memory Module

**Solder Process Data**

Duration at Max. Process Temperature (seconds)	010
Lead-free Process Capability	REFLOW
Max. Cycles at Max. Process Temperature	001
Process Temperature max. C	260

**Material Info****Reference - Drawing Numbers**

Electrical Model Document	EE-87715-002, EE-87715-011, EE-87715-012, EE-87715-013, EE-87715-014, REE-87715-016, REE-87715-017
Packaging Specification	PK-87715-202-001
Product Specification	PS-87715-202-001, TS-87715-202-001
S-Parameter Model	SP-87715-002, SP-87715-011, SP-87715-012, SP-87715-013, SP-87715-014
Sales Drawing	SD-87715-202
Signal Integrity Report	SI-87715-002

This document was generated on 10/26/2018

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[87715-3908](#)