





⚠ JACK INTERFACE PER DIN 72594-1, ROAD VEHICLES - RADIO FREQUENCY INTERFACE - DIMENSIONS AND ELECTRICAL REQUIREMENTS.

2. JACK SUBASSEMBLY WILL ACCEPT RG-62 COAXIAL CABLE.

3. SEE INSTRUCTION SHEET 408-10028.

4. SPACER 1274233-2 MUST BE PURCHASED SEPERATELY.

5. PIN CONTACT 1438890-8 MUST BE PURCHASED SEPERATELY.

3.55

9.47

3.58

RECOMMENDED STRIP LENGTH DIMENSIONS
SCALE: NTS

LOC

DIST

REV

LYR

DESCRIPTION

DATE

DWN

APVD

IN

00

E

EI

REVISED PER ECR-07-012944

REVISED PER ECO-10-013737

05JUN2007

30JUN2010

AH

DLD

LLV

LLV

COMPANY LOGO

JACK SUBASSEMBLY
1438889-1

JACK HOUSING
PART NUMBER: SEE TABLE

LOCK
1438888-1
SEE TABLE

LOCK
WITH BODY CLIP SLOT
1438894-2
SEE TABLE

FERRULE
1326646-1

PER DETAIL Y	PER DETAIL K	K	GRAY	1438894-2	CURRY	1-1438887-0	6-1438891-0
PER DETAIL Y	PER DETAIL H	H	GRAY	1438894-2	HEATHER VIOLET	1438887-8	5-1438891-8
PER DETAIL Y	PER DETAIL D	D	GRAY	1438894-2	CLARET VIOLET	1438887-4	5-1438891-4
PER DETAIL Y	PER DETAIL C	C	GRAY	1438894-2	SIGNAL BLUE	1438887-3	5-1438891-3
PER DETAIL Y	PER DETAIL B	B	GRAY	1438894-2	SIGNAL WHITE	1438887-2	5-1438891-2
PER DETAIL Y	PER DETAIL A	A	GRAY	1438894-2	JET BLACK	1438887-1	5-1438891-1
PER DETAIL X	PER DETAIL K	K	RED	1438888-1	CURRY	1-1438887-0	1-1438891-0
PER DETAIL X	PER DETAIL H	H	RED	1438888-1	HEATHER VIOLET	1438887-8	1438891-8
PER DETAIL X	PER DETAIL D	D	RED	1438888-1	CLARET VIOLET	1438887-4	1438891-4
PER DETAIL X	PER DETAIL C	C	RED	1438888-1	SIGNAL BLUE	1438887-3	1438891-3
PER DETAIL X	PER DETAIL B	B	RED	1438888-1	SIGNAL WHITE	1438887-2	1438891-2
PER DETAIL X	PER DETAIL A	A	RED	1438888-1	JET BLACK	1438887-1	1438891-1
ASSEMBLY	KEYING	CODING	LOCK COLOR	LOCK PART NUMBER	HOUSING COLOR	JACK HOUSING PART NUMBER	PART NUMBER

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. FOR THE LATEST REVISION, SEE THE INSTRUCTION SHEET 408-10028.

DIMENSIONS:

mm

9 PLC

1 PLC

5 PLC

5 PLC

4 PLC

±

±

±

±

±

±0.25

±

±

MATERIAL

FINISH

-

-

DWN

03JAN2005

CHK

03JAN2005

APVD

03JAN2005

NAME

PRODUCT SPEC

APPLICATION SPEC

114-13157

WEIGHT

-

CUSTOMER DRAWING

Tyco Electronics

Harrisburg, PA 17105-3608

JACK KIT, UNASSEMBLED,
1 POSITION, RG-62, 180 DEGREE,
FAKRA, SMB

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

C=1438891

-

SCALE

4:1

SHEET

1


OF

2


REV

E1


LOC		DIST		REVISIONS					
IN		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




DETAIL A
SCALE 5:1




DETAIL B
SCALE 5:1




DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1



DETAIL H
SCALE 5:1



DETAIL K
SCALE 5:1

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. FOR THE LATEST REVISION, CONTACT THE TYCO ELECTRONICS CORPORATION.		DWN	03JAN2005		 Tyco Electronics Harrisburg, PA 17105-3608					
		CHK	13JAN2005							
		APVD	J.W. HALL 13JAN2005		NAME JACK KIT, UNASSEMBLED, 1 POSITION, RG-62, 180 DEGREE, FAKRA, SMB					
		PRODUCT SPEC	APPLICATION SPEC							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE		CAGE CODE		DRAWING NO	RESTRICTED TO	
mm		0 PLC ± 1 PLC ± 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		114-13157		00779				C=1438891
MATERIAL		-		WEIGHT		-		CUSTOMER DRAWING		
						SCALE 5:1		SHEET 2 OF 2		REV E

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1438891-1](#)