



AMP 4809 REV 31MAR2000





RETENTION CLIP

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

O PLC #1 PLC #2 PLC # 0.2 [.008]
3 PLC #4 PLC #4 PLC #4 PLC #4 PLC #5 FINISH

MATERIAL

MATERIAL

MATERIAL

DWN
BH
AUG04

FINISH


AUG04


APPLICATIONS PEC

APPLIC

1738260-1


1 | CONVERTED RADIALL DWG TO TYCO ACAD DWG | 08/04 | - |









AMP 4809 REV 31MAR2000





- KEY SLOT OF A-F JACKSCREW
ALIGNED WITH THE CORNER POINTS
OF THE POLARIZING HEX
(SHOWN IN POSITION B)

DETAIL A -JACKSCREW KIT ASSEMBLED



				1738260-1	
				PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT.		CHK AUGO-	Tyco Electro	lectronics Corporation urg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD AUGO- JPM		KIT	
	0 PLC	PRODUCT SPEC — APPLICATION SPEC	WITH GROUND BLOCK, WITH A-F JACKSCREW, GPRB2		
MATERIAL	4 PLC ± - ANGLES ± - FINISH	WEIGHT	SIZE CAGE CODE DRAWING NO	RESTRICTED TO —	
<u> </u>	[CUSTOMER DRAWING	SCALE 1.1	SHEET 2 OF 2 REV 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 1738260-1