






- HOUSING HAS RAST 5 COMPLIANT KEYING LATCHING, AND POLARIZATION, TAB IS 6.30 x 0.8mm ACCORDING TO DIN 46224;
- MATERIAL: HOUSING NYLON, UL94 V0, 750 °C GWT NO FLAME;
- FINISH: CONTACTS, TIN PLATING OVERALL, NICKEL UNDER-PLATING;
- PACKING: LOOSE PIECE OR TUBE. THE PART NUMBER IN THIS DRAWING ARE WITH LOOSE PIECE PACKING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKING REQUIREMENT.

- 5 PRELIMINARY, NOT FOR PRODUCTION.
- 6 MATERIAL: HOUSING PA66, UL94 V0
PRODUCT COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30 (GWT).
- 7 FINISH: CONTACT, SILVER PLATING OVERALL, NICKEL UNDER-PLATING.
- 8 SPECIAL VERSION: SHORT PEG DESIGN, DETAIL IN SHEET 3



42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO.OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.P	APRT62013	TE TE Connectivity NAME RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL SIZE CAGE CODE DRAWING NO A200779C=2232511 RESTRICTED TO	
DIMENSIONS:		CHK F.M	APRT62013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F.M	APRT62013		
mm		PRODUCT SPEC	108-106080		
0 PLC ±0.5		APPLICATION SPEC	-	SCALE 4:1 SHEET 1 OF 3 REV A16	
1 PLC ±0.25		WEIGHT	-		
2 PLC ±0.13					
3 PLC ±0.0001					
4 PLC ±0.0001					
ANGLES FINISH					
MATERIAL					
-		CUSTOMER DRAWING			

4

3


2

1


THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
20

© COPYRIGHT 20 BY - ALL RIGHT REVERSED
ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



3-2232511-3 $\triangle$ $\triangle$





2232511-5
1-2232511-5 $\triangle$
2328608-5 $\triangle$




2-2232511-3 $\triangle$
2232511-3
1-2232511-3 $\triangle$
2328608-3 $\triangle$

3 POS.




2232511-4

4 POS.



1-2232511-4


4 POS.



2-2232511-5 $\triangle$


5 POS.

VOID PIN
2232511-5
1-2232511-5




2232511-6

6 POS.





2232511-8





8 POS.



VOID PIN




PCB LAYOUT SKETCH
SOLDER SIDE




2232511-7
1-2232511-7 $\triangle$
2328608-7 $\triangle$


7 POS.




2-2232511-7 $\triangle$



3-2232511-7



PCB LAYOUT SKETCH
SOLDER SIDE



THE POSITION OF THE 4 PIN TAIL HOLE AND POST ARE FIXED

$\phi 2.50 \pm 0.05$
HOLE FOR POLARIZING PEG

RECOMMEND PCB LAYOUT - SOLDER SIDE
PCB 1.5±0.2 THICK

NATURE

COLOR NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN B.P. APR162013

CHK - 24SEP2013

APVD - 24SEP2013


PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

8	2232511-8
7	3-2232511-7
7	2-2232511-7 $\triangle$
7	1-2232511-7 $\triangle$
7	2232511-7 $\triangle$
6	2232511-6
5	2-2232511-5 $\triangle$
5	1-2232511-5 $\triangle$
5	2232511-5 $\triangle$
4	1-2232511-4 $\triangle$
4	2232511-4 $\triangle$
3	3-2232511-3 $\triangle$
3	2-2232511-3 $\triangle$
3	1-2232511-3 $\triangle$
3	2232511-3 $\triangle$



TE TE Connectivity



RAST 5 TAB HEADER ASSY
DIN STYLE, TH, VERTICAL

SIZE CAGE CODE DRAWING NO
A200779C=2232511

RESTRICTED TO

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	

△ 8 SPECIAL VERSION: SHORT PEG DESIGN



OTHER DIMENSIONS SEE SHEET 1
KEYING SEE SHEET 2

NATURE	7	2328608-7
	5	2328608-5
	3	2328608-3
COLOR	NO. OF POS.	△ 8 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.P.	APRT62013	TE Connectivity	
DIMENSIONS:		CHK F.M.	APRT62013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	APRT62013	NAME	
0 PLC ±.5		PRODUCT SPEC		RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL	
1 PLC ±0.5		108-106080			
2 PLC ±0.25		APPLICATION SPEC		SIZE	
3 PLC ±0.013		-		CAGE CODE	
4 PLC ±0.0001		WEIGHT		DRAWING NO	
ANGLES		-		A200779C=2232511	
FINISH		CUSTOMER DRAWING		RESTRICTED TO	
-		SCALE 4:1		SHEET 3 OF 3	
-		REV A16			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2232511-8](#)