








LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		TYPICAL DIMENSIONS:		MATERIAL		FINISH		WEIGHT		CUSTOMER DRAWING	
0 PLC		±		SEE CHART ON SHEET 2		-		SEE NOTE 5		-	
1 PLC		±0.3									
2 PLC		±0.10									
3 PLC		±									
4 PLC		±									
ANGLES		±									
FINISH		-									
SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO		SCALE		SHEET	
A		00779		1924170		-		3:1		1 OF 5	
NAME		DATE		REV		F					
A. HOLT		14NOV2006									
W. WELLINSKY		14NOV2006									
W. WELLINSKY		14NOV2006									
Tyco Electronics		Tyco Electronics									
Harrisburg, PA 17105-3608											
40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED											

[illegible]

(1) THIS DRAWING IS THE PROPERTY OF THE COMPANY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM THE COMPANY. (2) THE COMPANY ASSUMES NO LIABILITY FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING OUT OF THE USE OF THIS DRAWING.		DWG. 14NOV2006 A. HOLT		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±.03 2 PLC ±.03, .10 3 PLC ±.03 4 PLC ±.03 ANGLES ±.1°		40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
MATERIAL SEE CHART ON SHEET 2		FINISH - WEIGHT - CUSTOMER DRAWING		PRODUCT SPEC - APPLICATION SPEC - SIZE CASE CODE DRAWING NO A 00779 C-1924170 RESTRICTED TO - SCALE 3:1 SHEET 2 OF 5 REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																													
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																													
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																													
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40						
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22							27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-3	G		
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-4	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22							27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36						0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24						29	30					35	36						0-1924170-7	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	1-1924170-0	G			
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G			
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	1-1924170-2	G			
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-4	G			
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	1-1924170-5	G			
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-6	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G				
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-8	G			
							7	8	9	10	11	12																								35	36	37	38	39	40	1-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																	39	40	2-1924170-1	G				
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G				
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					39	40	2-1924170-3	G					
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G				
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G				
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G		
							7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G			
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G					
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G			
											11	12																								37	38	39	40	3-1924170-0	G				
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-1	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-2	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G			
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	3-1924170-4	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G			
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-6	G			
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24										35	36	37	38	39	40	3-1924170-7	G				
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24											35	36	37	38	39	40	3-1924170-9	G				
											11	12							19	20																37	38	39	40	4-1924170-0	G				
																		19	20																	37	38	39	40	4-1924170-1	G				
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24										35	36	37	38	39	40	4-1924170-2	G				
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20	21	22	23	24										35	36	37	38	39	40	4-1924170-3	G				
1	2	3	4	5	6						11	12	13	14	15	16					21	22	23	24									31	32			35	36	37	38	39	40	4-1924170-4	G	
1	2	3																																											

LOC	DIST	REVISONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24												35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G		
											11	12											24																		7-1924170-4	G	
1	2										11	12	13	14	15	16							24																		7-1924170-5	G	
											11	12																				32					37	38	39	40	7-1924170-6	G	
											11	12											24																		7-1924170-7	G	
											11	12																													7-1924170-8	G	
						7	8	9	10	11	12												24																		7-1924170-9	G	
						7	8	9	10	11	12																														8-1924170-0	G	
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G	
							9	10	11	12								17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38				8-1924170-3	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20															37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16				19	20																37	38	39	40	8-1924170-5	G		
1	2					7	8	9	10	11	12		14	15			17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15			17	18			21	22		24	25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15			17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30						35	36	37	38			9-1924170-1	G	
		3	4	5	6						11	12											24												35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G	
											11	12											24												35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6						11	12								19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24											37	38	39	40	9-1924170-8	G			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	0-1924171-1	G		
											11	12							19	20																					0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12								19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																														0-1924171-4	G	
											11	12																													0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24										35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12												24													35	36					0-1924171-7	G
											11	12	13	14	15	16							24																			0-1924171-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G		

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																											0-1924172-1	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16																					35	36	37	38	39	40	0-1924172-3	G
						7	8	9	10	11	12	13	14	15	16																					35	36	37	38	39	40	0-1924172-4	G
						7	8	9	10	11	12																									35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24					27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
						7	8	9	10	11	12						17	18																		35	36	37	38	39	40	0-1924172-7	G
						7	8	9	10	11	12	13	14	15	16	17	18																			35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-9	G
						7	8	9	10	11	12												24													35	36	37	38	39	40	1-1924172-0	G
						7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G	
1	2					7	8	9	10	11	12						17	18			21	22														35	36	37	38	39	40	1-1924172-3	G
		3	4	5	6						11	12												24												35	36	37	38	39	40	1-1924172-4	G
		3	4	5	6																			24												35	36	37	38	39		1-1924172-5	G
		3	4	5	6						11	12												24												35	36	37	38	39		1-1924172-6	G

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12																											0-1924173-1	H				
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34					37	38	39	40	0-1924173-5	H	
									9	10	11	12																												39	40	0-1924173-6	H	
							7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12											24																		39	40	0-1924173-8	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32						37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32						37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	1-1924173-2	H		
									9	10	11	12					17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	1-1924173-3	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32						37	38	39	40	1-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						35	36	37	38		1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34				37	38	39	40	1-1924173-8	H		
			3	4	5	6					11	12								19	20																		39	40	1-1924173-9	H		
			3	4	5	6					11	12								19	20						24												39	40	2-1924173-0	H		
			3	4	5	6					11	12								19	20						24												39	40	2-1924173-1	H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[9-1924170-8](#)