

	Produ	ct: <u>83027</u> ⊠				
	Lead V	Vire, #20 Str	SPC, TFE Ins	s, AWM 1180	300V 200	C TYPE EE
		11 Request S	ample			
Product Description High Temp Plastic Lead		9x32) Silver Plated 0	Copper, TFE Insulatior	n, AWM 1180 300V 2	00C TYPE EE M	IL-W-16878/5 1000V 200C
Technical Specificat	ions					
Physical Characteristic	s (Overall)					
Conductor						
AWG Stranding Mate	rial No. of Co ed Copper 1	onductors				
Conductor Count:	1					
Insulation						
Material	Nominal Diameter	Nominal Wall Thickness				
PTFE - Polytetrafluoroethylene	0.068 in	0.015 in				
Outer Jacket Material						
Material No Jacket						
Electrical Characteristi	cs					
Current						
Max. Recommended Current 6.5 A						

Voltage

Non-UL Voltage Rating	UL Voltage Rating
1000 V	300 V RMS

Temperature Range

Non-UL Temp Rating:	200°C
UL Temp Rating:	200°C

Mechanical Characteristics

6.20 lbs/1000ft
1180
NEMA HP3, MIL-W-16878/5 (Except for Stranding)

Applicable Environmental and Other Programs

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/96/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes

EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	Yes
EU RoHS Compliance Date (yyyy-mm-dd):	2005-04-01
MII Order #39 (China RoHS):	Yes

Flammability, LS0H, Toxicity Testing

UL Flammability:	VW-1
UL voltage rating:	300 V RMS
Plenum/Non-Plenum	

Plenum (Y/N):

Part Number

Variants

ltem #	Color	UPC	Length	Footnote
83027 010100	Black	6128253545	43 100 ft	
83027 0101000	Black	6128253995	20 1,000 ft	SW
83027 010500	Black			
83027 006100	Blue, Light	6128253544	82 100 ft	
83027 0061000	Blue, Light	6128253995	13 1,000 ft	SW
83027 001100	Brown	6128253547	27 100 ft	
83027 008100	Gray			
83027 005100	Green, Dark		100 ft	
83027 0051000	Green, Dark		1,000 ft	SW
83027 003100	Orange	6128253546	35 100 ft	
83027 0031000	Orange			SW
83027 002100	Red	6128253547	58 100 ft	
83027 0021000	Red	6128253545	05 1,000 ft	SW
83027 007100	Violet		100 ft	
83027 0071000	Violet		1,000 ft	SW
83027 009100	White	6128253544	99 100 ft	
83027 0091000	White	6128253545	12 1,000 ft	SW
83027 004100	Yellow	6128253544	75 100 ft	
83027 0041000	Yellow			SW
Footnote:	Footnote: S - STRIPING ADDERS			G ADDERS
Footnote:	Footnote: W - MAY CONTAIN M			NTAIN MO

No

History

Update and Revision:

Revision Number: 0.265 Revision Date: 04-02-2020

© 2020 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.