





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
HG	17		G	ECR-14-011637	15AUG2014	HZ	RZ

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Zhang JinQiang 30AUG2011	TE Connectivity			
DIMENSIONS: METERS		CHK Philip Liu 30AUG2011				
		APVD Richard Zhao 30AUG2011	NAME CABLE ASSEMBLY, FIBER OPTIC, OM3			
		PRODUCT SPEC	CXP BREAKOUT, OFNP, 24F, 3.8mm ROUND CABLE			
		APPLICATION SPEC	MTP® NO PINS TO 12 LC DUPLEX			
		WEIGHT	SIZE A2	CAGE CODE 00779	DRAWING NO 2148041	RESTRICTED TO -
MATERIAL		CUSTOMER DRAWING	SCALE NTS	SHEET 1 OF 2	REV G	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
HG	17		—	SEE SHEET 1	—	—	—

PART NUMBER	L		MTP® MAX (dB) IL 	LC MAX (dB) IL 
	MAX	MIN		
2148041-1	1.050	0.950	1.00	0.30
2148041-2	2.050	1.950	1.01	0.31
2148041-3	3.050	2.950	1.01	0.31
2148041-4	4.080	3.920	1.01	0.31
2148041-5	5.080	4.920	1.02	0.32
2148041-6	6.080	5.920	1.02	0.32
2148041-7	7.080	6.920	1.02	0.32
2148041-8	8.080	7.920	1.03	0.33
2148041-9	9.150	8.850	1.03	0.33
1-2148041-0	10.150	9.850	1.04	0.34
1-2148041-1	11.150	10.850	1.04	0.34
1-2148041-2	12.150	11.850	1.04	0.34
1-2148041-3	13.150	12.850	1.05	0.35
1-2148041-4	14.150	13.850	1.05	0.35
1-2148041-5	15.150	14.850	1.05	0.35
1-2148041-6	16.160	15.840	1.06	0.36
1-2148041-7	17.170	16.830	1.06	0.36
1-2148041-8	18.180	17.820	1.06	0.36
1-2148041-9	19.190	18.810	1.07	0.37
2-2148041-0	20.200	19.800	1.07	0.37
2-2148041-1	21.210	20.790	1.07	0.37
2-2148041-2	22.220	21.780	1.08	0.38
2-2148041-3	23.230	22.770	1.08	0.38
2-2148041-4	24.240	23.760	1.08	0.38
2-2148041-5	25.250	24.750	1.09	0.39
2-2148041-6	26.260	25.740	1.09	0.39
2-2148041-7	27.270	26.730	1.09	0.39
2-2148041-8	28.280	27.720	1.10	0.40
2-2148041-9	29.290	28.710	1.10	0.40
3-2148041-0	30.300	29.700	1.11	0.41
3-2148041-1	31.310	30.690	1.11	0.41
3-2148041-2	32.320	31.680	1.11	0.41
3-2148041-3	33.330	32.670	1.12	0.42
3-2148041-4	34.340	33.660	1.12	0.42
3-2148041-5	35.350	34.650	1.12	0.42
3-2148041-6	36.360	35.640	1.13	0.43
3-2148041-7	37.370	36.630	1.13	0.43
3-2148041-8	38.380	37.620	1.13	0.43
3-2148041-9	39.390	38.610	1.14	0.44
4-2148041-0	40.400	39.600	1.14	0.44
4-2148041-1	41.410	40.590	1.14	0.44
4-2148041-2	42.420	41.580	1.15	0.45
4-2148041-3	43.430	42.570	1.15	0.45
4-2148041-4	44.440	43.560	1.15	0.45
4-2148041-5	45.450	44.550	1.16	0.46
4-2148041-6	46.460	45.540	1.16	0.46
4-2148041-7	47.470	46.530	1.16	0.46
4-2148041-8	48.480	47.520	1.17	0.47
4-2148041-9	49.490	48.510	1.17	0.47
5-2148041-0	50.500	49.500	1.18	0.48
5-2148041-5	55.550	54.450	1.19	0.49
6-2148041-0	60.600	59.400	1.21	0.51
6-2148041-5	65.650	64.350	1.23	0.53
7-2148041-0	70.700	69.300	1.25	0.55
7-2148041-5	75.750	74.250	1.26	0.56
8-2148041-0	80.800	79.200	1.28	0.58
8-2148041-5	86.000	84.000	1.30	0.60
9-2148041-0	91.350	88.650	1.32	0.62
9-2148041-5	96.425	94.575	1.33	0.63
9-2148041-9	101.500	98.500	1.35	0.65




VIEW A-A
NOT TO SCALE

MTP®A ROW	FIBER	FIBER COLOR	LC DPX
A	1	BLUE	1B
A	2	ORANGE	2B
A	3	GREEN	3B
A	4	BROWN	4B
A	5	SLATE	5B
A	6	WHITE	6B
A	7	RED	7B
A	8	BLACK	8B
A	9	YELLOW	9B
A	10	VIOLET	10B
A	11	ROSE	11B
A	12	AQUA	12B
B	1	BLUE	1A
B	2	ORANGE	2A
B	3	GREEN	3A
B	4	BROWN	4A
B	5	SLATE	5A
B	6	WHITE	6A
B	7	RED	7A
B	8	BLACK	8A
B	9	YELLOW	9A
B	10	VIOLET	10A
B	11	ROSE	11A
B	12	AQUA	12A

MTP® CONNECTOR FIBER PATH

-  SEE TABLE FOR MTP®&LC IL @ 850nm
2. PLACE A COPY OF TEST DATA INSIDE OR WITH THE UNIT PACKAGE.
-  WHITE MARK ON CONNECTOR HOUSING INDICATES FIBER 1 SIDE.
4. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE CONNECTIVITY STANDARD TEC-138-702.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 30AUG2011 ZHANG JINQIANG		 TE Connectivity			
DIMENSIONS: METERS		TOLERANCES UNLESS OTHERWISE SPECIFIED:					
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD 30AUG2011 RICHARD ZHAO		NAME	
				PRODUCT SPEC		CABLE ASSEMBLY, FIBER OPTIC, OM3	
MATERIAL -		FINISH -		APPLICATION SPEC		CXP BREAKOUT, OFNP, 24F, 3.8mm ROUND CABLE	
				-		MTP®, NO PINS TO 12 LC DUPLEX	
		WEIGHT -		SIZE A2	CAGE CODE 00779	DRAWING NO C=2148041	RESTRICTED TO -
CUSTOMER DRAWING				SCALE NTS	SHEET 2 OF 2	REV G	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2148041-5](#)