

10119130 - X0C - XXXLF

6-COLUMN
DIFFERENTIAL
SIGNAL

LEAD-FREE DESIGNATION
ONLY WITH APPLICABLE
PLATING CODES

LETTER	PLATING (SEE NOTE 6)	
	APPLICATION	TYPE (REFERENCE)
B	TELCORDIA CO	0.76µm GOLD or GXT
C	TELCORDIA UE	1.27µm GOLD
D	TELCORDIA CO	0.76µm GOLD or GXT, LEAD-FREE
E	TELCORDIA UE	1.27µm GOLD, LEAD-FREE

NUMBER	GUIDE PIN STYLE (SEE NOTE 8)
0	STANDARD GUIDE PIN, MACHINED
1	STANDARD GUIDE PIN, ROLLED

MODULE DESCRIPTION	LETTER DESIGNATION REPRESENTED IN DASH NUMBER										BASE MODULE
LEFT POLARIZING GUIDANCE MODULE (SEE SHEET 6)	N	J	A	B	C	D	E	F	G	H	
	NO KEY NO GUIDE PIN										
RIGHT POLARIZING GUIDANCE MODULE (SEE SHEET 7)	Z	Y	P	Q	R	S	T	U	V	W	
	NO KEY NO GUIDE PIN										
OPEN MODULE (TWO WALL) (SEE SHEET 2)	0 (ZERO)										
LEFT WALL MODULE (SEE SHEET 3)	L										
RIGHT WALL MODULE (SEE SHEET 4)	M										
FOUR WALL MODULE (SEE SHEET 5)	1 (ONE)										

NUMBER	CONTACT MATING WIPE LENGTH		COMPLIANT TAIL TYPE (SEE NOTE 9)
	SIGNAL	GROUND	
1	2 MM	4 MM	0.55 (0.0217") DRILL
2	3 MM	4 MM	0.55 (0.0217") DRILL
3	2 MM	4 MM	0.45 MICRO (0.0177") DRILL
4	3 MM	4 MM	0.45 MICRO (0.0177") DRILL
5	2 MM	3 MM	0.55 (0.0217") DRILL
6	3 MM	3 MM	0.55 (0.0217") DRILL
7	2 MM	3 MM	0.45 MICRO (0.0177") DRILL
8	3 MM	3 MM	0.45 MICRO (0.0177") DRILL

FOR CUSTOM-LOADED MODULES, SEE INDIVIDUAL CUSTOM DRAWINGS WITH THE DRAWING-NUMBER FORMAT OF 10119130-XXXX, WHERE: "X" DENOTES MODULE TYPE PER CHART ON THIS SHEET "XXXX" IS A SEQUENTIAL NUMBER BEGINNING WITH "0001".

TABLE 1 (SEE NOTE 11)		
	UNGROUND	GROUND
FHS	Ø2.35-Ø2.55	Ø2.35-Ø2.55
PAD	N/A	Ø5.50
PLATED	NO	YES
DRILL(mm)	2.44mm	2.58mm
DRILL(in)	0.096"	0.1015"


TABLE 2 (SEE NOTE 12)		
SCREW P/N	DESCRIPTION	BOARD THICKNESS
10091790-002LF	#2-56 X 0.375" LG. PHILIPS PANHEAD W/SQ CONICAL WASHER	1.60-5.00mm
10091790-003LF	#2-56 X 0.375" LG. PHILIPS PANHEAD W/SQ CONICAL WASHER	5.00-10.00mm

spec ref	-	dr	Marty Glass	2012/02/09	projection	MM	size	A2	scale	2:1
tolerance std	-	eng	Sandar Soe	2016/03/08			ecn no	ELX-S-17624-1	rel level	Released
ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-						
		appr	Chen-Hong Tan	2016/03/17						
surface	linear	0.X	±0.3	Amphenol FCi	title	VERTICAL HEADER ASSEMBLY	cat. no.	Product - Customer Drw	sheet 1 of 8	rev
		0.XX	±0.10							
		0.XXX	±0.05							
ASME Y14.5	angular	0°	±2°	www.fci.com						



PDS: Rev :C

STATUS:Released



Printed: Mar 17, 2016




LEFT WALL MODULE





BP HOLE PATTERN COMPONENT SIDE
LEFT WALL MODULE BACKPLANE FOOTPRINT






spec ref		-		dr		Marty Glass		2012/02/09		projection				MM		size		A2		scale		5:1			
tolerance std		-		eng		Sandar Soe		2016/03/08						ecn no		ELX-S-17624-1		rel level		Released					
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-						product family		XCEDE HD									
surface				appr		Chen-Hong Tan		2016/03/17		title		VERTICAL HEADER ASSEMBLY						dwg no		10119130		rev		C	
ASME Y14.5		linear		0.X		±0.3		Amphenol FCI		cat. no.		-		Product - Customer Drw						sheet 3 of 8					
		0.XX		±0.10		www.fci.com																			
		0.XXX		±0.05																					
		angular		0°		±2°																			




RIGHT WALL MODULE





BP HOLE PATTERN COMPONENT SIDE
RIGHT WALL MODULE BACKPLANE FOOTPRINT



spec ref		-		dr		Marty Glass		2012/02/09		projection		MM		size		A2		scale		5:1			
tolerance std		-		eng		Sandar Soe		2016/03/08						ecn no		ELX-S-17624-1		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-						product family		XCEDE HD							
				appr		Chen-Hong Tan		2016/03/17															
surface				linear		0.X		±0.3		Amphenol FCI		VERTICAL HEADER ASSEMBLY		XCEDE HD 6 PAIR, 6 COLUMN		dwg no		10119130		rev		C	
				0.XX		±0.10																	
				0.XXX		±0.05																	
ASME Y14.5				angular		0°		±2°		www.fci.com		cat. no.		-		Product -		Customer Drw		sheet 4 of 8			






FOUR WALL MODULE



SEE DETAIL A
ON SHEET 8 FOR PINOUT DETAILS

BP HOLE PATTERN COMPONENT SIDE

FOUR WALL MODULE BACKPLANE FOOTPRINT




spec ref	-	dr	Marty Glass	2012/02/09	projection	MM	size	A2	scale	5:1
tolerance std	-	eng	Sandar Soe	2016/03/08	chr	-	ecn no	ELX-S-17624-1		
ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	appr	Chen-Hong Tan	2016/03/17	product family	XCEDE HD	rel level	Released		
surface	linear	0.X	±0.3	Amphenol FCI	title	VERTICAL HEADER ASSEMBLY	dwg no	10119130	rev	C
ASME Y14.5	angular	0.XX	±0.10	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 5 of 8		
		0.XXX	±0.05							
		0°	±2°							

Amphenol FCI

© 2016 APCI

LEFT POLARIZING / GUIDE MODULE


BP HOLE PATTERN COMPONENT SIDE
LEFT POLARIZING GUIDE MODULE
BACKPLANE FOOTPRINT

spec ref		-		dr		Marty Glass		2012/02/09		projection				MM		size		A2		scale		5:1	
tolerance std		-		eng		Sandar Soe		2016/03/08						ecn no		ELX-S-17624-1		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		-		-															
				appr		Chen-Hong Tan		2016/03/17								product family				XCEDE HD			
surface				linear		0.X		±0.3				title		VERTICAL HEADER ASSEMBLY		dwg no		10119130		rev		C	
				0.XX		±0.10																	
ASME Y14.5		angular		0.XXX		±0.05																	
						±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 6 of 8							

PDS: Rev :C


STATUS:Released

Printed: Mar 17, 2016





OPTIONAL KEY SEE SHEET 1
PART NUMBER TREE


SEE NOTE 5




SEE DETAIL A
ON SHEET 8 FOR PINOUT DETAILS





(5.2)
FOR 3MM WIPE SIGNAL
(4.2)
FOR 2MM WIPE SIGNAL







RIGHT POLARIZING GUIDE MODULE




SEE DETAIL A
ON SHEET 8 FOR
PINOUT DETAILS

SEE NOTE 11 & TABLE 1

BP HOLE PATTERN COMPONENT SIDE
RIGHT POLARIZING GUIDE MODULE
BACKPLANE FOOTPRINT



spec ref	-	dr	Marty Glass	2012/02/09	projection	MM	size	A2	scale	5:1
tolerance std	-	eng	Sandar Soe	2016/03/08	chr	-	ecn no	ELX-S-17624-1		
ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	appr	Chen-Hong Tan	2016/03/17	product family	XCEDE HD	rel level	Released		
surface	linear	angular	0°	±0.3	±0.10	±0.05	0°	±2°		
ASME Y14.5										
Amphenol FCI		VERTICAL HEADER ASSEMBLY		XCEDE HD 6 PAIR, 6 COLUMN		10119130		C		
www.fci.com		cat. no.		Product - Customer Drw		sheet 7 of 8				



Amphenol
FCI

© 2016 APCI

spec ref	-	dr	Marty Glass	2012/02/09	projection	MM	size	A2	scale	3:1
tolerance std	-	eng	Sandar Soe	2016/03/08			ecn no	ELX-S-17624-1	rel level	Released
ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-						
surface	linear	appr	Chen-Hong Tan	2016/03/17						
ASME Y14.5	angular	0°	±2°	±0.3	±0.10	±0.05	10119130	C	sheet 8 of 8	

PDS: Rev :C

STATUS:Released

Printed: Mar 17, 2016

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10119130-U0C-10DLF](#) [10119130-U0C-50DLF](#) [10119130-G0C-30DLF](#) [10119130-L0C-20DLF](#) [10119130-W0C-40DLF](#) [10119130-E0C-60DLF](#) [10119130-W0C-80DLF](#) [10119130-J0C-80DLF](#) [10119130-G0C-70DLF](#) [10119130-G0C-50DLF](#) [10119130-F0C-20DLF](#) [10119130-Y0C-10DLF](#) [10119130-10C-10DLF](#) [10119130-00C-20DLF](#) [10119130-A0C-80DLF](#) [10119130-C0C-50DLF](#) [10119130-B0C-20DLF](#) [10119130-S0C-80DLF](#) [10119130-D0C-10DLF](#) [10119130-P0C-10DLF](#) [10119130-R0C-30DLF](#) [10119130-V0C-80DLF](#) [10119130-R0C-70DLF](#) [10119130-F0C-60DLF](#) [10119130-T0C-40DLF](#) [10119130-C0C-10DLF](#) [10119130-10C-50DLF](#) [10119130-T0C-80DLF](#) [10119130-P0C-60DLF](#) [10119130-T0C-10DLF](#) [10119130-V0C-40DLF](#) [10119130-P0C-20DLF](#) [10119130-F0C-40DLF](#) [10119130-H0C-40DLF](#) [10119130-10C-20DLF](#) [10119130-V0C-50DLF](#) [10119130-00C-10DLF](#) [10119130-C0C-70DLF](#) [10119130-Q0C-10DLF](#) [10119130-00C-40DLF](#) [10119130-H0C-10DLF](#) [10119130-S0C-40DLF](#) [10119130-D0C-30DLF](#) [10119130-10C-80DLF](#) [10119130-00C-60DLF](#) [10119130-W0C-60DLF](#) [10119130-L0C-80DLF](#) [10119130-Y0C-20DLF](#) [10119130-C0C-60DLF](#) [10119130-A0C-10DLF](#) [10119130-E0C-20DLF](#) [10119130-M0C-50DLF](#) [10119130-Y0C-70DLF](#) [10119130-Y0C-50DLF](#) [10119130-L0C-70DLF](#) [10119130-S0C-30DLF](#) [10119130-P0C-50DLF](#) [10119130-E0C-30DLF](#) [10119130-M0C-20DLF](#) [10119130-F0C-50DLF](#) [10119130-H0C-80DLF](#) [10119130-F0C-80DLF](#) [10119130-T0C-60DLF](#) [10119130-Q0C-60DLF](#) [10119130-A0C-60DLF](#) [10119130-S0C-50DLF](#) [10119130-W0C-50DLF](#) [10119130-D0C-50DLF](#) [10119130-Y0C-60DLF](#) [10119130-S0C-70DLF](#) [10119130-J0C-30DLF](#) [10119130-B0C-70DLF](#) [10119130-P0C-70DLF](#) [10119130-S0C-10DLF](#) [10119130-10C-70DLF](#) [10119130-T0C-50DLF](#) [10119130-G0C-40DLF](#) [10119130-C0C-80DLF](#) [10119130-00C-50DLF](#) [10119130-M0C-40DLF](#) [10119130-W0C-30DLF](#) [10119130-V0C-30DLF](#) [10119130-J0C-70DLF](#) [10119130-G0C-10DLF](#) [10119130-C0C-40DLF](#) [10119130-Q0C-30DLF](#) [10119130-Q0C-80DLF](#) [10119130-W0C-70DLF](#) [10119130-V0C-10DLF](#) [10119130-U0C-60DLF](#) [10119130-R0C-50DLF](#) [10119130-R0C-10DLF](#) [10119130-U0C-80DLF](#) [10119130-R0C-60DLF](#) [10119130-T0C-30DLF](#) [10119130-P0C-40DLF](#) [10119130-F0C-30DLF](#) [10119130-R0C-80DLF](#) [10119130-H0C-50DLF](#) [10119130-H0C-60DLF](#)